



REQUEST FOR QUOTATION (RFQ) AFTER PRE BID MEETING HELD ON 19TH DECEMBER 2024.

PROJECT: NATIONAL HEALTH SUPPORT PROGRAM (NHSP-KP)

DESCRIPTION: Procurement of I.T, Furniture and other office supplies for PMU NHSP-KP

DEADLINE DATE FOR SUBMISSION OF RFQ: 30th December 2024.

POSTING DATE: 10th December 2024

Government of Khyber Pakhtunkhwa Health Department, **NATIONAL HEALTH SUPPORT PROGRAM (NHSP-KP)**, has received financing from World Bank to strengthen equitable delivery and quality of essential health services at the primary health care level in support of Universal Health Coverage in Khyber Pakhtunkhwa. The project intends to use part of the proceeds for Procurement of IT and furniture and other office supplies.

NHSP-KP now invites one envelope sealed quotations from eligible bidder for the supply of I.T Equipment and Furniture for PMU NHSP-KP as per attached technical specifications. The Request for Quotation along with supporting documents must be received by NATIONAL HEALTH SUPPORT PROGRAM (NHSP-KP), House No.240 Defense Colony Shami Road Peshawar not later than 30th December **2024 – 11:00 am**.

Terms and Conditions:

- 1) Vendor must be registered with income and sales tax forum and must be on (ATL) Active Tax Payer List. The Vendor must provide last three years income tax return and last six months sales tax return.
- All Taxes & duties (where applicable) will be deducted as per to government rules.
- 3) Any refurbished or open box equipment or changes made in original items quoted or supplied will be confiscated and the company will be black listed.
- 4) Quotation must be computer written and as per specification. Three years warranty will be provided and payment will only be made after inspection.
- 5) The Supplier must provide an affidavit that their company has not been blacklisted or in litigation with any department in Pakistan.
- 6) Non availability of any documents will lead to disqualify the vendor regardless of prices.
- 7) Submission of any forged documents will lead to disqualification and blacklisting.
- 8) Equipment's must be delivered on delivered duty paid (DDP) mode, within one month (30 days) of issuance of Purchase Order/Notification of Award. Quantities can be increase or decrease subject to availability of funds and program requirement.
- 9) Prices shall be fixed and Bid price should be in Pak Rupees. The Vendors are requested to give their best and final prices as no negotiations are expected.
- 10) NHSP has the right to ask for performance security under the rules.
- 11) The vendor shall provide valid proof of experiences, in shape of Conrtact Agreement/supply order and performance certificate from Procuring entity in public sector.
- 12) Project Director is the competent authority for grievance redressal.

Project Director
NATIONAL HEALTH SUPPORT PROGRAM (NHSP-KP)
House No.240 Defense Colony Shami Road Peshawar
Government of Khyber Pakhtunkhwa Health Departmen





Technical Specification: I.T Equipment for NHSP-KP

Note:

Lot-A (items at S.No 1, 2 and 3), **Lot-B** (item at S.No.4, 5 and 6), **Lot-C** (items at S.No 7, 11 and 12), **Lot-D** (items at S.No 8, 9 and 10). The bidders are required to quote price for Separate lot, if not quoted, it will results in non-responsive for that lot.

S.No	Items/ Equipment	Technical Specification	Quantity
1	Laptops	Branded Laptop (Touch Screen)	6
		Processor: Ultra-7	
		Ram: 8 GB or higher	
		Hard Disk: 512 GB, SSD or higher	
		Display Size: 14" or higher	
		Resolution: FHD or better	
		Graphics: Intl or better	
		Wifi: 802.11ac wireless networking or	
		equivalent	
		Bluetooth: 5.0 or higher	
		With genuine windows/ Licensed	
		With best quality bag	
2	Laptops	Branded Laptop	2
		Processor: Ultra-7	
		Ram: 8 GB or higher	
		Hard Disk: 512 GB, SSD or higher	
		Display Size: 16" or higher	
		Resolution: FHD or better	
		Graphics: Intl or better	
		Wifi: 802.11ac wireless networking or equivalent	
		Bluetooth: 5.0 or higher	
		Touch Screen	
		With genuine windows/ Licensed	
		With best quality bag	
3	Desktop	Branded Computer CPU:	3
	computer	Branded CPU	
	with	CPU Core i 5 Processor: 2.8 GHz (13th)	
	accessories	generation) or latest.	





	T		
		 Hard Disk: 1 TB HDD SATA and 512GB SSD NVMe Memory Ram type: DDR4 Number of memory /Ram Slots: 2 Slots • Memory Ram Size: 8 GB, supported up to 16 GB. USB: 06 USB Ports or better Wifi and ethernet connectivity Monitor: • Branded LED 18.5 inch or more monitor FHD (1920x1080) Accessories: With all standard power cables Key board, Mouse, VGA cables etc With genuing windows 	
4	Printer (MFP)	 With genuine windows Print Quality: 1200 x 1200 or higher. Print Speed: 40 ppm or higher. Print Technology: LaserJet Processer: 1.2 GHz or higher Input Tray Capacity: 350 sheets or higher Output Tray Capacity: 150 sheets or higher Media Support: A4, A4-R, Legal etc. Connectivity: LAN, USB and Wifi (built in) Duplex print. Scanner: Resolution: 600x600 dpi (ADF) Accessories: Driver software CD/DVD, power cable and connectivity cable 	4
5	Printer Color	 Printer resolution 5760X1440 DPI 2.7 inch TFT Screen Bi directional Printing. 20 PPM Scanning 1200 x 2400 DPI, 	1
6	Photocopier	Desktop type photocopier machine A3/A5 • Display: TFT/LCD display • Resolution Scan: 600x600 dpi • Resolution Print: 600 dpi	1





	<u> </u>		T
7	I FDs with	 All in one function: Print, Scan, Photocopy With zoom Speed: 35 ppm or better Paper capacity: 250 sheets tray Continuous copies countdown Number of papers tray: 2 trays + 1 by pass Warm up time: 12 second or less for warm up the machine With built-in memory 2GB or better Power: 220-240 v One extra tuner Stabilizer As per machine voltage requirement (Servo Motor) After sales service will required. Screen Size: 65 Inch or better 	
/	LEDs with complete installation and configuration.	 Screen Size: 65 Inch or better Type: DLED Smart TV: Android 9.0 or better Resolutions: 3840*2160 (4 K) Multi signals support: HDMI, VGA, USB, Should have network connectivity with RJ45 and Wireless connectivity Bluetooth and Wifi Viewing Angle: 178/178 (Vertical and horizontal) Head Phone Remote control Built-in speaker, With stand and wall bracket for wall mounting power 220VAC 	5
8	Air Conditions inverter type	 AC 1.5 tones Split unit inverter type Airflow:4-Way Air Cooling effect:Heat and Cool Function Energy efficiency class:60% Electricity saving. Noise level:Ultra Low Noise Control 	8





9	Fridge	 Type: Wall Mounted Gold fin Evaporator and condenser Auto clean R410 Eco friendly refrigerant With Complete Installation 16 cubic feet or better with dual doors. Compressor warranty. 	1
10	5 KVA UPS along with accessories and installation	 Single Phase 5KVA Pure sine wave Backup UPS Input Voltage: Single Phase 230V AC , 190 to 250V Output Voltage:220VAC/230V AC Transfer time less than 3ms At least 3 hours backup Display: UPS shall preferably have Multi line LCD display which shall show various status parameters of the system Audio indications: The UPS shall give distinct audio signals / alarms for battery mode, low battery & other faults Cooling: Fans shall be available for internal heat dissipation of UPS Dry batteries for backup The supplier shall responsible for installation & configuration of wire per running feet along with ducting. 	1
11	CCTV system for PMU, installation and configuration	 CCTV System for video surveillance for security purpose. High Quality imaging camera with 5 MP per unit cost, water proof - Day & Night color Vision CCTV Cameras with the ability to fix on wall, roof etc. Bright Night imaging: Up to 30m or better IR distance 16 Channel 4K NVR, Up to 16-ch camera inputs, Along with metal cabinet and POE Switch. 	1





		 Play back listed footage with date and time View live picture / video anywhere Embedded device, 7*24 stable operation Storage with date and time, High-performance stream media transfer and storage capability 8 TB or better Hard Disk Drive Number of USB Ports 2 & Number of HDMI Ports 2 Able to display the live picture / video of all cameras on two screen. Display for two Users Power requirement 220VAC, 50 Hz Per Feet RJ45 category 6e copper wire with ducting price must be quoted. 	
12	Telephone exchange with networking	 Analogue telephone exchange and Intercom System with CLI card, Two line inputs card, 16 line output. One master console set. Secondary phone set unit cost Panasonic equivalent along with cabling, ducting per running feet and connector DP. Separate price for telephone set should be quoted The supplier shall responsible for installation. 	1





(Lot-E) for Office supplies for NHSP-KP

S.No	Name of Stationery Items	Specification	Unit Cost
1.	Computer paper legal size double-A	80 Grams	
2.	Computer paper A-4 size double-A	80 Grams	
3.	Photo state paper legal	80 Grams	
4.	Photo state paper A-4	80 Grams	
5.	Ball point dollar	Clipper	
6.	Envelope 9x4	White	
7.	Envelope A-4	White	
8.	Kacha/ File cover	Printed text on related to NHSP.	
9.	Small tag	Bundle	
10.	Large tag	Bundle	
11.	Stamp	Self-inking stamp.	
12.	Gum stick	80 Grams	
13.	Permanent marker	Black/Blue	
14.	High lighter	Black/Blue/ green	
15.	Stapler Machine	Medium size	
16.	Stapler Machine	Heavy duty	
17.	Stapler pin 24/6	24/6	
18.	Uni-ball	Eye micro	
19.	Box file	Best quality	
20.	Pencil	Without rubber	
21.	Envelops Legal	Khaki	
22.	Rubber	Ring type	
24.	Sharpener	Plastic	
25.	White fluid	Pen type	
26.	Punch Machine	double hole	
27.	Stapler remover	Steel	
28.	Envelop size11x5	Khaki	
30.	Expert Gel Stick	Gel Pen	
31.	Paper pin	China	
32.	Pakka File Covers	Hard cover/ file board	
33.	Tissu Paper	Luxury Box 210 Sheets	
34.	Towel	Large Size	
35.	Maap With Stick	Stick type	
36.	Air Freshener	300 ml	
37.	Phenyl	1.5 liter	





Office Furniture Lot (F) for NHSP-KP:

Note: Please note that the furniture color can be customized based on the preferences or specific requirements of the program. The vendors shall have at least relevant experience of 5 Years. The vendors shall provide at least 5 contract agreement supported by supply orders and satisfactory performance certificates from procuring entities. The vendor shall be considered successful only if their price is the lowest and the sample provided are approved by the program.

S#	ITEM NAME	SPECIFICATION	PICTURE	Unit Cost including Taxes
1.	Executive Chair	 A grade foam and Black/ Brown leatherette Fixed padded armrest Luxury mechanism lock tilt Aluminum/ SS Steel alloy base PU castors 01 years warranty Size: H 48" W 26" D 20" 		





2. Of	ffice Chair	 Adjustable headrest Fixed comfortable armrest Mesh fabric and lumber support Single lock tilt mechanism Hydraulic nylon base with PU castors 01-year warranty Size: H46" W24" D 19" 	2:05PM	
Of wi	xecutive ffice Table ith attached ide Rack	Table size: L 2150 x W 900 x H 760mm Side Rack size: L 2000x W 600x H 620mm Structure made up of 16mm walnut vin-board. Top is 50mm thick with 16mm back. 50mm gap between the table and side rack top. Two lockable drawers with best quality 12" channel in left side of the side rack and two shelves at the other side. Top of the table is fixed on the side rack and it can be dismantled. Back of the table and side rack finished in mate gray color. Over all color of the table is walnut mate finish.		





4.	Office Table	Size: L 1500x W 760x H 760mm Main frame is made up of 18-gauge MS pipe powder coated. Top and back is Al-Noor laminated UV.	
5.	Conference Table	Size L 4'x W 4'x H 760mm Main frame is made up of MS 18- gauge pipe powder coated. Top is Al-Noor laminated UV. One multimedia panels installed. Customizable and adjustable for space and transportation purpose.	





6.	Conference Room Chair	 Adjustable headrest Fixed comfortable armrest Mesh fabric and lumber support Single lock tilt mechanism Hydraulic nylon base with PU castors Size: As per Standard 	
7.	File Rack	Size: L 48"x D 16"x H 78" Structure made up of Al-Noor laminated UV. Central partition for better support, height between shelves is equal, lockable cabinets. Office files, data files and office record can be easily placed in the shelves.	





8.	Tea Table	Size: L 48"x D 30"x H 18" Structure made up of Solid seasoned wood covered with 16mm vin-board. Top is 6mm transparent/ brown glass. Note: Two drawers with best quality 12" channel and knob are not required.	
9.	Locker	size: 10" x 14" x 10" (H X W x D) Manual Key Lock system With removable Inner Shelve wall mounted grounded hole with all accessories of fixing Made of Solid Steel Finished with Powder Coated Paint	
10.	Sofa Set	Size: as per standard 3+1+1= 5 Structure made up of solid seasoned wood upholstered with best quality foam. Cushioned with best quality leatherette/ jute fabric. Base strongly supported with 18-gauge MS pipe.	





11. V	/isitor Chair	 Fixed PP armrest Mesh breathable fabric SS bended leg frame 01-year warranty Size: as per standard 	
12. C	Center Table	Size: L 42"x W 24"x H 18" Structure made up of 18-gauge MS pipe powder coated. Top made up of Al-Noor laminated UV.	





13.	Side Table	Size: L 22"x W 22"x H 18" Structure made up of 18-gauge MS pipe powder coated. Top made up of Al-Noor laminated UV.	
14.	Computer Table	Size: L 48"x W 24"x H 30" Structure made up of 18-gauge MS pipe with powder coated. Top made up of Al-Noor limited UV. Back closed.	





15.	Reception Chair	 Size: as per standard of reception chair. Best quality Arms rest Foot rest Castor wheels 	
16.	Reception Table	Size: As per the requirement Structure made up of Al-Noor laminated UV.	