

GOVT. MEDICINES CO-ORDINATION CELL (MCC)

DIRECTORATE GENERAL HEALTH SERVICES, KHYBER PAKHTUNKHWA, PESHAWAR

Approved Bid Evaluation Report (BER) of MCC bids 2022-23

(Total Technical score =70)

S#	COMPANY NAME	MANUFACTURER/ IMPORTER	INSPECTION REPORT/DTL REPORT/ END USER REPORT	MCC Formulary No.	Products (s) Qualified Generic Name	Strength, Dosage form, Size etc.	Brand Name	Total technical Score.
1	Ar'af Pharma Pvt Limited Lahore	Manufacturer	Recommended	144	Fluconazole	Cap 150mg	Fluzole	31
				198	Azithromycin	Cap 250mg	Xemethro	31
				239	Ciprofloxacin	Tab 250mg	Z-Bay	31
				240	Ciprofloxacin	Tab 500mg	Z-Bay	31
				273	Levofloxacin	Tab 250mg	Selan	31
				274	Levofloxacin	Tab 500mg	Selan	31
				283	Moxifloxacin	Tab 400mg	Zurmox	41
				713	Lamotrigine	Tab 50mg	Zitrigine	41
				716	Levetiracetam	Tab 500mg	Zeetam	36
				720	Mirtazapine	Tab 15mg	Tazap	41
				739	Quetiapine	Tab 100mg	Ziapine	41
				740	Risperidone	Tab 2mg	Trony	31
				741	Risperidone	Tab 4mg	Trony	31
				743	Sertraline	Tab 100mg	Zaline	41
				749	Venlafaxine	Tab 37.5mg	Zaxine XR	41
750	Venlafaxine	Tab 75mg	Zaxine XR	41				
2	AA Pharma Karachi	Importer	Recommended	89	Fligrastim	Inj. 300Mcg	Jilifen	28
				361	Epoetin-a	Inj. 2000 IU/Vial	Epiao	23

				362	Epoetin-a	Inj. 4000 IU/Vial	Epiao	23
				363	Epoetin-a	Inj. 10000 IU/Vial	Epiao	23
3	Abbott Laboratories Karachi	Manufacturer	Recommended except for items quoted at 159, 160, 890, 514, and 539 are not recommended as they are toll manufactured.	40	Diclofenac Sodium enteric coated 50 mg Tab.	50MG TABLETS	ARTIFEN	44
				42	Ibuprofen 200mg Tab	200MG TAB	BRUFEN	63
				44	Ibuprofen	200mg/ 5ml Susp. 90ml	BRUFEN DS SUSPENSION	67
				45	Ibuprofen	100mg/5ml Susp. 90ml	BRUFEN SUSPENSION	67
				132	N-acetylcysteine	200mg Sachet	MUCOLATOR	58
				245	Clarithromycin 250 mg Tab.	250MG TABLETS	KLARICID	56
				246	Clarithromycin 500 mg Tab.	500MG TABLETS	KLARICID	56
				247	Clarithromycin	250mg/5ml Dry Susp. 60ml	KLARICID DS - GRANULES	60
				248	Clarithromycin	125mg/5ml Dry Susp. 60ml	KLARICID GRANULES 60ML	60
				249	Clarithromycin	125mg/5ml Dry powder oral drops 25ml	KLARICID GRANULES	60
				250	Clarithromycin	500mg/Vial Inj.	KLARICID I.V.	56
				285	Moxifloxacin	400mg Tab.	MOKSI TABLETS	48
				305	Vancomycin	500mg/Vial Inj.	VANCOMYCIN 500MG INJ.	51
				306	Vancomycin	1gm/Vial Inj.	VANCOMYCIN 1G INJ.	51
				332	Acyclovir	500mg/Vial Inj.	ACYCLOVIR INJ. 500MG	50
				500	Aluminum Hydroxide + Magnesium Hydroxide + Simethicone Susp.	SUSPENSION	DJEX MP SUSPENSION (CARMINATIVE)	50
				513	Itopride 150mg	TABLETS 150MG	GANATON OD	56
				515	Liquid Parafin + Magnesium Hydroxide	EMULSION 1.25ml+3.5ml'	CREMAFFIN EMULSION	53
				575	Thyroxine Sodium	50MCG TABLET	THYRONORM	43
				704	Divalproex Sodium 250 mg Tab.	250MG TABLETS	EPIVAL	67
				705	Divalproex Sodium 500 mg Tab.	500MG TABLETS	EPIVAL	67
				747	Sodium Valproate	250mg/5ml Syp. 120ml	EPIVAL SYRUP	67

				750	Valproate Sodium	500mg/5ml Inj.	EPIVAL I.V.	63	
				897	Ascorbic Acid	500mg Tab	CECON-500 CHEWABLE TABLETS	57	
4	Adcare Pharma Rawalpindi	Importer	Firm focal person was contacted several times telephonically by inspection team, but he refused to allow the inspection team to inspect his premises (Adcare Pharma). Later on the inspection team inspected the site where Adcare Pharma was situated, the peon on the spot did not give access to the inspection team. "Not Recommended"	Not Recommended					
5	Agfa Pakistan Limited Karachi	Importer	Recommended	1258	X-RAY FILM	8X10	AGFA	57	
				1259	X-RAY FILM	12X15	AGFA	57	
				1260	X-RAY FILM	10X12	AGFA	56	
				1261	X-RAY FILM	14X17	AGFA	55	
				1262	X-RAY FILM CR CLOSED SYSTEM	8X10	AGFA	56	
				1262	X-RAY FILM CR CLOSED SYSTEM	10X12	AGFA	54	
				1262	X-RAY FILM CR CLOSED SYSTEM	11X14	AGFA	54	
				1262	X-RAY FILM CR CLOSED SYSTEM	14X17	AGFA	54	
				1263	X-RAY FILM CT SCAN	14X17	AGFA	53	
				1264	X-RAY FILMS Dental			44	
				1265	X-RAY FILM MRI	14X17	AGFA	53	
				1266	X-RAY DEVELOP + FIXER SET	20+20 40 litres	AGFA	55	
6	AGP Limited Karachi	Manufacturer	Recommended except for Item No. 888 which is of Non-formulary strength.	525	Trimethyl Phloroglucinol 0.04mg+Phloroglucinol 40mg	0.04 mg + 40 mg Injection	Anafortan Plus 0.04mg/40mg	37	
				524	Trimethyl Phloroglucinol 80mg+Phloroglucinol 80mg	80 mg + 80 mg Tablets	Anafortan Plus 80mg/80mg	37	
				67	Tramadol 100mg/2ml	100 mg / 2 ml Injection	Calfina 100mg/2ml	45	
				397	Tranexamic acid 500mg	500 mg Injection	Maxna 500mg	41	
				385	Mecobalamin 500mcg	500 mcg Injection	Mecovate 500mcg	41	
				64	Orphenadrine citrate 35mg + Paracetamol 450mg	35 mg + 450 mg Tablets	Sinaxamol 450mg35mg	35	
				679	Solifenacin Succinate 10mg	10 mg Tablets	Urgesin 10mg	40	
				887	Ossein Mineral Complex + Vitamin D	830mg + 400iu	Ossnate D	33	
7	AJM Karachi	Importer	Recommended	118	Deferasirox	Tab. 250mg	Oderox	33	
				121	Deferasirox	Tab. 500mg	Oderox	33	
				138	Caspofungin	Inj. 50mg/vial	Caspogin	25	
				139	Caspofungin	Inj. 70mg/vial	Caspogin	25	
				663	Bovine Lipid Extract Surfactant	Inj. 27mg/ml, 3ml	Bles	26	

Akram Brother Lahore	Importer	<p>Recommended except</p> <p>Catgut chromic which is not coverd in the scope of EC Certificate.</p> <p>Item at No. 1297 is disqualified in DTL testing.</p> <p>Items at No. 1316, 1314, 1343, 1292 are not recommended by MCC Experts / End users / consultants.</p> <p>Items at No. 1362, 1367 samples not provided for DTL testing and End User Evaluation.</p>	1280	Black Braided Silk	17mm, 1/2 circle round bodied taper point needle, strand length 75cm,4/0	WEGO Black Braided Silk	53
			1281	Black Braided Silk	30mm, 1/2 circle round bodied taper point needle, Strand length 75cm,3/0	WEGO Black Braided Silk	56
			1282	Black Braided Silk	26mm, 1/2 circle round bodied taper point needle, Strand length 75cm,3/0	WEGO Black Braided Silk	53
			1283	Black Braided Silk	26mm, 3/8 circle conventional cutting needle, Strand length 45 cm,3/0	WEGO Black Braided Silk	49
			1284	Black Braided Silk	17mm, 1/2 circle round bodied taper point needle, Strand length 75cm,3/0	WEGO Black Braided Silk	48
			1285	Black Braided Silk	31mm, 1/2 circle round bodied, taper point needle, Strand length 75cm,2/0	WEGO Black Braided Silk	53
			1286	Black Braided Silk	26mm, 1/2 circle round bodied taper point needle, Strand length 75cm,2/0	WEGO Black Braided Silk	48
			1287	Black Braided Silk	31mm, 1/2 circle round bodied taper point needle, Strand length 75cm,0	WEGO Black Braided Silk	53
			1288	Black Braided Silk	40mm, 1/2 circle round bodied taper point needle, Strand length 75cm,1	WEGO Black Braided Silk	53
			1289	Black Braided Silk	30mm, 1/2 circle round bodied taper point needle, Strand length 75cm,1	WEGO Black Braided Silk	55
			1290	Black Braided Silk	40mm, 1/2 circle conventional cutting needle, Strand length 75cm,1	WEGO Black Braided Silk	36
			1291	Black Braided Silk	40mm, 1/2 circle round bodied taper point needle, strand length 75cm,2	WEGO Black Braided Silk	54
			1293	Polyglactin 910	8mm, 1/4 circle spatulated needle, strand length 45cm, 6/0	WEGO PGLA Poly Lactic co Glycolic Acid 910	48
			1294	Polyglactin 910	11mm, 3/8 circle reverse cutting needle, strand length 45 cm, 6/0	WEGO PGLA Poly Lactic co Glycolic Acid 910	48
			1295	Polyglactin 910	13mm, 1/2 circle round bodied taper point needle, strand length 45 cm, 6/0	WEGO PGLA Poly Lactic co Glycolic Acid 910	48
			1296	Polyglactin 910	11mm, 3/8 circle reverse cutting needle, Strand length 45 cm,5/0	WEGO PGLA Poly Lactic co Glycolic Acid 910	48
			1298	Polyglactin 910	13mm, 1/2 circle round bodied taper point needle, strand length 45 cm, 5/0	WEGO PGLA Poly Lactic co Glycolic Acid 910	48
			1299	Polyglactin 910	16mm, 3/8 circle conventional cutting needle, strand length 75cm, 4/0	WEGO PGLA Poly Lactic co Glycolic Acid 910	53
			1300	Polyglactin 910	19mm, 3/8 circle conventional cutting needle, strand length 45cm, 4/0	WEGO PGLA Poly Lactic co Glycolic Acid 910	48

				1301	Polyglactin 910	19mm, 3/8 circle reverse cutting needle, strand length 75cm,4/0	WEGO PGLA Poly Lactic co Glycolic Acid 910	48
				1302	Polyglactin 910	22mm, 1/2 circle round bodied taper point, strand length 70 cm, 4/0	WEGO PGLA Poly Lactic co Glycolic Acid 910	48
				1303	Polyglactin 910	16mm, 3/8 circle conventional cutting needle, Strand length 75cm, 3/0	WEGO PGLA Poly Lactic co Glycolic Acid 910	53
				1304	Polyglactin 910	19mm, 3/8 circle reverse cutting needle, Strand length 75cm, 3/0	WEGO PGLA Poly Lactic co Glycolic Acid 910	48
				1305	Polyglactin 910	22mm, 1/2 circle round bodied taper point, strand length 70 cm, 3/0	WEGO PGLA Poly Lactic co Glycolic Acid 910	48
				1306	Polyglactin 910	26mm, 1/2 circle round bodied taper point, Strand length 70 cm, 3/0	WEGO PGLA Poly Lactic co Glycolic Acid 910	48
				1307	Polyglactin 910	26mm, 1/2 circle round bodied taper point, strand length 70 cm,2/0	WEGO PGLA Poly Lactic co Glycolic Acid 910	54
				1308	Polyglactin 910	31mm, 1/2 circle round bodied taper point, Strand length 70 cm, 2/0	WEGO PGLA Poly Lactic co Glycolic Acid 910	48
				1309	Polyglactin 910	36mm, 1/2 circle round body taper cut needle, strand length 90 cm, 2/0	WEGO PGLA Poly Lactic co Glycolic Acid 910	48
				1310	Polyglactin 910	45mm, 1/2 circle round bodied taper cut needle, strand length 75 cm, 2/0	WEGO PGLA Poly Lactic co Glycolic Acid 910	48
				1311	Polyglactin 910	36mm, 1/2 circle round bodied taper cut needle, strand length 90 cm, 0	WEGO PGLA Poly Lactic co Glycolic Acid 910	53
				1312	Polyglactin 910	40mm, 1/2 circle round bodied taper point, strand length 90 cm, 0	WEGO PGLA Poly Lactic co Glycolic Acid 910	50
				1313	Polyglactin 910	40mm, 1/2 circle round bodied taper point, strand length 70 cm, 1	WEGO PGLA Poly Lactic co Glycolic Acid 910	53
				1315	Polyglactin 910	40mm, 1/2 circle round bodied taper point, strand length 90 cm, 2	WEGO PGLA Poly Lactic co Glycolic Acid 910	49
				1317	Polyglycolic Acid	17mm, 1/2 circle round bodied taper point needle, Strand length 75cm,5/0	WEGO PGA Polyglycolic Acid	53
				1318	Polyglycolic Acid	17mm, 1/2 circle round bodied needle, Strand length 75cm,4/0	WEGO PGA Polyglycolic Acid	53
				1319	Polyglycolic Acid	22mm, 1/2 circle round bodied taper point needle, Strand length 75cm,4/0	WEGO PGA Polyglycolic Acid	48
				1320	Polyglycolic Acid	22mm, 1/2 circle round bodied taper point, strand length 75 cm,3/0	WEGO PGA Polyglycolic Acid	53
				1321	Polyglycolic Acid	25mm, 1/2 circle round bodied taper point needle, Strand length 75cm, 2/0	WEGO PGA Polyglycolic Acid	53

				1322	Polyglycolic Acid	30mm, 1/2 circle round bodied taper point needle, strand length 75 cm, 2/0	WEGO PGA Polyglycolic Acid	48
				1323	Polyglycolic Acid	40mm, 1/2 circle round bodied taper point needle, strand length 75cm, 0	WEGO PGA Polyglycolic Acid	48
				1324	Polyglycolic Acid	30mm, 1/2 circle round bodied taper point needle, strand length 75cm, 1	WEGO PGA Polyglycolic Acid	53
				1325	Polyglycolic Acid	40mm, 1/2 circle round bodied taper point needle, strand length 75 cm, 1	WEGO PGA Polyglycolic Acid	48
				1326	Polyglycolic Acid	40mm, 1/2 circle round bodied taper point needle, strand length 90cm,2	WEGO PGA Polyglycolic Acid	48
				1327	Polyglycolic Acid	48mm, 1/2 circle round bodied taper point needle, strand length 90 cm, 2	WEGO PGA Polyglycolic Acid	48
				1333	Polypropylene	12mm, 3/8 circle reverse cutting needle, strand length 60cm, 6/0	WEGO Prolene	48
				1334	Polypropylene	13mm, 1/2 circle round bodied taper point double armed needle, strand length 60cm, 6/0	WEGO Prolene	49
				1335	Polypropylene	13mm, 3/8 circle round bodied taper point double armed needle, strand length 60cm, 6/0	WEGO Prolene	49
				1336	Polypropylene	16mm, 3/8 circle curved cutting needle, strand length 90cm, 6/0	WEGO Prolene	48
				1337	Polypropylene	13mm, 1/2 circle round bodied taper point double armed needle, strand length 60cm, 5/0	WEGO Prolene	49
				1338	Polypropylene	16mm, 3/8 circle conventional cutting needle, strand length 45cm, 5/0	WEGO Prolene	49
				1339	Polypropylene	16mm, 3/8 circle conventional cutting needle, strand length 45cm, 4/0	WEGO Prolene	53
				1340	Polypropylene	26mm, 1/2 circle round bodied taper point double needle, strand length 90cm, 4/0	WEGO Prolene	53
				1341	Polypropylene	19mm, 3/8 circle conventional cutting needle, strand length 45cm, 3/0	WEGO Prolene	53
				1342	Polypropylene	26mm, 1/2 circle round bodied taper point double armed needle, strand length 75cm, 3/0	WEGO Prolene	54
				1344	Polypropylene	26mm, 1/2 circle round bodied taper point needle, strand length 75cm, 2/0	WEGO Prolene	54
				1345	Polypropylene	26mm, 3/8 circle reverse cutting needle, strand length 45cm, 2/0	WEGO Prolene	53
				1346	Polypropylene	26mm, 3/8 circle conventional cutting needle, strand length 45cm, 2/0	WEGO Prolene	53

				1347	Polypropylene	26mm, 1/2 circle round bodied taper cut double needle, strand length 75cm, 2/0	WEGO Prolene	53
				1348	Polypropylene	30mm, 1/2 circle round bodied taper point needle, strand length 75cm, 2/0	WEGO Prolene	53
				1349	Polypropylene	55mm, straight cutting needle, strand length 75cm, 2/0	WEGO Prolene	48
				1350	Polypropylene	60mm, straight cutting needle, strand length 75cm, 2/0	WEGO Prolene	49
				1351	Polypropylene	40mm, 1/2 circle round bodied taper point needle, strand length 75cm, 0	WEGO Prolene	53
				1352	Polypropylene	40mm, 1/2 circle round bodied taper point needle, strand length 75cm, 1	WEGO Prolene	54
				1353	Polyamide	6.5mm, 3/8 circle micro-point spatula double needle, strand length 30cm, 10/0	Wego Nylon	41
				1354	Polyamide	48mm, 1/2 circle round bodied taper point, strand length 150cm, 1	Wego Nylon	41
				1355	Polyester	26mm, 1/2 circle round bodied taper point, double needle, strand length 100cm, 3/0	WEGO Polyester Coated	48
				1356	Polyester	17mm, 1/2 circle round bodied taper cut double needle, strand length 75cm, 2/0	WEGO Polyester Coated	48
				1357	Polyester	26mm, 1/2 circle round bodied taper cut double needle, strand length 75cm, 2/0	WEGO Polyester Coated	48
				1358	Polyester	26mm, 1/2 circle round bodied taper point double needle, strand length 90cm, 2/0	WEGO Polyester Coated	48
				1359	Polydioxanone	13mm, 3/8 circle round bodied taper point double armed needle, strand length 45cm, 7/0	WEGO PDO Polydioxanone	53
				1360	Polydioxanone	13mm, 1/2 circle round bodied taper point needle, strand length 45cm, 6/0	WEGO PDO Polydioxanone	53
				1361	Polydioxanone	13mm, 3/8 circle round bodied taper point double armed needle, strand length 45cm, 6/0	WEGO PDO Polydioxanone	53
				1363	Polydioxanone	13mm, 1/2 circle round bodied taper point double armed needle, strand length 75cm, 5/0	WEGO PDO Polydioxanone	53
				1364	Polydioxanone	13mm, 1/2 circle round bodied taper point needle, strand length 75cm, 5/0	WEGO PDO Polydioxanone	48
				1365	Polydioxanone	17mm, 1/2 circle round bodied taper point double needle, strand length 75cm, 5/0	WEGO PDO Polydioxanone	48
				1366	Polydioxanone	17mm, 3/8 circle round bodied taper point double armed needle, strand length 75cm, 5/0	WEGO PDO Polydioxanone	48

				1368	Polydioxanone	17mm, 1/2 circle round bodied taper point needle, strand length 75cm, 4/0	WEGO PDO Polydioxanone	53
				1369	Polydioxanone	17mm, 1/2 circle round bodied taper point double armed, strand length 75cm, 4/0	WEGO PDO Polydioxanone	48
				1370	Polydioxanone	20mm, 1/2 circle round bodied taper point needle, strand length 70cm, 4/0	WEGO PDO Polydioxanone	48
				1371	Polydioxanone	26mm, 1/2 circle round bodied taper point needle, strand length 75cm, 4/0	WEGO PDO Polydioxanone	48
				1372	Polydioxanone	20mm, 1/2 circle round bodied taper point needle, strand length 70cm, 3/0	WEGO PDO Polydioxanone	53
				1373	Polydioxanone	26mm, 1/2 circle round bodied taper point needle, strand length 75cm, 3/0	WEGO PDO Polydioxanone	48
				1374	Polydioxanone	30mm, 1/2 circle round bodied taper point needle, strand length 75cm, 3/0	WEGO PDO Polydioxanone	48
				1375	Polydioxanone	26mm, 1/2 circle round bodied taper point needle, strand length 70cm, 2/0	WEGO PDO Polydioxanone	53
				1376	Polydioxanone	30mm, 1/2 circle round bodied taper point needle, strand length 75cm, 2/0	WEGO PDO Polydioxanone	48
				1377	Polydioxanone	36mm, 1/2 circle round bodied taper point needle, strand length 75cm, 2/0	WEGO PDO Polydioxanone	48
				1378	Polydioxanone	40mm, 1/2 circle round bodied taper point needle, strand length 75cm, 2/0	WEGO PDO Polydioxanone	48
				1379	Polydioxanone	40mm, 1/2 circle round bodied taper point needle, strand length 150cm, 0	WEGO PDO Polydioxanone	53

				1380	Polydioxanone	40mm, 1/2 circle round bodied taper point needle, Strand length 70cm,0	WEGO PDO Polydioxanone	48
				1381	Polydioxanone	36mm, 1/2 circle round bodied taper point needle, strand length 75cm, 1	WEGO PDO Polydioxanone	53
				1382	Polydioxanone	40mm, 1/2 circle round bodied taper point needle, strand length 75cm, 1	WEGO PDO Polydioxanone	48
				1383	Nylon	6 mm, 3/8 circle micro point spatula double needle, strand length 30cm, 10/0	WEGO Nylon	50
				1384	Nylon	6.2mm, 3/8 circle micro point spatula double needle, strand length 30cm, 10/0	WEGO Nylon	45
				1385	Stainless Steel	48mm, 1/2 circle round bodied taper cut point needle, strand length 45cm, 5	WEGO Stainless Steel Wire	45
				1386	Stainless Steel	48mm, 1/2 circle round bodied taper cut point needle, strand length 45cm, 4	WEGO Stainless Steel Wire	45
				1388	Polypropylene	15cm x 15cm	WEGO Proelene Mesh	33
				1389	Polypropylene	15cm x 6cm	WEGO Proelene Mesh	33
				1390	Polypropylene	6cm x 11cm	WEGO Proelene Mesh	33
				1331	Polypropylene	6.5mm, 3/8 circle round bodied taper point double armed needle, strand length 40cm, 8/0	WEGO Prolene	50
				1332	Polypropylene	9.3mm, 3/8 circle round bodied taper point double armed needle, strand length 60cm, 7/0	WEGO Prolene	50

9	Alhamd Enterprises Karachi	Importer	Recommended except for Small Examination Gloves.	1027	Disposable Sterile Latex Surgical Gloves (Powder Free)	6.5-8.5 Size	SURGITEX	53
				1028	Disposable Sterile Latex Surgical Gloves (Powdered)	6.5-8.5 Size	SURGITEX	53
				1031	Disposable Non-Sterile Latex examination gloves (Powder Free)	Medium	OPTISHIELD	38
				1031	Disposable Non-Sterile Latex examination gloves (Powder Free)	Large	OPTISHIELD	38
				1032	Disposable Non-Sterile Latex examination Gloves (Powdered)	Medium	OPTISHIELD	48
				1032	Disposable Non-Sterile Latex examination Gloves (Powdered)	Large	OPTISHIELD	48
				1032	Disposable Non-Sterile Latex examination Gloves (Powdered)	Small	OPTISHIELD	48
				944	Cord Clamp		CIKNA	42
				897	Adhesive Tapes (Paper)	1" Inch x 4.5 M	KOHLKAN	51
				898	Adhesive Tapes (Paper)	2" Inch x 4.5 M	KOHLKAN	51
				899	Adhesive Tapes (Paper)	3" Inch x 4.5 M	KOHLKAN	51
				900	Adhesive Tapes (Paper)	4" Inch x 4.5 M	KOHLKAN	51
				1093	I/V Cannula (Sterile having wings + injection port in sterilized blister packing. The Cannula should be radio-opaque, as well as latex, pyrogen, and PVC free)	Size 14G	INPHARVEN	56
				1094	I/V Cannula (Sterile having wings + injection port in sterilized blister packing. The Cannula should be radio-opaque, as well as latex, pyrogen, and PVC free)	Size 16G	INPHARVEN	56
				1095	I/V Cannula (Sterile having wings + injection port in sterilized blister packing. The Cannula should be radio-opaque, as well as latex, pyrogen, and PVC free)	Size 18G	INPHARVEN	56
				1096	I/V Cannula (Sterile having wings + injection port in sterilized blister packing. The Cannula should be radio-opaque, as well as latex, pyrogen, and PVC free)	Size 20G	INPHARVEN	56
				1097	I/V Cannula (Sterile having wings + injection port in sterilized blister packing. The Cannula should be radio-opaque, as well as latex, pyrogen, and PVC free)	Size 22G	INPHARVEN	56

				1095	I/V Cannula (Sterile having wings + injection port in sterilized blister packing. The Cannula should be radio-opaque, as well as latex, pyrogen and PVC free)	Size 18G	FARCOCATHE	56	
				1096	I/V Cannula (Sterile having wings + injection port in sterilized blister packing. The Cannula should be radio-opaque, as well as latex, pyrogen and PVC free)	Size 20G	FARCOCATHE	56	
				1097	I/V Cannula (Sterile having wings + injection port in sterilized blister packing. The Cannula should be radio-opaque, as well as latex, pyrogen and PVC free)	Size 22G	FARCOCATHE	56	
				1262	Zinc Oxide Adhesive Plaster (Cloth Tape)	2.5cm × 5 M	KOHLKAN	56	
				1263	Zinc Oxide Adhesive Plaster (Cloth Tape)	5cm × 5 M	KOHLKAN	56	
				1264	Zinc Oxide Adhesive Plaster (Cloth Tape)	7.5cm × 5 M	KOHLKAN	56	
				1265	Zinc Oxide Adhesive Plaster (Cloth Tape)	10cm × 5 M	KOHLKAN	56	
10	Allied Distributors Karachi	Importer	Recommended	19	Isoflurane	Inhalational solution 100ml	Restane	51	
				27	Propofol	Inj. 10mg/ml, 20ml	Profol	54	
11	Allied Surgicals Karachi	Importer	Wayson Medical Co. Ltd China. CE Quality assurance certificate was not provided to inspection team for Non-medicated Sterilized adhesive post-operative wound dressing, while for adhesive tapes the EC Decalartion of conformity was not provided to inspection team in original. Not recommended	Not Recommended					
12	Allmed (Importer) Karachi	Importer	Recommended	82	Cyclosporine	Cap. 25mg	Bioral	40	
				83	Cyclosporine	Cap. 50mg	Bioral	40	
				84	Cyclosporine	Cap. 100mg	Bioral	40	
				381	Iron Isomaltoside	Inj. 100mg/ml	Monofer	48	
				580	Anti-Thymocyte Globulin (ATG)	Injection	Graflon	36	
13	Allmed Pvt Ltd (Manufacturer) Lahore	Manufacturer	Recommended	39	Diclofenac Sodium (IM/IV for Infusion) 3 ml	25 mg/ml	Avenac	47	
				98	Mycophenolate Mofetil	500mg	Suprimun	48	

				101	Sirolimus 1mg	1 mg	Siroll	38
				102	Tacrolimus	1 mg	Tacogen	48
				103	Tacrolimus	0.5mg	Tacogen	48
				116	Deferasirox	100mg	Defox	48
				121	Deferasirox	500mg	Defox	48
				239	Ciprofloxacin	250mg	A-CIP	43
				240	Ciprofloxacin	500mg	A-CIP	43
				273	Levofloxacin	250mg	Levogreen	43
				274	Levofloxacin	500mg	Levogreen	43
				378	Iron Hydroxy Polymaltose Complex	100mg	Hemfil-F	43
				379	Iron Hydroxy Polymaltose Complex	50mg/5ml 60ml	Hemfil	47
				383	Mecobalamin	500mcg/1ml	Meamin	47
				469	Noradrenaline / Norepinephrine	1mg/ml 4ml	Epilor	47
				518	Ondansetron	8mg	Anomed	48
				519	Ondansetron	2 mg/ml 4ml	Anomed	52
				677	Tamsulosin HCL pellets 0.2%	0.4mg	Uriflow	38
14	Alza Pharma Rawalpindi	Manufacturer	Recommended	803	Cyclopentolate	1% Eye Drops, 10ml	CyclocilE/D	37
				807	Dorzolamide + Timolol	2 + 0.5% Eye Drops, 5ml	Dorz-T	37
				814	Moxifloxacin	0.5% w/v Eye Drops 5ml	Alzox E/D	27

				818	Polymyxin B+ Neomycin + Dexamethasone	Eye Drops 5ml	Alzatrol	27
				825	Timolol Maleate	0.5% w/v Eye Drops 5 ml	Timol E/D	37
				826	Tobramycin	0.3% w/v Eye Drops	Tobralux E/D	32
				827	Tobramycin + Dexamethasone	0.3% + 0.1% w/v Eye Drops 5 ml	TOD	27
				828	Travoprost	40mcg/ml Eye Drops 2.5ml	Travop E/D	32
				829	Tropicamide	1% w/v Eye Drops 15ml	Tromid	27
				845	Fusidic acid	2% Cream 15gm	Fucitop	46
				853	Isotretinoin + Erythromycin	0.05 % + 2% w/w Gel 10gm	Erytrexin	31
				869	Terbinafine	1% Cream 10gm	Benasil	37

15	Amman Pharma Lahore	Manufacturer	<p>The inspection team at the time of inspection observed that;</p> <ol style="list-style-type: none"> 1. DML of the firm issued by the DRAP is expired in February, 2020 and the firm has applied for its renewal. 2. The temperature recorded in the steroid RMS was 29.2 °C, which was higher than the required temperature of 25 ± 2 °C as per SOPs of the firm. 3. Non-adherence to good laboratory practices (GLP) in the QC and Stability Chambers were observed as the stability study protocols were not followed and initially the stability study of Citicoline was done by HPLC and the remaining were done by UV spectrophotometer against the reference standard. Moreover no stability SOPs has been established as per GLP. 4. Incineration SOPs and Record for the expired drugs to be disposed of from the sample retention room was not available thereby compromising prescribed FGS practices. 5. Fridge for temperature sensitive items was also not available for retaining the samples (such as Atracurium) in the sample retention room. 6. Compromised GLP was observed as the standardized stock solution for oxytocin to be used as reference standard in QC was not validated and no date of expiry or preparation was mentioned on it. 7. No reference standard or SOPs for assay of the stability or validation of the standard solution of Oxytocin was available. 8. The stock solution of oxytocin used for bulk manufacturing was not validated in terms of its stability and no record was shown regarding its preparation and utilization at the time of inspection. 9. Non-adherence to good laboratory practices (GLP) in all labs and Functional Stability Chamber (Both Accelerated and Real Time)(as in Schedule B of DRAP) 10. Poor Goods storage practices were observed during inspection as the paint of the FGS walls were peeled off. There was an open window in the FGS to the direct sunlight and heat. ACs were installed in FGS instead of HVAC. 11. At the time of inspection no manufacturing operations were in process and there was no sufficient qualified staff present. <p>Not Recommended</p>	<p style="text-align: center;">Not Recommended</p>
----	---------------------	--------------	--	--

16	Amson Vaccines and Pharma Islamabad	Manufacturer	Recommended	989	Disposable Auto Disable Syringe (Blister packing) sterile 0.5ml	23Gx1"	Apple K1 0.5 ml	61
				990	Disposable Auto Disable Syringe (Blister packing) sterile 1ml	23Gx1"	Apple K1 1 Auto Disable Syringe 1ml	61
				991	Disposable Auto Disable Syringe (Blister packing) steril 2ml	23Gx1"	Apple K1 2 ml	61
				992	Disposable Auto Disable Syringe (Blister packing) sterile 3ml	23Gx1"	Apple K1 3 ml	59
				993	Disposable Auto Disable Syringe (Blister packing) sterile 5ml	23Gx1"	Apple K1 5ml	61
				997	Disposable Syringe Ordinary (Blister packing) sterile 10ml	21GX1.5"	Apple Disposable Syringe 10ml	59
				152	Nystatin Drops 30ml	Drops 100,000 IU/ml	Myconil Drops 30ml	56
				373	Fefan Tab 150mg+0.5mg	Tablets 150mg+0.5mg	Fefan Tab	52
				550	Hydrocortisone 100mg Inj	Injection 100mg	Hyzonate Injection 100mg	58
				551	Hydrocortisone 250mg Inj	Injection 250mg	Hyzonate Injection 250mg	58
				529	Zinc Sulphate 20mg Tab	Tablets 20mg	Orazinc Dispersible 20mg Tab	50
				609	Snake Venom Antiserum Inj	Injection 10ml (vial)	Polyvalent Anti Snake Venom Serum (Liquid) 10ml	50
				611	Tetanus Toxoid Inj	Injection 0.5ml	Imatet Injection	55
				890	Pyridoxine HCl 50mg Tab	Tablets 50mg	Amdoxin 50mg Tab	50
17	A-One Traders Peshawar	Importer	<p>The inspection team at the time of inspection observed that;</p> <p><input type="checkbox"/> Eldawlia Tibbi Atik Medikal: • Full Quality Assurance certificate duly attested from embassy concerned was present at the time of inspection. However, the scope of certificated doesn't cover Silk and Polyglactine. • The free sale certificate duly attested from embassy concerned was present at the time of inspection. However, the scope of certificated doesn't cover Silk and Polyglactine.</p> <p><input type="checkbox"/> Yuyao Hairui Medical Co: • The Production Quality Assurance certificate was present at the time of inspection but attested after bid opening i.e., dated 05-05-2022.</p> <p><input type="checkbox"/> Novamedic Co; Ltd Thailand: • Valid CGMP certificate and free sale certificate duly attested from embassy concerned were present at the time of inspection. However, the Drug Sale License by way of distribution of the importer/bidder was expired on 12-02-2021 and qualified Person i.e., Pharmacist was not available at the time of inspection.</p> <p>In view thereof, the firm is Not Recommended.</p>	Not Recommended				

18	Aries Pharma Peshawar	Manufacturer	<p>The inspection team at the time of inspection observed that</p> <ul style="list-style-type: none"> • Integrity test of the HEPA filter in dispensing booth was not performed in Ceph area. • The temperature & humidity noted in the RMS of cephalosporin's were 28.2C and 40%RH respectively whereas the storage temperature as per label claim of different cephalosporins were < 25C for Cefixime & ceftriaxone sodium, 2-8C for cefoperazone- sulbactam & cephradine. • HVAC was not functional in bottle blowing area of Cephalosporin dry powder suspension. <p>In view thereof, the firm is Recommended except for Cephalosporin's.</p> <p>The inspection team at the time of inspection observed that</p> <ul style="list-style-type: none"> • Integrity test of the HEPA filter in dispensing booth was not performed in Ceph area. • The temperature & humidity noted in the RMS of cephalosporin's were 28.2C and 40%RH respectively whereas the storage temperature as per label claim of different cephalosporins were < 25C for Cefixime & ceftriaxone sodium, 2-8C for cefoperazone- sulbactam & cephradine. • HVAC was not functional in bottle blowing area of Cephalosporin dry powder suspension. <p>In view thereof, the firm is Recommended except for Cephalosporin's.</p>	198	Azithromycin Cap	250mg	Macrocap	39
				199	Azithromycin Cap	500mg	Macrocap	39
				201	Azithromycin D.S	200mg/5m, 15ml	Macrocap	39
				239	Ciprofloxacin Tabs	250mg	Curabid	43
				240	Ciprofloxacin Tabs	500mg	Curabid	43
				241	Ciprofloxacin Infusion	200mg/100ml, 100ml	Curabid	41
				272	Levofloxacin Infusion	500mg/100m, 100ml	Penetrex	31
				273	Levofloxacin Tablets	250mg	Penetrex	33

				274	Levofloxacin Tablets	500mg	Penetrex	33
				283	Moxifloxacin Tablets	400mg	Moxi	33
				308	Artemether + Lumefantrine Tab	40mg/240mg	Examal DS	43
				309	Artemether + Lumefantrine Tab	80mg/480mg	Examal Plus	43
				310	Artemether + Lumefantrine Susp	15mg/90mg, 60ml	Examal	39
				382	Iron Sucrose	100mg/5ml, 5ml	Ariferon	43
				390	Rivaroxaban Tablets	10mg	Raxelto	33
				394	Tranexamic Acid Injection	250mg, 5ml	Tranis	33
				395	Tranexamic Acid Injection	500mg, 5ml	Tranis	33
				486	Combined Tablets Contraceptive tablets: 21 Each tablet shall contain 0.03 mg of ethinyl estradiol and 0.3 mg of Levonorgestrel. Spacing tablets: 7 Each tablet shall contain 75 mg ferrous fumarate.	Oral Contra	Preva-28F	43

				516	Omeprazole Injection	40mg	Omec	43
				517	Omeprazole Capsule	40mg	Omec	39
				518	Ondansetron Tablets	8mg	Averon	43
				519	Ondansetron Injection.	8mg/4ml, 4ml	Averon	39
				521	Phloroglucinol + Trimethyl Phloroglucinol Tablets	80mg+80mg	Bispan	43
				532	Clomiphene Citrate Tablets	50mg	Ovarox	43
				680	Alprazolam Tablets	0.5mg	Pranax	43
				698	Diazepam Inj	10mg/2ml, 2ml	Diazip	39
				732	Pregabalin Capsules	50mg	Pregin	39
				733	Pregabalin Capsules	75mg	Pregin	39
				734	Pregabalin Capsules	150mg	Pregin	39
				719	Midazolam Inj.	5mg/ml, 5ml	Midaron	33
				284	Moxifloxacin Infusion	400mg/250ml, 250ml	Moxi	41

19	Arsons Pharma Lahore	<p>The inspection team at the time of inspection observed that:</p> <ol style="list-style-type: none"> 1. HVAC was not functioning in the Raw material, In-process and Finished goods store. 2. The Temperature in the production area was 36 0C, while the humidity was observed as 37 %. 3. Inj. methylcobalamin (Mecofol) were stored in the FGS at temperature of 35 oC. 4. Both the medical devices and drugs were stored in the FGS simultaneously with poor temperature control. 5. The temperature of the Psychotropic finished goods was 34.9 0C. 6. The temperature in the FGS quarantine was 35 0C. 7. No temperature logbook was maintained in the FGS and Production area. 8. HVAC was not functioning in the Capsules, Tablet Compression and blistering area i.e., 34 0C, 34 0C and 32 0C was noted. 9. Megnalic gauges for differential pressure monitoring in the blistering area were out of order. 10. 02 ACs in the FGS were not working which resulted in poor temperature control. 11. No pressure differential were maintained in the dispensing booth of the RMS. 12. No active for the quoted psychotropic agent (Risperidone) was present at the RMS. 13. Poor documentation and QA practices were observed as packing was in process without the line clearance. <p>Recommended only for award of the specified marks of physical evaluation/inspection in the technical evaluation proforma for the quoted medical devices and cotton related items except the quoted general medicines.</p>	1145	Paraffin Gauze dressing (Tulle) with Chlorhexidine	10x10 cm	ARSO TULLE	65
			1146	Paraffin Gauze dressing with framycetin	10x10 cm	ARSOTIN	65
			1180	Sterile Gauze Dressing Pad	10 x 10 cm	CARE GAUZE	65
			894	Adhesive Tape (Paper)	1" x 5 yards	ARSOPORE	55
			895	Adhesive Tape (Paper)	2" x 5 yards	ARSOPORE	55
			896	Adhesive Tape (Paper)	3" x 5 yards	ARSOPORE	55
			897	Adhesive Tape (Paper)	4" x 5 yards	ARSOPORE	55
			1267	Zinc Oxide Adhesive Plaster (Cloth Tape)	2.5 cm x 5 m	ZINCO	45
			1268	Zinc Oxide Adhesive Plaster (Cloth Tape)	5 cm x 5 m	ZINCO	45
			1269	Zinc Oxide Adhesive Plaster (Cloth Tape)	7.5 cm x 5 m	ZINCO	45
			1270	Zinc Oxide Adhesive Plaster (Cloth Tape)	10 cm x 5 m	ZINCO	45

20	AS Enterprises Lahore	Importer	<p>Suzhou Laishi Transfusion Equipment Co. LTD</p> <p>All the original mandatory embassy attested documents (Agency agreement, cGMP/Quality Assurance certificate, Free Sale certificate/CoPP) as per the SBDs for the quoted item (Blood Bag (CPDA-1) with Transfusion Sets Single 500 ML Lai Shi) of the principal manufacturer Suzhou Laishi Transfusion Equipment Co. LTD, were not present at the time of inspection.</p> <p>Not Recommended</p>	Not Recommended				
21	Asian Continental Karachi	Manufacturer	Recommended	37	Diclofenac Sodium	Tab. 25mg	Voren	58
				39	Diclofenac Sodium	Inj. 75mg	Voren	58
				40	Diclofenac Sodium	Tab. 50mg	Voren	58
				65	Serratiopeptidase	Tab. 5mg	Conzyme	41
				164	Levocetirizine Dihydrochloride	Syp. 2.50mg/5ml,60ml	Atiza	47
				165	Levocetirizine Dihydrochloride	Tab. 5mg	Atiza	51
				166	Loratadine	Tab. 10mg	lorin NSA	51
				167	Montelukast Sodium	Tab. 10mg	Juveyx	56

				168	Montelukast Sodium	Tab. 5mg	Juveyx	56
				198	Azithromycin	Cap. 250mg	Macrobac	48
				199	Azithromycin	Tab. 500mg	Macrobac	52
				201	Azithromycin	Syp. 200mg/5ml	Macrobac	48
				239	Ciprofloxacin	Tab. 250mg	Uzaril	51
				240	Ciprofloxacin	Tab. 500mg	Uzaril	51
				260	Doxycycline HCL	Cap. 100mg	Contimycin	47
				273	Levofloxacin	Tab. 250mg	Asilix	51
				274	Levofloxacin	Tab. 500mg	Asilix	51
				378	Iron Polymaltose Complex	Tab. 100mg	Feralife	51
				379	Iron Polymaltose Complex	Syp. 50mg/5ml, 60ml	Feralife	47
				383	Mecobalamin	Inj. 500mg	Mexamine	51
				393	Tranexamic	Tab. 500mg	Traxacid	56
				394	Tranexamic	inj. 250mg	Traxacid	56
				395	Tranexamic	inj. 500mg	Traxacid	56
				411	Atenolol	Tab. 50mg	Cardiolite	51
				412	Atenolol	Tab. 100mg	Cardiolite	51
				454	Losartan Potassium+Hydrochloride	Tab. 50mg/12.5mg	Losanta DIU	51

				455	Losartan Potassium	Tab. 25mg	Losanta	51
				456	Losartan Potassium	Tab. 50mg	Losanta	51
				475	Rosuvastatin	Tab.10mg	Rosuvax	51
				511	Lactulose	Syp.3.35gm/5ml, 120ml	Kolac	52
				517	Omeperazole	Cap. 40mg	Zolbi	47
				559	Metformin HCl	Tab 500mg	Meteor	51
				677	Tamsulosin	Tab 0.4mg	Prostreat	51
				889	Cholecalciferol	inj. 5mg	AC-D3	46
22	Aspin Pharma Karachi	Manufacturer	Recommended	73	Mebendazole	Tab.500mg, 20 or less	VERMOX	22
				149	Miconazole Nitrate	Cream 2%, 10gm	DAKTARIN CREAM	23
				150	Cream. Miconazole Nitrate	0.02	GYNO-DAKTARIN	21
				151	Miconazole	Gel. 2%, 20gm	DAKTARIN ORAL GEL	23
				213	Cefixime	Cap. 400mg	M-Span	20
				283	Moxifloxacin	Tab. 400MG (5's)	ASPIMOX	20

				503	Pregablin	Cap. 75mg	GABOLEST	10
				504	Domperidone	Susp. 5mg/ 5ml , 120ml	MOTILIUM	22
				513	Domperidone	Tab. 10mg	MOTILIUM v	20
				733	Loperamide Hydrochloride	Cap. 2mg	IMODIUM	25
				874	Chlorhexidine gluconate	Gel. 7.1 % , 10gm	SEPIDYL	20
				874	Chlorhexidine gluconate	Gel. 7.1 % , 15gm	SEPIDYL	20
23	Aster Life Sciences Lahore	Importer	<p>Chong Kun Dang Korea (Mycophenolate, Tacrolimus) Original embassy attested cGMP Certificate and original Agency Agreement were not provided to the inspection team at the time of inspection for the quoted items of the above mentioned principal manufacturer. Not Recommended</p> <p>I.G Chem Ltd, South Korea (Erythropoietin) Original embassy attested Free Sale Certificate and original Agency Agreement were not provided to the inspection team at the time of inspection for the quoted items of the above mentioned principal manufacturer. Not Recommended</p> <p>Beijing SL Pharmaceutical, China (Octreotide Inj.) Original Agency Agreement was not provided to the inspection team at the time of inspection for the quoted items of the above mentioned principal manufacturer. Not recommended.</p> <p>Not Recommended for all the quoted items of the above mentioned principle manufacturers.</p>	Not Recommended				

24	ATC Akora Khattak	Importer	<p>The inspection team at the time of inspection observed that</p> <ul style="list-style-type: none"> • Jiangxi Hongda Medical Equipment Group Ltd: • Full quality assurance and free sale certificates duly attested from concerned embassy were present at the time of inspection. However, the items quoted at formulary nos. 1024, 1025 does not cover in the scope of afore-referred certificates. • The firm provided technical staff list wherein Mr. Hasseb Ul Haq was shown as Pharmacist In Charge, while its relevant to mention that the said officer is also engaged as in charge quality assurance department M/S Unisa Pharmaceutical industries Ltd. Moreover, powdered free gloves were not present physically in the store at the time of inspection. Further, the price list share by the firm shows item mentioned at formulary No. 1023 in box of fifty pairs while in SBD it is required in single pair. It's relevant to mention that qualified person mention in the import license and drug sale license was not present at the time of inspection. <p>In view thereof, the firm is Not Recommended.</p>	Not Recommended				
	ATCO Laboratories Karachi	Manufacturer	Recommended	67	Tramadol HCL	Inj 50 mg/ml 2ml	Maradol	40
				106	Thalidomide	Cap 100 mg	Thalido	42
				133	Pralidoxime Chloride	Inj 20 mg/ml 10ml	P-Doxime	55
				144	Fluconazole	Cap 150mg	Fonaz	45
				145	Fluconazole	susp. 50mg/5ml	Fonaz	45
				154	Terbinafine Hcl	Tabs 250 mg	Terbiderm Forte	51
				166	Loratadine	Tabs 10 mg	Xylor	50
				277	Linezolid	Tabs 600mg	Avotrexid	45
				400	Acetyl salicylic Acid	Tabs 75mg	Ascard	52
				408	Valsartan + Amlodipine	Tabs 5/ 80mg	Dioplus	41
				409	Valsartan + Amlodipine	Tabs 5/ 160mg	Dioplus	41
				410	Valsartan + Amlodipine	Tabs10/ 160mg	Dioplus	41
				414	Bisoprolol Fumarate	Tab. 5mg	Bisoprolol	55
				415	Bisoprolol Fumarate	Tab. 10mg	Bisoprolol	55
				437	Glyceryl Trinitrate	Tabs 2.6mg	Cardnit	42
				438	Glyceryl Trinitrate	Tabs 6.4mg	Cardnit	42

				452	Lisinopril	Tab 05 mg	LAME	50
				543	Lisinopril	Tab 10 mg	LAME	50
				459	Metoprolol	Tab 25 mg	Merol	45
				460	Metoprolol	Tab 50 mg	Merol	45
				461	Metoprolol	Tab 100 mg	Merol	45
				462	Metoprolol	Inj 1mg/ml 5ml	Merol	45
				464	Milrinone Lactate	Inj. 1mg/ml	Milron	55
				469	Norepinephrine Bitartrate	Inj 4mg/4ml	Nor-Adrin	40
				470	Phenylephrine	Inj 10mg/ 1ml	Synephrine	42
				475	Rosuvastatin	Tab 10 mg	Rovator	40
				530	Elemental Zinc sulphate	Syp 20mg/ 5ml 60ml	Zincat OD	52
				537	Empagliflozin	Tab 10mg	Adrance	50
				538	Empagliflozin	Tab 25mg	Adrance	50
				563	Misoprostol	200mcg Tablets	Prosotec	55
				570	Sitagliptin + Metformin	Tab. 50/500	Neoglip	40
				571	Sitagliptin + Metformin	Tab. 50/1000	Neoglip	40
				575	Vildagliptin	Tab. 50mg	Viglip	40
				730	Phenytoin Sodium	Inj. 250mg/5ml	Epigran	45
				732	Pregabalin	Caps 50mg	Syngab	40
				733	Pregabalin	Caps 75mg	Syngab	40
				782	Ipratropium Bromide	250mcg/ml 20ml solution	IPNEB	52
				787	Salbutamol	Syp 2mg/5ml 60ml	Bronkal	51
				788	Salbutamol	Syp 5mg/ml 60ml	Bronkal Respirator	51
				807	Dorzolamide 2%+Timolol 0.5%	Eye Drops 2%+0.5% 5ml	Glantrim	40
				814	Moxifloxacin	Eye drops 0.5% w/v 5ml	Oxin	40
				826	Tobramycin	Eye drops 0.3% 5ml	Bracin	45
				827	Tobramycin+ Dexamethasone	Eye drops 0.3% + 0.1% w/v 5ml	Bracin-D	40
				833	Betamethasone	Lotion	Betaderm	40
				835	Betamethasone+Gentamycin	Ointment 0.05 % + 0.1% 15gm	Betagenic	41

				836	Betamethasone+ Gentamycin	Cream 0.05 % + 0.1% 15gm	Betagenic	41
				845	Fusidic acid	Cream 2% 15gm	Melas	50
				860	Permethrin	Cream 5% 30gm	Scabfree	47
				861	Permethrin	Lotion 5% 60ml	SCABFREE	47
				862	Bacitracin+Polymixin+ B.sul, Neo, Lido	Oint 10gm	Healit	42
				869	Terbinafine Hcl	Cream 1% 10gm	Terbiderm	41
				870	Terbinafine	Topical Solution 1% W/V	Terbiderm	41
26	ATCO Pharma International Karachi	Importer	CID Italy.The cGMP of CID Italy was expired on 30-04-2021 and was also not provided in original. Alvimedica Turkey.All mandatory embassy attested documents (Agency agreement, cGMP / Quality Assurance certificate, Free Sale certificate / CoPP, DRAP Registration) as per the SBDs were checked and verified in original at the time of inspection, for the quoted items of the above-mentioned principal manufacturer. Recommended for quoted items of Alvimedica Turkey Only.	965	Diagnostic Catheter (All Types & Sizes)	ALVISION	All Sizes	52
				1071	Guiding Catheter (6FR)	ALVI GUIDE BLUE PLUS	6Fr	52
				1072	Guiding Catheter (7FR)	ALVI GUIDE BLUE PLUS	7Fr	52
27	Atlantic Pharmaceuticals Karachi	Importer	Recommended	602	Purified Vero Cell Rabies Vaccines	1*5,S 1*50,S	Rabio	52
28	Axis Pharma Faisalabad	Importer	Recommended	45	iburpfen 100mg/5ml, susp: 120ml	120ml	Magrofen Susp	47
				163	Citrizine 5mg/5ml , Syp: 60ml	60ml	Ceridal Syp	47
				277	Lincomicin Cap: 500mg	3*4 , S	Lincoax Cap	52
				381	Iron Hydroxide Poly Maltose Complex 50mg/5ml	60ml	Genifer Syp	47
				507	Domperidone 5mg/5ml Susp	2*10,S	Dypin	52

				520	Omeprazol 40mg Cap	10*10	Mark 40	47
				546	Glimpiride 2mg tab	2*10,S	Glynal tab	47
				633	Flavoured oral Rehydraiton salt WHO approved formulae. Sodium Chloride (3.5g/l), Glucose anhydrous(20g/l), Potassium Chloride (1.5g/L), trisodium Citrate(2.9g/l) 20.S	1*20,S	oraes sachet	47
29	BBraun Pakistan Ltd Karachi	Importer	Recommended except for Item No. 1014 due to non-provision of sample for End user and DTL evaluation.	1012	Disposable Sterile Spinal Needle	18G	Spinocan	62
				1015	Disposable Sterile Spinal Needle	22G	Spinocan	62
				1016	Disposable Sterile Spinal Needle	23G	Spinocan	62
				1017	Disposable Sterile Spinal Needle	25G	Spinocan	62
				1018	Disposable Sterile Spinal Needle	27G	Spinocan	62
				1044	Epidural kit/ Epidural Anesthesia set Radio-opaque	G18	Perifix	61
				1192	Stop Cock 3 way with Extension		Discifix	61

				995	Disposable Insulin Syringe Ordinary sterile	30G 1ml	Omnican	61
				1091	I/V Cannula (Sterile having wings + injection port in sterilized blister packing. The Cannula should be radio-opaque, as well as latex, pyrogen, and PVC free)	G18	Vasofix	62
				1092	I/V Cannula (Sterile having wings + injection port in sterilized blister packing. The Cannula should be radio-opaque, as well as latex, pyrogen, and PVC free)	G20	Vasofix	62
				1093	I/V Cannula (Sterile having wings + injection port in sterilized blister packing. The Cannula should be radio-opaque, as well as latex, pyrogen, and PVC free)	G22	Vasofix	62
				1094	I/V Cannula (Sterile having wings + injection port with heparin stopper inside sterilized blister packing. The Cannula should be radio-opaque, as well as latex, pyrogen, and PVC free)	G24	Introcen	64
				615	Balanced Electrolyte Solution	1000ml	Sterofundin	46
				633	Gelatin Polypeptide	4% 500ml	Gelofusine	46
30	Baim Medical Karachi	Importer	Recommended	1076	Hemodialyzer with tubing	Adult	Vital Healthcare SDN BHD	45

31	Bajwa Pharmaceuticals Lahore	Manufacturer	<p>The inspection team at the time of inspection observed that,</p> <ol style="list-style-type: none"> 1. Compliance/Adherence to all the requirements of cGMP in order to ensure the production of quality products was compromised. 2. Poor QA/QC practices were observed by the inspection team as the packing of Inj. Furosemide Batch No. FR-1922 was carried out in the corridor of the production area. 3. Poor environmental controls were observed in the packing area and optical checking area as the temperature noted was 36 0C and leaked water was spread over the floor of the areas. 4. Impaired functioning of HVAC system were observed as the temperature in the production area, packing section, optical checking section, QC were deranged. 5. Poor environmental control were observed in the cold room, as the cold room was unhygienic and there was leakage of water from the ceiling spread over the floors of the cold room. 6. Poor Storage Practices were observed in the RMS as Finished Goods Sedaphrine(R) were kept with active raw material (Ketamine and Ephedrine) in the RMS were locked and sealed in same room, dedicated for the storage of Psychotropic substances in the RMS thereby compromising the cGSP. 7. Active raw material (Isosorbide and Rocurium bromide) were stored along with finished product (Suxathone) and unpacking ampules in the cold room. 8. Temperature inside the refrigerator for the reference standards at the time of inspection was (11 °C) i.e. above the required 2-8 °C. 9. Multiple nonfunctioning equipment were placed in the corridor of the production area in for which no repair record was shown to the inspection team. 10. Poor maintenance of Record/documentation related to Stability studies in violation to the WHO/ICH guidelines were observed by the MCC inspection team. 11. Conductivity meter in the QC Lab was not calibrated, thereby compromising GLP. <p>Not Recommended</p>	<p style="text-align: center;">Not Recommended</p>
----	------------------------------	--------------	---	--

32	Barrett Hodgson Karachi	Manufacturer	Recommended					
				22	Lignocaine Hcl	SOLUTION	Xyloaid Solution	34
				23	Lignocaine Hcl	SOLUTION	Xyloaid 4% Topical Solution	34
				24	Lignocaine Hcl + Adrenaline	SOLUTION	Xyloaid 2% Solution Adreanline	36
				39	Diclofenac Sodium	INJECTION	Mobikare 75mg/3ml inject on	48
				40	Diclofenac Sodium	CAPSULE	Mobikare 5OMG EC Capsule	44
				55	Buphinal injection 10mg/ml	INJECTION	Buphinal injection 10mg/ml	38
				59	Paracetamol	SOLUTION	Febrol Suspension	44
				60	Paracetamol	SOLUTION	Febrol Ds Suspension	44
				66	Tizanidine	TABLET	Terlax Tablet 4mg	44
				160	Cetirizine	TABLET	Gixer Tablets 10mg	44
				161	Cetirizine	SOLUTION	Gixer Oral Solution	44
				165	Levocetirizine D hydrochloride	TABLET	Lixer 5mg Tablet	34
				166	victri n 10mg Tadlet	TABLET	Victria 10mg Tablet	44
				167	Montelukan Sod um	TABLET	Aerokast 10mg Chewable Tablet	44
				168	Montelugan Sodium	TABLET	Aerokast 5mg Chewable Tablet	44
				169	Montelukast Sodium	SACHET	Aerokast 4mg Sachet	44
				198	Azithromycin Dhydrate. 250mg	CAPSULE	Mazox 250mg Capsule	34
				199	AzIttiromycin Dhydrate. 500mg	TABLET	Mazox 500mg Tablet	34
				201	Mazox 200mg/5ml Dry Suspension	SUSPENSION	Mazox 200mg/5ml Dry Suspension	34
				205	Cefaclor	DROPS	Cavalor Paed. Drops50mg/ml	44
				207	Cefaclor	SUSPENSION	Cavalor Suspension 125mg/5ml	44
				208	Cefaclor	SUSPENSION	Cavalor SuSpension 250mg/5ml	44
				209	Cefazolin Sodium	INJECTION	Cefamezin IV*IM inj. 500mg	44
				210	Cefazohn Sodium	INJECTION	Cefamezin IV*IM inj. 1000mg	44
				211	Cefepime	INJECTION	Cefstar injection 500mg	44
				212	Cefepime	INJECTION	Cefstar injection 1000mg	44
				216	Cefoperaeone.....500mg+ Sulbactam. 500mg	INJECTION	Ceflactam Injecion 1000mg	44

				217	Cefoperatone.....1000mg Sutbactam 500mg	INJECTION	Cefclactam Injecion 2000mg	44
				218	Cefotaxime Sodium	INJECTION	Wintax injection 250mg	34
				219	Cefotaxime Sodium	INJECTION	Wintax injection 500mg	34
				220	Cefotaxime Sodium	INJECTION	Wintax injection 1000mg	34
				224	Ceftazidime	INJECTION	Cefcom Injection 500mg	44
				225	Ceftazidime	INJECTION	Cefcom Injection 1000mg	44
				226	Ceftriaxone	INJECTION	Inocef i.V Injection 500mg	44
				227	Ceftriaxone	INJECTION	Inocef i.V Injection 1000mg	44
				228	Ceftriaxone	INJECTION	Inocef i.V Injection 2000mg	44
				239	Ciprofloxacin	TABLET	Inoquin Tablet 250mg	34
				240	Ciprofloxacin	TABLET	inoquin Tablet 500mg	34
				241	Ciprofloxacin	INJECTION	Inoquin IV inf. 200mg/100ml	36
				243	Clarithromycin	TABLET	Megaklar Tablet 250mg	44
				244	Clarithromycin	TABLET	Megaklar Tablet 500mg	44
				245	Clarithromycin	SUSPENSION	Megaklar DS 250mg/5ml Suspension	44
				246	Clarithromycin	SUSPENSION	Megaklar Suspension 125mg/5ml	44
				272	Levofloxacin	INFUSION	Dynasuin infusion 500mg/100ml	36
				273	Levofloxacin	TABLET	Dynaquin Tablet 250mg	34
				274	Levofloxacin	TABLET	Dynaquin Tablet 500mg	34
				277	Linzolid	TABLET	Barizold 600mg Tablet	44
				278	Linzolid	INFUSION	Barizold infusion 200mg / 100ml	46
				279	Linzolid	INFUSION	Barizold infusion 600mg / 300ml	46
				280	Meropenem	INJECTION	Baripenem 500mg Injection	36
				281	Meropenem	INJECTION	Baripenem 1000mg Injection	36
				283	Moxifloxacin HCL	TABLET	Barimox 400mg Tablet	34
				284	Moxifloxacin HCL	INFUSION	Barimox infusion 400mg/250ml	36
				307	Artemether	INJECTION	MalEra 80mg/ml injection	38
				308	Artemether 40mg+Lumefantrine 240mg	TABLET	MalEra 40/240mg Tablet	34

				309	Artemetfier 80mg+εumefentrine 480mg	TABLET	MalEra Max Tablet 80mg+480mg	34
				310	Artemetfier 15mg / 5ml + Lumefentrine 90mg / 5ml	SUSPENSION	MalEra Dry Suspension 60ml	34
				378	iron (II) Hydroyide Polymaltose Complex	TABLET	Polyfer Chewable tablet	34
				379	iron (II) Hydrox de Polymaltose Complex	SYRUP	Polyfer Syrup	34
				382	Iron Sucrose Complēx	INJECTION	ivefer IV INJ 100mg / 5ml	38
				383	Mecobalamin	INJECTION	Mylaxon injection 500mcg/ml	38
				390	Rivaroxaban	TABLET	Rivacloot 10mg Tablet	34
				391	Rivaroxaban	TABLET	Rivacloot 15mg Tablet	34
				392	Rivaroxaban	TABLET	Rivacloot 20mg Tablet	34
				406	Amlodipine Beasylate	TABLET	Ampress 5mg Tablet	34
				407	Amlodipine Beasylate	TABLET	Ampress 10mg Tablet	34
				408	Amlodipine + valsartan 5mg + 80 mg	TABLET	AV sartan 5mg + 80mg Tablet	34
				409	Amlodipine + valsartan 5mg + 160 mg	TABLET	AV sartan 5mg + 160mg Tablet	34
				410	Amlodipine + valsartan 10mg + 80 mg	TABLET	AV sartan 10mg + 160mg Tablet	34
				413	Bisoprolol Fumarate	TABLET	Barilol 2.5mg Tablet	34
				414	Bisoprolol Fumarate	TABLET	Barilol 5mg Tablet	34
				415	Bisoprolol Fumarate	TABLET	Barilol 10mg Tablet	34
				422	Carvedilol	TABLET	Vedicar 6.25 mg Tablet	44
				423	Carvedilol	TABLET	Vedicar 12.5 mg Tablet	44
				424	Carvedilol	TABLET	Vedicar 25 mg Tablet	44
				425	Clopidogrel	TABLET	Clotnil Tablet 75mg	34
				454	Losartan potasium + Hydrochlorthiazide	TABLET	Sartan -H Tablet	34
				456	Losartan potasium	TABLET	Sartan 50mg Tablet	34
				475	Rosuvastatin as Calcium 10mg	TABLET	Rosubar 10mg Tablet	44
				490	CiprofloxacIn	DROPS	Cipotic Ear Drops	35
				507	Famotadine	TABLET	Acicon 40mg Tablet	34
				520	Baropent DR Tablet 20mg	TABLET	Baropent DR Tablet 20mg	34
				521	Phloroglucinol/ Trimethylphlorglucinol	TABLET	Spasrid Tablet	45

				522	Phloroglucinol/ Trimethylphlorglucinol	INJECTION	spasrid injection	48
				530	Zinc Sulphate Monohydrate	SYRUP	Zincday Syrup	44
				542	Glimepride	TABLET	Diabold 1mg Tablet	44
				543	Glimepride	TABLET	Diabold 2mg Tablet	44
				544	Glimepride	TABLET	Diabold 3mg Tablet	44
				545	Glimepride	TABLET	Diabold 4mg Tablet	44
				546	Glimepride 1mg+ Metformin HCL 500mg	TABLET	Diabold plus tablet 1mg+ 500mg	44
				547	Glimepride 2mg+ Metformin HCL 500mg	TABLET	Diabold plus tablet 2mg+ 500mg	44
				570	Sitagliptin Phosphate + Metformin Hcl 50mg + 1000 mg	TABLET	S-Gliptin plus tab 50mg+1000mg	44
				571	Sitagliptin Phosphate + Metformin Hcl 50mg + 500 mg	TABLET	S-Gliptin plus tab 50mg+500mg	39
				665	Febuxostat 40mg	TABLET	Baristat tablet 40mg	34
				666	Febuxostat 80mg	TABLET	Baristat tablet 80mg	34
				686	Erdap Tablet 20mg	TABLET	Erdap tabet 20mg	34
				699	Duloxetine HCl	CAPSULE	Hapibar 3omg Tablet	44
				700	Duloxetine HCl	CAPSULE	Hapibar 6omg Tablet	44
				705	Esitalopram	TABLET	Seradep Tablet 10mg	34
				732	Pregabalin 50mg	TABLET	Nuugalin 50mg Tablet	34
				733	Pregabalin 75mg	TABLET	Nuugalin 75mg Tablet	34

				734	Pregabalin 150mg	TABLET	Nuugatin 150mg Tablet	34
				740	Resperidone	TABLET	Persch 2mg tablet	34
				741	Resperidone	TABLET	Persch 4mg tablet	34
				743	Sertraline	TABLET	Sert Tablet 100mg	44
				791	Terbutaline Sulphate	TABLET	Britanyl Tablet	36
				792	Terbutaline Sulphate	TABLET	Britanyl Syrup	34
				793	Terbutaline Sulphate	TABLET	Britanyl injection	38
				801	Chloramphenicol usp 5mg	Solution	Pehnoptic ophthalmi Sol. 0.5%	34
				806	Diclofenac Sodium	DROPS	Ocloanc Eye Drop	44
				807	Dorzolamide as Hcl 20mg	DROPS	Synigan Eye Drops	44
				810	Fluorometholone usp 1mg Neomycin Su:phate 5mg	DROPS	FML Neo Liquifilil eye drops	47
				813	Levobunotol Hcl usp 5mg	SOLUTION	Betabar Ophthalmic solution	34
				814	Moxifloxacin 5mg	SOLUTION	Moxigan 0.5% sterile ophth sol	35
				827	Tobramycin sulphate usp 3mg	DROPS	Eyebradex eye drops	34
				854	Lignocaine Hcl	Gel	Xyloaid Jelly	38
				887	Ossein Mineral Complex	TABLET	Esegrow D Tablets	34
				889	Vitamin D3 (Cholecalcifero)	INJECTION	Bar D Injection	38

33	Benson Pharma Rawalpindi	Manufacturer	<p>The firm was inspected and following observations were made:</p> <p>General Medicines Manufacturing Facility:</p> <ol style="list-style-type: none"> 1. Raw material store walls were cracked. 2. Dispensing Booth HVAC was not functional at the time of inspection. 3. Sampling room temperature was 34 °C and air conditioner was turned off. 4. Wall of Room was cracked where sampling booth was placed. 5. There was no temperature control nor any instrument installed for measuring temperature and humidity in general store. Unfold Corrugated Cartons were also stacked on floor over there. 6. HVAC was not functional in tablet dry mixing or blending section. 7. Tablet granulation section floor has rust stains. 8. Stainless steel Corner Guards (which were removed) were piled up in the in-process quarantine specified for tablets. 9. Tablet Coating Section HVAC was not functional. 10. In Packing Hall of Tablet and Capsule Cartons of finish products and packing material were placed on floor instead of pallets. 11. In printing room of the firm temperature was high and aluminium foils was placed over there. 12. In packing material store cartons and sacks were placed on floor. 13. In finished goods store cartons were placed on floor. <p>Cephalosporin Manufacturing Facility:</p> <ol style="list-style-type: none"> 1. Cephalosporin section HAVC was not functional. 2. Corridor wall borders epoxy paint was peeled off. 3. In Packaging material store for bottles, cartons were placed on floor instead of pallets. 4. In male Change Room Crossing over bench was cracked. 5. Emergency exit doors were not installed as per requirement. <p>Quality Control Lab:</p> <ol style="list-style-type: none"> 1. Dissolution apparatus with 14 vessel for comparative dissolution profile was not found in Quality Control Lab. 2. Samples Retention Room wall was cracked. 3. Working standards were not stored properly. 4. Record of few tests for raw material and finished products as mentioned in official monograph was not found. 5. Fourier-transform infrared spectrometer (FTIR) was not present. 6. Good laboratory practices were not followed. <p>“Not Recommended”</p>	<p style="text-align: center;">Not Recommended</p>
----	--------------------------	--------------	---	--

34	BF Biosciences Lahore	Manufacturer	Recommended	89	Filgrastim	Inj 300mcg	Filgen	54
				361	Erythropoietin	Inj 2000IU	Eritrogen	50
				362	Erythropoietin	Inj 4000IU	Eritrogen	50
				363	Erythropoietin	Inj 10000IU	Eritrogen	50
				528	Terlipressin Acetate	Inj 1mg	Novapressin	57
35	Biolabs Islamabad	Manufacturer	<p>The firm was inspected and following observations were made:</p> <p>General Medicines Manufacturing Area:</p> <p>1. Water for injection filled ampules were stored in Liquid injectable & Infusion corridor.</p> <p>2. Liquid injectable & infusion mixing section HVAC was not functional.</p> <p>3. In optical Checking section of liquid injectable & infusion HVAC was not functional.</p> <p>4. A section labelled as injectable packing hall but the process of capsule blistering was carried out over there, and Hall HVAC was not functional.</p> <p>Cephalosporin Manufacturing Facility:</p> <p>1. Raw Material Store receiving bay have no deduster or vacuum cleaner.</p> <p>2. HVAC was not functional in dry powder injectable vials washing, filling and sealing sections.</p> <p>“Recommended for all quoted items except quoted liquid injectable, infusion and Cephalosporin”</p>	516	Omeprazole (as Sodium) Lyophilized Powder	40mg inj	Acichek	50
				74	Mebendazole	100mg suspension	Mebzole	46
				151	Miconazole	20mg Gel	Miconit oral Gel	46
				201	Azithromycin	20mg Dry suspension	Throb	46
				407	Amlodipine besylates	10mg Tablet	Amdol	46
				517	Omeprazole	40mg capsule	Acichek	46
				518	Ondansetron Hcl	8mg Tablet	Vemtix	36
				721	Olanzapine	5mg Tablet	Jolene	36
				722	Olanzapine	10mg Tablet	Jolene	36
				732	Pregablin	50mg capsule	Mewgaba	46
				733	Pregablin	75mg capsule	Newgaba	46
				734	Pregablin	150mg capsule	Newgaba	46
				740	Risperidone	2mg Tablet	Bioris	36

				741	Risperidone	4mg Tablet	Bioris	36
				839	Clotrimazole	50mg cream	Biotrim Cream	46
				860	Permethrin	50mg cream	Bioscab Cream	46
				861	Permethrin	5% w/v Lotion	Bioscab Lotion	46
				866	Silver Sulphadiazine 1%	1% Cream	Bio sul Cream	36
				503	Domperidone Maleate	10mg Tablet	Omperin	46
				253	Colistimethate Sodium (Lyophilized powder)	1MIU Inj	Colicraft inj	55
				302	Tigecycline (Lyophilized Powder)	50mg inj	Tigabio inj	50
				504	Domperidone	5mg suspension	Omperin	46
36	Bloom Pharma Hattar	Manufacturer	<p>The inspection team at the time of inspection observed that</p> <ul style="list-style-type: none"> • Shippers & master cartons were placed in the main corridor. • Temperature noted in the raw material store was 31°C where as it was needed to be less than 25 °C as mentioned on different raw materials. • Only single air condition was installed in the huge RMS and temperature log sheet was not available. • In general dispensing area, Hepa filter of the dispensing booth was full of dust. After several requests, integrity test of the HEPA filter was not shown to the inspection team. • HVAC was not functional in production area of quoted sections. • Pedestal fans were installed in packaging section of syrup and labelling was not carried out. • Hygrometers were not present in the tablet compression area. • No identification tag was present in the in-process quarantine section on different items. • Accelerated stability chamber was not functional at the time of inspection. <p>In view thereof, the firm is Not Recommended.</p>	Not Recommended				

37	Bosch Pharma Karachi	Manufacturer	Recommended					
				55	Inj Nalbuphine	10 mg	Inj.Bunail 10mg	59
				62	Inf Paracetamol	1000 mg/100 ml	Inf.Bofalgan 1000mg/100ml	60
				174	Inj Amikacin Sulphate	250 mg	Inj.Amkay 250mg	54
				175	Inj Amikacin Sulphate	500 mg	Inj.Amkay 500mg	54
				183	Tab Amoxicillin+Clavulanic Acid	375mg	Tab.Calamox 375mg	60
				184	Tab Amoxicillin+Clavulanic Acid	625 mg	Tab.Calamox 625mg	60
				185	Tab Amoxicillin+Clavulanic Acid	1 GM	Tab.Calamox 1gm	60
				186	Susp Amoxicillin+Clavulanic Acid	125mg + 31.5mg /5ml (90ml)	Susp.Calamox 156.25mg/5ml (90ml) bottle	56
				188	Susp Amoxicillin+Clavulanic Acid	250mg + 62.5mg /5ml (90ml)	Susp.Calamox DS 312.50mg/5ml (90ml) bottle	56
				189	Inj Amoxicillin+Clavulanic Acid	500+100mg/Vial	Inj.Calamox 600mg	60
				190	Inj Amoxicillin+Clavulanic Acid	1000+200mg/Vial	Inj.Calamox 1.2gm	60
				198	Cap.Azithromycin	250mg	Cap.Zezot 250mg	39
				200	Inj Azithromycine	500mg/Vial	Inj.Zezot 500mg	43
				269	Inj Imipenem+Cilastatin	500+500 mg/Vial	Inj.Cilapen 500mg	59
				279	Inf Linezolid	2 mg/ml (300ml)	Inf.Zolrest 600mg/300ml	53
				280	Inj Meropenem	500mg/Vial	Inj.Penro 500mg	60
				281	Inj Meropenem	1 gm/Vial	Inj.Penro 1gm	60
				284	Inf Moxifloxacin	400mg/250ml	Inf.Izilon 400mg/250ml	50
				287	Inj Piperacillin+Tazobactam	2gm+0.25gm (2.25 gm) Vial	Inj.Tanzo 2.25gm	62
				288	Inj Piperacillin+Tazobactam	4gm+0.50gm (4.5gm)/Vial	Inj.Tanzo 4.5gm	62
				302	Inj Tigecycline	50 mg/Vial	Inj.Btig 50mg	48

				303	Inj Vancomycine	500 mg/Vial	Inj.Vinjec 500mg	59
				304	Inj Vancomycine	1 gm/Vial	Inj.Vinjec 1gm	59
				382	Inj.Iron Sucrose	20mg/ml (5ml)	Inj.Merofer 100mg/5ml	57
				516	Inj Omeprazole	40mg/Vial	Inj.Omezol 40mg	53
38	Brookes Pharma Karachi	Manufacturer	Recommended	10	Atracurium Besylate 10mg/ml	10mg Injection	Acuron Injection 5x3ml	57
				11	Atracurium Besylate 10mg/ml	10mg Injection	Acuron Injection 5x5ml	57
				12	Bupivacaine Hydrochloride 5.0mg	5mg Injection	Sensocain Injection 5x10ml	55
				13	Bupivacaine Spinal HCL Inj. 0.75%	0.75% Injection	Sensocain Spinal Injection 5x2ml	55
				17	Glycopyrrolate 0.2mg/ml	0.2mg Injection	Pyrolate Injection 10x1ml	55
				16	Glycopyrrolate + Neostigmine Methylsulphate (0.5/2.5mg)	0.5mg/2.5mg Injection	Neo-Pyrolate Injection 10x1	55
				279	Linezolid 300ml Infusion	300ml Injection	Nezocin 600mg Infusion (300ml)	46
				277	Linezolid 600mg Tablet	600MG Tablet	Nezocin Tablet 600mg (12's)	46
				871	Tetrachlorodecaoxide Solution 0.052mg/5ml	0.52mg/5ml Injection	Oxoferin Solution 50ml	51
				14	Cisatracurium 10mg/5ml	10mg/5ml Injection	Cis-Curon Injection	55
				28	Roocuronium Bromide 50mg/5ml Inj.	50mg/5ml Injection	Rescuron Inj. 10x5ml	55
				15	Dexmedetomidine 200mcg Injection	200mcg Injection	Precidex Injection 2x2ml	55

				55	Nalbuphine 10mg Inj.	10mg Injection	Sonotic 10mg Injection 10x1ml	50
				869	Terbinafine Cream 1% w/w Cream	1% Cream	Exinofin Cream 10gm	50
				880	Povidone Iodine 10%	10% Solution	Pyodine Solution 450ml	55
				881	Povidone Iodine 7.5%	7.5% Scrub	Pyodine Surgical Scrub 450ml	55
				300	Rifaximin 550mg Tablet	550mg Tablet	Xifaxa 550mg Tablet (10's)	46
39	Caliph Pharma Risalpur	Manufacturer	<p>The inspection team at the time of inspection observed that</p> <ul style="list-style-type: none"> • RMS was congested, temperature was raised to 32.3°C and no cold chain facility existed. • Integrity test of HEPA-filter in the dispensing booth was not performed, temperature and humidity noted were 34.7°C and 24.5% respectively. • Magnetic gauges were out of order in tablet compression area and HVAC was not functional at the time of inspection in all the quoted sections. • Seepage was observed in the finish good store walls. • In In-process quarantine area neither cold chain facility was available nor temperature log sheet displayed. • In built Temperature and Humidity control panel of real time stability chamber was out of order at the time of inspection. • The firm was using in house method for the assay of different products, which was not validated. For example tablet Riscalin (Risperidone 2mg) assay was performed through UV and that was invalidated whereas the approved method for the assay is through HPLC. <p>In view thereof, the firm is Not Recommended.</p>	Not Recommended				

40	Caraway Pharma Islamabad	Manufacturer	<p>The firm was inspected and following observations were made:</p> <p>General Medicines Manufacturing Area:</p> <ol style="list-style-type: none"> 1. Laminar Flow Hood is too small in respect of carryout sampling from large containers. 2. Sampling Room HVAC was not functioning. 3. Lizard and insects were roaming in sampling room. 4. Raw material sampling was not per SOPs. 5. In sampling room thermometer & hygrometer was not found. 6. Quarantine area temperature was high and was not per requirement. 7. Raw material Store HVAC was not functioning properly. 8. Backup was not sufficient to provide power to all sections/especially for HVAC as there wasn't electricity at the time of inspection. 9. Tablet sections HVAC was not functioning. 10. Tablet blistering section walls have cracks. 11. Tablet Dry Granulation section floor was dirty. 12. Floor of tablet compression section was cracked. 13. In tablet section thermometer and hygrometer was not installed. 14. Capsule mixing section floor was broken. 15. Omeprazole filled drums were placed on floor in capsule mixing section, without any temperature or humidity measuring instrument. 16. In capsule section thermometer and hygrometer were not installed. 17. Tablet and capsule blistering section had broken and dirty floor. 18. Semisolid dosage form mixing section wall and ceiling has fungal growth. 19. In cream filling section tubes cartons were placed on floor. 20. In liquid injectable ampule filling area, a broken wall was covered with aluminum foil and surfaces were cracked. 21. The Liquid injectable area was freshly painted, a pungent paint smell was felt during the manufacturing process. 22. Water for injection filled trays were placed in the corridor of liquid injectable filling area. 23. In liquid injectable decartoning room have no light and plastic crate was placed which was filled with dirty water. <p>Holes for HVAC supply and return vents in the ceiling were covered with aluminum foil.</p> <ol style="list-style-type: none"> 24. In washing area of ampules water supply was not labeled. 25. Room floor was broken where autoclave was installed. 26. There was seepage marks on the wall of in process quarantine. <p>Cephalosporin Manufacturing Area:</p> <ol style="list-style-type: none"> 1. Capsule and Dry Suspension HVAC was not functional. 2. Dry Powder Injectable autoclave section has seepage and its ceiling was broken. 3. Air conditioner drainage pipe was opened in to Dry Powder injectable corridor and water was dripping into metal container. 4. Desk of optical checking glass was broken and covered with hard paper. 5. In corridor cartons filled with vials were placed. 6. A worker was walking bare footed in injectable manufacturing facility. 7. cGMP was not followed. <p>Quality Control Lab:</p> <ol style="list-style-type: none"> 1. Lab had dirty floor and sink. 2. Thermometer and hygrometer was not installed in lab. 3. QC lab chemical cabinets floor were stained. 4. Good laboratory Practices were not followed. <p>“Not Recommended”</p>	Not Recommended
----	--------------------------	--------------	--	-----------------

41	CCL Pharma Lahore	Manufacturer	Recommended	518	Odensetron	8MG TABLET	DANSET	55
				519	Odensetron	2MG/ML INJ, 4ml	DANSET	55
				118	Deferasirox	250MG TABLET	DASIROX	52
				122	Deferasirox	500MG TABLET	DASIROX	52
				98	Mycophenolate	500MG TABLET	MYCOLATE	57
				103	Tacrolimus	0.5MG CAPSULE	TAGRAF	57
				102	Tacrolimus	1MG CAPSULE	TAGRAF	57
				575	Vaidagliptin	50MG TABLET	GALZA	40
				537	Empagliflozin	10MG TABLET	JARDY	40
				538	Empagliflozin	25MG TABLET	JARDY	40
				120	Deferasirox	400MG TABLET	DASIROX	52
42	Chiesi Pharma Lahore	Importer	Recommended	674	Proactant Alfa120mg/1.5ml	80mg/ml	Curosurf Sterile suspension	52
				768	Beclomethasone dipropionate 800mcg/2ml	800mcg/2ml	Clenil Aerosol Nebulizing suspension	52
				770	Beclomethasone Dipropionate	250mcg	Clenil 250	52
				782	Ipratropium Bromide	500mcg/2ml	Atem (0.025% Nebulizer Solution)	52
43	Cotton Craft Lahore	Manufacturer	Recommended except for Items quoted at 1177, 1178, 1180 due to non provision of samples for DT; and End User evaluation. While item No. 957 is disqualified in DTL testing.	941	Cord Clamp		Bellyknot	44
				943	Cotton (Surgical) Corded, BPC	200gm Roll	Absorbant Cotton Wool	65
				944	Cotton (Surgical) Corded, BPC	100gm Roll	Absorbant Cotton Wool	65
				945	Cotton Bandage (Surgical), BP Type-2	6.5cm x 4m	Open Wove Bandages	65
				946	Cotton Bandage (Surgical), BP Type-2	7.5cm x 4m	Open Wove Bandages	65
				947	Cotton Bandage (Surgical), BP Type-2	10cm x 4m	Open Wove Bandages	65

				948	Cotton Bandage (Surgical), BP Type-2	15cm x 4m	Open Wove Bandages	65
				955	Crepe Bandage BPC	7.5cm x 4.5m Roll	Elastocraft	65
				956	Crepe Bandage BPC	10cm x 4.5m Roll	Elastocraft	65
				1067	Gauze Cloth Roll Packing, BPC	100cm x 20m	Absorbent Gauze	65
				1068	Gauze Cloth Roll Packing, BPC	100cm x 40m	Absorbent Gauze	65
				1144	Paraffin Tulle Dressing with Chlorhexidine, Para-Tulle Dressing	10cm x 10cm	Para-Tulle	65
				1145	Paraffin Tulle Dressing with Chlorhexidine, Para-Tulle Dressing	15cm x 20cm	Para-Tulle	65
				1152	Plaster of Paris Bandage BPC	15cm x 2.70M	Orthoplast	65
				1153	Plaster of Paris Bandage BPC	10cm x 2.70M	Orthoplast	65
				1179	Sterilized Dressing Gauze Pad Radio Opaque (USP/BP/BPC), Offered: Pro-Med Gauze X-Ray Detectable Abdominal Pack BP-2 (Sterile)	Blister Pack, 30cm x 30cm, 4 Ply	Pro-Med X-Ray Gauze	65
				1180	Sterilized Dressing Gauze Pad (USP) Pro-Med Gauze Swab/Sponges BPC 8 ply1x10x10 (Sterile)	Blister Pack, 10cm x 10cm, 8 Ply (St)	Promed	65
				1181	Sterilized Dressing Gauze Pad (USP/BP/BPC), Offered: Pro-Med Gauze Swab/Sponges USP-IV 8 ply 1x10x10 (Sterile)	Blister Pack, 15cm x 15cm, 8 Ply (St)	Pro-Med Gauze	65

44	Cure Laboratories Islamabad	Manufacturer	<p>The firm was inspected and following observations were made:</p> <p>Cephalosporin Manufacturing Area:</p> <ol style="list-style-type: none">1. Dry Suspension mixing and filling sections epoxy paint was peeled off and ceiling had cracks.2. Capsule mixing section ceiling had cracks while capsule filling section epoxy paint was peeled off.3. Dry Powder for injection vial washing and filling sections epoxy paint on wall and floor was peeled off.4. In vial sealing section filled trays of the vials were piled and were placed on floor instead of pallets.5. Firm walls and floors have seepage.6. GMP was not followed. <p>Quality Control Lab:</p> <ol style="list-style-type: none">1. Working standards were not properly stored.2. Quality Control Lab was deficient of some lab instruments i.e., Fourier-transform infrared spectrometer (FTIR) and Karl Fisher.3. The Research and Development section and Quality Control lab floor was dirty, had seepage and epoxy paint was peeled off.4. HVAC of Micro lab was not working. <p>“Not Recommended”</p>	Not Recommended
----	-----------------------------	--------------	---	-----------------

45	Davis Pharma Islamabad	Manufacturer	Recommended					
				160	Cetirizine	Tab.10mg	Davizin	41
				161	Cetirizine Dihydrochloride	Syp. 5mg/5ml	Davizin	41
				164	Levocetirizine Dihydrochloride	Syp. 2.5mg/5ml	Davicet	41
				165	Levocetirizine Dihydrochloride	Tab.5mg	Davicet	41
				167	Montelukast sodium	Tab.10mg	Monte-Day 10	41
				168	Motelukast sodium	Tab.5mg	Monte-Day 5	41
				198	Azithromycin	Tab.250mg	Zithro	41
				199	Azithromycin.	Tab.500mg	Zithro	41
				213	Cefixime	Cap. 400mg	Inficel	41
				239	Ciprofloxacin	Tab.250mg	Ciproday	41
				240	Ciprofloxacin	Tab.500mg	Ciproday	41

				273	Levofloxacin	Tab.250mg	Levoday	41
				274	Levofloxacin	Tab.500mg	Levoday	41
				283	Moxifloxacin Hydrochloride	Tab. 400mg	Moxy-Day	41
				378	Iron 3 Hydroxide Polymaltose	Tab. 100	Maltovis	41
				379	iron 3 Hydroxide Polymaltose	Syp. 50mg/5ml	Maltovis	41
				411	Atenolol	Tab. 50mg	Ezilife	41
				412	Atenolol	Tab. 100mg	Ezilife	41
				456	Losartan Potassium	Tab. 50mg	Prozar	41
				503	Domperidone	Tab. 10mg	Vomitil	41
				504	Domperidone	Syp. 5mg/5ml	Vomitil	41
				845	Fusidic Acid	20mg Cream	Pathoderm	41
				866	Silver Sulfadiazine	Cream 1%	Quick A Cream	41

46	Don Valley Lahore	Manufacturer	<p>The inspection team at the time of inspection observed that;</p> <p>1) Compromised GMP and Poor documentation practices were observed as the Log book for the temperature and humidity control in the RMS quarantine of the Penicillin Dedicated area was not available.</p> <p>2) All the active raw materials in the Penicillin Dedicated area were dumped in a small congested room one above the other without any rack and temperature and humidity control thereby compromising the GSP.</p> <p>3) The raw materials were not labeled properly in the Penicillin area as that could not be assed being dumped haphazardly.</p> <p>4) There was no segregated area for rejection/rejected items in the Cephalosporin RMS.</p> <p>5) The API of compacted Cephadrine and rejected amoxicillin tablet were stored in the same cold room.</p> <p>6) HVAC was not properly functioning in the Dedicated Penicillin Area as there was no control of temperature and relative humidity in penicillin in-process store and thermometer and hygrometer were installed to check and maintain the temperature and humidity.</p> <p>7) No Stability studies of the quoted items were presented to the inspection team except azithromycin.</p> <p>Recommended for the award of specified marks for physical evaluation/inspection in the technical evaluation proforma for the quoted items except for Penicillin and Cephalosporins.</p>	777	Diphenhydramine+ Aminophylline+ Ammonium Chloride	Syp. 8mg+32mg+30 mg /5ml, 120ml	Orolin	30
				166	Loratadine	Tab. 10mg	Resotin	36
				884	Ascorbic Acid	Tab. 500mg	Citrovit-C	26
				239	Ciprofolxacin	Tab. 250mg	DV-Cipro	36
				240	Ciprofolxacin	Tab. 500mg	DV-Cipro	36
				744	Sodium Valporoate	Syp. 250mg/5ml	Leptil	30
47	Eastern Medical Care Lahore	Importer	Recommended	1026	Disposable Non-Sterile Latex Examination Gloves (Powder Free)	Size: Small, Medium, Large	ASAP Latex Powder Free Examination Gloves	42
				1027	Disposable Non-Sterile Latex Examination Gloves (Powdered)	Size: Small, Medium, Large	ASAP Latex Powdered Examination Gloves	42
48	Efroze Chemical Industries (Pvt.) Limited Karachi	Manufacturer	Recommended	47	Mefenamic Acid	250mg Tab	Mefnac Tablet 250mg	47
				48	Mefenamic Acid	500mg Tab	Mefnac DS Tablet 500mg	47
				49	Mefenamic Acid	50mg/5ml Susp. 60ml	Mefnac Suspension	43
				408	Amlodipine + Valsartan	5/80mg Tab	Valcard 5/80mg Tablet	47
				409	Amlodipine + Valsartan	5/160mg Tab	Valcard 5/160mg Tablet	52

				410	Amlodipine + Valsartan	10/160mg Tab	Valcard 10/160mg Tablet	47
				413	Bisoprolol	2.5mg Tab	Corbis Tablet 2.5mg	52
				414	Bisoprolol	5mg Tab	Corbis Tablet 5mg	52
				415	Bisoprolol	10mg Tab	Corbis Tablet 10mg	52
				475	Rosuvastatin	10mg Tab	Savuros 10mg Tablet	52
				497	Aluminium Hydroxide + Magnesium Hydroxide + Simethicone Susp	120ml	Trisil Plus Suspension	48
				540	Glibenclamide	5mg Tab	Glicon 5mg Tablet	47
				559	Metformin HCl	500mg Tab	Metphage Tablet 500mg	52
				74	Mebendazole	100mg/5ml	Erizole Suspension	43
				72	Mebendazole	100mg	Erizole Tablet 100mg	47
49	English Pharma Lahore	Manufacturer	<p>The inspection team at the time of inspection observed that;</p> <ol style="list-style-type: none"> 1. Compromised GSP was observed in RMS as follows: <ol style="list-style-type: none"> a. Unlabeled Raw material for Released or quarantined was placed in the RMS. b. Thermometer and hygrometer in RMS were not calibrated. c. RMS dispensing booth was not calibrated. d. The protective plastic on the RMS dispensing booth were incomplete to control the contamination or spread. e. The freezer in the RMS for cold was not calibrated. f. The temperature recorded was 34 0C in the RMS (Room-1) while vitamin K label claim was 2-8 0C. g. The analytical balance in the RMS was not calibrated. 2. HVAC was not properly working as the temperature and humidity recorded in the temperature/humidity logs was not matching to the readings of the thermometer/hygrometer installed in multiple sections. 3. There was no thermometer and hygrometer in the optical checking area of the injections. 4. Poor environmental control was observed in the optical checking area as HVAC inlet was open without any covering on it. 5. Different batches of Injections were lying in the Optical Checking Section with no documentation. 6. Poor QA/AC documentation practices were observed in the BMR, optical checking and environmental control. 7. The temperature was recorded as 33 0C in the FGS. <p>Not Recommended</p>	Not Recommended				

50	Essity (Importer) Karachi	Importer	<p>BSN Germany. All mandatory embassy attested documents (Agency agreement, cGMP / Quality Assurance certificate, Free Sale certificate / CoPP, DRAP Registration) as per the SBDs were checked and verified in original at the time of inspection, for the quoted items of the above-mentioned principal manufacturer EXCEPT that the Adhesive Tape (Leukofix, Formulary No. 899) are not registered with DRAP, and free sale and DRAP Registration for Hydrogel Dressing (Cutimed, Formulary No. 1078) were not presented to the inspection team.</p> <p>Smith and Nephew UK. All mandatory embassy attested documents (Agency agreement, cGMP / Quality Assurance certificate, Free Sale certificate / CoPP, DRAP Registration) as per the SBDs were checked and verified in original at the time of inspection, for the quoted items of the above-mentioned principal manufacturer EXCEPT that the Acticoat (Non crystalline Silver Dressing, Formulary No. 1131) is not registered with DRAP.</p> <p>RECOMMENDED except for items quoted at Formulary No. 899,1078, and 1131.</p> <p>Items offered at 934 and 935 are disqualified due to non provision of samples for End User / Consultants evaluation.</p>	1144	Paraffin Gauze dressing (Tulle) with Chlorhexidine	10cm x 10cm	Bactigras	55
				1145	Paraffin Gauze dressing (Tulle) with Chlorhexidine	15cm x 20cm	Bactigras	53
				1062	Fiberglass Splint	10cm x 30cm	Dynacast Prelude Splints	48
				1062	Fiberglass Splint	12.5cm x 65cm	Dynacast Prelude Splints	48
				1062	Fiberglass Splint	12.5cm x 76cm	Dynacast Prelude Splints	48
				1123	Non-Medicated sterilized adhesive post-operative wound dressing	10cm x 8cm	Leukomed-Sterile Adhesive Wound Dressings	34
				1124	Non-Medicated sterilized adhesive post-operative wound dressing	15cm x 8cm	Leukomed-Sterile Adhesive Wound Dressings	34
				1125	Non-Medicated sterilized adhesive post-operative wound dressing	20cm x 10cm	Leukomed-Sterile Adhesive Wound Dressings	34
				1126	Non-Medicated sterilized adhesive post-operative wound dressing	25cm x 10cm	Leukomed-Sterile Adhesive Wound Dressings	34
				1127	Non-Medicated sterilized adhesive post-operative wound dressing	30cm x 10cm	Leukomed-Sterile Adhesive Wound Dressings	34
				1128	Non-woven Fabric Surgical Adhesive Fix Roll	10cm x 10m	Fixomull Stretch-Wide Area Fixation	45
				1128	Non-woven Fabric Surgical Adhesive Fix Roll	10cm x 1m	Fixomull Stretch-Wide Area Fixation	45
				1131	Nanocrystalline silver dressing	10cm x 10cm	Acticoat	43
				1131	Nanocrystalline silver dressing	10cm x 20cm	Acticoat	43

				1154	PU Adhesive Incise Drape Film	10cm x 14cm	Opsite	45
				1155	PU Adhesive Incise Drape Film	28cm x 15cm	Opsite	44
				1156	PU Adhesive Incise Drape Film	28cm x 30cm	Opsite	44
				1157	PU Adhesive Incise Drape Film	28cm x 45cm	Opsite	42
				1158	PU Adhesive Incise Drape Film	55cm x 45cm	Opsite	43
				1247	Transparent IV Dressing	6cm x 8cm	Leukomed IV -Dressing	35
				1247	Transparent IV Dressing	7cm x 9cm	Leukomed IV -Dressing	35
				1247	Transparent IV Dressing	8.5cm x 11.5cm	Leukomed IV -Dressing	35
				907	Bacterial Binding Dressing	7cm x 8.5cm	Cutimed Sorbact Hydroactive	44
				907	Bacterial Binding Dressing	14cm x 14cm	Cutimed Sorbact Hydroactive	44
				907	Bacterial Binding Dressing	14cm x 24cm	Cutimed Sorbact Hydroactive	44
				907	Bacterial Binding Dressing	19cm x 19cm	Cutimed Sorbact Hydroactive	44
				907	Bacterial Binding Dressing	24cm x 24cm	Cutimed Sorbact Hydroactive	44

51	Essity (Manufacturer) Karachi	Manufacturer	Recommended					
				955	Crepe Bandages BPC 7.5cm x 4.5m	7.5cm x 4.5m	Elastocrepe Cotton Crepe Bandages	65
				956	Crepe Bandages BPC 10cm x 4.5m	10cm x 4.5m	Elastocrepe Cotton Crepe Bandages	67
				957	Crepe Bandages BPC 15cm x 4.5m	15cm x 4.5m	Elastocrepe Cotton Crepe Bandages	66
				1152	POP Bandages	15cm x 2.7m	Gypsona Plaster of Paris Bandages	69
				1153	POP Bandages	10cm x 2.7m	Gypsona Plaster of Paris Bandages	70
				1177	Sterile Gauze Dressing Pad (X-ray detectable Radiopaque) (USP/BP/BPC) Among the three different monograph specifications only one (the best evaluated bid) shall be selected in the combined competition	10cm x 10cm 16 ply	Propax Combine Dressing	65
				1178	Sterile Gauze Dressing Pad (X-ray detectable Radiopaque) (USP/BP/BPC) Among the three different monograph specifications only one (the best evaluated bid) shall be selected in the combined competition	15cm x 15cm 8 ply	Propax Combine Dressing	65
				1267	Zinc oxide adhesive Plaster (Cloth Tape) 2.5 cm x 5m	2.5cm x 5m	PARAGON- Zinc Oxide Adhesive Plasters	59
				1268	Zinc oxide adhesive Plaster (Cloth Tape) 5 cm x 5m	5cm x 5m	PARAGON- Zinc Oxide Adhesive Plasters	59
				1269	Zinc oxide adhesive Plaster (Cloth Tape) 7.5 cm x 5m	7.5cm x 5m	PARAGON- Zinc Oxide Adhesive Plasters	59
				1270	Zinc oxide adhesive Plaster (Cloth Tape) 10 cm x 5 m	10cm x 5m	PARAGON- Zinc Oxide Adhesive Plasters	59

52	FDL Hattar	Manufacturer	Recommended					
				658	Sterile Water For Injection - Ampule	5ml	Mini WFI	42
				656	Sodium Bicarbonate 8.4% B.P - Ampoule	20ml	Mini BC	54
				656	Sodium Bicarbonate 8.4% B.P - Ampoule	50ml	Mini BC	54
				647	Potassium Chloride Ampoule	25ml	Mini KCL	52
				624	Dextrose 5%	100ml	Sterifluid 5%	54
				640	0.9% Sodium Chloride	100ml	Sterifluid NS	52
				272	Levofloxacin 500mg/100ml	100ml	Sterilevo	52
				4	Metronidazole 500mg/ 100ml	100ml	Sterimet	52
				241	Ciprofloxacin 200mg/100ml	100ml	Stericipro	52
				284	Moxifloxacin 400mg/250ml	250ml	Sterimox	42
				639	Mannitol 20%	500ml	Steriflutol	47
				625	Dextrose 5%	500ml	Sterifluid 5%	57
				622	Dextrose 10%	500ml	Sterifluid 10%	52

				628	Dextrose 5% +0.9% Sodium Chloride	500ml	Sterifluid DS	52
				641	0.9% Sodium Chloride	500ml	Sterifluid NS	52
				627	Dextrose 5% + 0.45% Sodium Chloride	500ml	Sterifluid DS 1/2	52
				651	Compound Sodium Lactate	500ml	Sterifluid RL	52
				649	Dextrose 5% + Lactated Ringer's	500ml	Sterifluid RLD	52
				657	Dextrose 4.3% + 0.18% Sodium Chloride	500ml	Sterifluid Paeds	47
				617	Calcium Chloride+Potassium Chloride+Sodium Chloride+Sodium Acetate+Dextrose Anhydrous	500ml	Sterilyte-M	47
				626	Dextrose 5%	1000ml	Sterifluid 5%	52
				623	Dextrose 10%	1000ml	Sterifluid 10%	57
				621	Dextrose 25%	1000ml	Sterifluid 25%	56
				629	Dextrose 5% +0.9% Sodium Chloride	1000ml	Sterifluid DS	53
				642	0.9% Sodium Chloride	1000ml	Sterifluid NS	58
				652	Compound Sodium Lactate	1000ml	Sterifluid RL	57
				650	Dextrose 5% + Lactated Ringer's	1000ml	Sterifluid RLD	52
				618	Calcium Chloride+Potassium Chloride+Sodium Chloride+Sodium Acetate+Dextrose Anhydrous	1000ml	Sterilyte-M	47
53	Ferozsona Laboratories Nowshera	Manufacturer	Recommended	148	Itraconazole	Capsule 100mg	ICON Capsule (Pack of 4's)	49
				156	Voriconazole	Tablet 200mg	Vorif Tablet (Pack of 10's)	52
				198	Azithromycin	Tablet 250mg	Azobar Tablet (Pack of 6's)	52
				199	Azithromycin	Tablet 500mg	Azobar Tablet (Pack of 6's)	52
				273	Levofloxacin	Tablet 250mg	Levo Tablet (Pack of 10's)	52

				274	Levofloxacin	Tablet 500mg	Levo Tablet (Pack of 10's)	52
				328	Acyclovir	Tablet -200mg	Acylex Tablet (Pack of 25's)	52
				332	Daclatasvir	Tablet 60mg	Daklana Tablet (Pack of 28's)	52
				349	Sofosbovir	Tablet 400mg	Savera Tablet (Pack of 28's)	52
				408	Amlodipine , Valsartan	Tablet 5mg, 80mg	Covance Tablet (Pack of 14's)	52
				409	Amlodipine , Valsartan	Tablet 5mg,160mg	Covance Tablet (Pack of 14's)	52
				410	Amlodipine , Valsartan	Tablet 10mg,160mg	Covance Tablet (Pack of 14's)	52
				422	Carvedilol	Tablet 6.25mg	Carveda Tablet (Pack of 30's)	52
				423	Carvedilol	Tablet 12.5mg	Carveda Tablet (Pack of 30's)	52
				424	Carvedilol	Tablet 25mg	Carveda Tablet (Pack of 10's)	52
				454	Losartan Potassium Hydrochlorothiazide	Tablet 50mg ,12.5mg	Xavor DIU Tablet (Pack of 10's)	52
				455	Losartan Potassium	Tablet 25mg	Xavor Tablet (Pack of 20's)	53
				456	Losartan Potassium	Tablet 50mg	Xavor Tablet (Pack of 10's)	53
				537	Empagliflozin	Tablet 10mg	Empagen Tablets (Pack of 14's)	52
				538	Empagliflozin	Tablet 25mg	Empagen Tablets (Pack of 14's)	52
				570	Sitagliptin & Metformin HCl	Tablet 50mg, 500mg	Sitagen-M Tablets (Pack of 30's)	52
				571	Sitagliptin & Metformin HCl	Tablet 50mg , 1000mg	Sitagen-M Tablets (Pack of 10's)	52
				677	Tamsulosin-HCL	Capsule 0.4mg	Flosure Capsule (Pack of 20's)	48

54	Flowtronix systems Rawalpindi	Importer	Firm was inspected and following observations were made: 1. Original of all required documents (Agency Agreement, free sale certificate, quality assurance certificate) were not presented upon demand. Copies were provided with the plea of submission into DRAP at the time of registration. "Not Recommended"	Not Recommended				
55	Fresenius Medical Care Lahore	Importer	Recommended	1076	Hemodialyzer with tubing	Fresenius Dialyzer	Adult	59
				1077	Hemodialyzer with tubing	Fresenius Dialyzer	Peadiatric	59
56	Fujifilm Pakistan Karachi	Importer	Recommended	1258	X-RAY FILM RXN	RXN 8X10 (100 sheets)	Fujifilm Japan	58
				1259	X-RAY FILM RXN	RXN 12X15 (100 Sheets)	Fujifilm Japan	59
				1260	X-RAY FILM RXN	RXN 10X12 (100 Sheets)	Fujifilm Japan	59
				1261	X-RAY FILM RXN	RXN 14X17 (100 Sheets)	Fujifilm Japan	56
				1262	X-RAY FILM CR Valid where Fuji CR installed	CR 8X10 DIHL (150 Sheets)	Fujifilm Japan	57
				1262	X-RAY FILM CR Valid where Fuji CR installed ,	CR 10X14 DIHL (150 Sheets)	Fujifilm Japan	56
				1262	X-RAY FILM CR Valid where Fuji CR installed 8X10,	CR 10X12 DIHL (150 Sheets)	Fujifilm Japan	57
				1263	X-RAY FILM CT SCAN	CT SCAN 14X17 DIHL (100 Sheets)	Fujifilm Japan	57
				1265	X-RAY FILMS MRI	MRI 14X17 DIHL (100 Sheets)	Fujifilm Japan	56
				1266	X-RAY/Auto DEVELOP + FIXER SET	Auto Developer to make 20L	Fujifilm Singapore	45
57	FYNK Pharma Lahore	Manufacturer	Recommended	34	Accelofenac	Tablet 100mg	Osikar	45
				39	Diclofenac Sodium	Injection 75mg/3ml	Voveron	50
				46	Ketorolac as Tromethamine	Injection 30mg/ml	Torek	50
				55	Nalbuphine HCl	Injection 10mg/ml	Nal-Fee	50
				67	Tramadol HCl	Injection 100mg/2ml	T-Mod	50

				144	Fluconazole	Capsule 150mg	Candia	45
				154	Terbinafine as HCl	Tablet 250mg	Terbitec	45
				160	Cetirizine 2HCl	Tablet 10mg	Egix	45
				164	Levocetirizine 2HCl	Syp. 2.5mg/5ml (60ml)	Leve-Cit	50
				165	Levocetirizine 2Hcl	Tablet 2.5mg	Leve-Cit	50
				166	Loratadine	Tablet. 10mg	Quritin	50
				167	Montelukast	Tablet. 10mg	Astel	50
				198	Azithromycin dehydrate	Capsule 250mg	Acim	50
				199	Azithromycin	Tablet. 500mg	Azure	50
				201	Azithromycin as Dihydrate	Suspension 200mg/5ml	Azure	50
				213	Cefixime (as Trihydrate)	Capsule 400mg	Dispel	45
				216	Cefixime	Suspension 100mg	Dispel	45
				215	Cefixime	Suspension 200mg, 30ml	Dispel DS	45
				216	Cefoperazone(as sodium) + Sullbactam (as sodium)	Inj. 500mg + 500mg (1gm)	Suzone	50
				217	Cefoperazone(as sodium) + Sullbactam (as sodium)	Inj. 1000mg + 1000mg (2gm)	Suzone	50
				219	Cefotaxime (as Sodium) 500mg	Inj. 500mg	Otaxam	50
				220	Cefotaxime (as Sodium)	Inj. 1gm	Otaxam	50
				226	Ceftriaxone (as Sodium)	Inj. 500mg	Ranicef	50
				227	Ceftriaxone (as Sodium)	Inj. 1gm	Ranicef	50
				228	Ceftriaxone (as Sodium)	Inj. 2gm	Ranicef	50
				253	Colistimethate Sodium	Inj. 1MIU eq. to 80mg	Cricolist	50
				273	Levofloxacin	Tablet, 250mg	Lurk	50
				274	Levofloxacin	Tablet, 500mg	Lurk	50

				277	Linezolid	Tablet. 600mg	Linzovent	45
				283	Moxifloxacin	Tablet. 400mg	Mocin	45
				203	Vancomycin HCl	Inj. 500mg	Vancotech (IV)	50
				204	Vancomycin HCl	Inj. 1gm	Vancotech (IV)	50
				379	Iron(III) Hydroxide Polymaltose Complex eq.to Elemental Iron 50mg/5ml	Syrup. 50mg/5ml	Macifar	45
				383	Mecobalamin	Injection, 500mcg/1ml	Becomin	50
				411	Atenolol	Tablet. 50mg	Konduct	50
				412	Atenolol	Tablet. 100mg	Konduct	50
				414	Bisoprolol Fumarate	Tablet. 5mg	Lorposib	45
				415	Bisoprolol Fumarate	Tablet. 10mg	Lorposib	45
				430	Dobutamine HCl	Injection 250mg/5ml	Botamin	45
				454	Losartan Potassium + Hydrochlorothiazide	Tab. 50mg+12.5mg	Correct	50
				456	Losartan Potassium	Tablet. 50mg	Losartan	50
				475	Rosuvastatin (as Calcium)	Tablet. 10mg	Rozavel	50
				503	Domperidone	Tablet. 10mg	Qilium	45
				504	Domperidone	1mg/1ml (120ml)	Qilium	45
				505	Drotaverine HCl	Tablet. 40mg	Drospa	50
				506	Drotaverine HCl	Injection 40mg/2ml	Drospa	50
				514	Metoclopramide HCl	Injection 10mg/2ml	Metoplaxil	45
				516	Omeprazole Sodium	Inj. 40mg	Fymezole	45
				715	Levetiracetam	Tablet. 250mg	Leepra	50
				716	Levetiracetam	Tablet. 500mg	Leepra	50
				721	Olanzapine	Tablet. 5mg	Olpine	50
				722	Olanzapine	Tablet. 10mg	Olpine	50
				739	Quetiapine (as fumarate)	Tablet. 100mg	Quitapin	45
				743	Sertraline as HCl	Tablet. 100mg	Sertima	45

				835	Betamethasone (as Dipropionate)+ Gentamicin (as Sulfate)	Cream 0.05%+ 0.1%	Digrit	45
				845	Fusidic Acid	Cream 2.0%w/w	Fyrisum	50
				889	Cholecalciferol (Vitamin D3)	Injection 5mg/1ml	Fycalci	50
58	General Pharma Kamoke	Manufacturer	Recommended Except For items offered at Formulary No. 953, 954, 955 are	943	Cotton (Surgical) Corded BPC	200 gm Roll	Hospitex	62
				944	Cotton (Surgical) Corded BPC	100 gm Roll	Hospitex	62
				945	Cotton Bandages (Surgical) B.P Type II	6.5 cm x 4 m	Hospitex	62
				946	Cotton Bandages (Surgical) B.P Type II	7.5 cm x 4m	Hospitex	62
				947	Cotton Bandages (Surgical) B.P Type II	10 cm x 4 m	Hospitex	62
				948	Cotton Bandages (Surgical) B.P Type II	15 cm x 4 m	Hospitex	62
				1067	Gauze Cloth Roll packing	100 cm x 20 m	Hospitex	62
				1068	Gauze Cloth Roll packing	100 cm x 40 m	Hospitex	62
				1180	Sterile Gauze dressing Pad BPC	10cmx10cm, 8ply	Hospitex	62
				1181	Sterile Gauze dressing Pad BPC	15cmx15cm, 8ply	Hospitex	62
59	Genetics Pharma Lahore	Manufacturer	Recommended	34	Aceclofenac	Tab 100MG	Acceford 100mg	48
				146	Fluconazole 150MG	Cap 150mg	Candizol 150mg	38
				159	Betahistine 8MG	Tab 8mg	Vergo 8Mg	48
				160	Betahistine 16MG	Tab 16mg	Vergo 16 Mg	48
				200	Azithromycin Dihydrate 250MG	Cap 250mg	Zithrolide 250mg Capsule	48
				201	Azithromycin Dihydrate 500MG	Tab 500mg	Zithrolide 500mg Tablet	48
				275	Levofloxacin 250MG	Tab 250mg	Termigen 250mg	53
				276	Levofloxacin 500MG	Tab 500mg	Termigen 500mg	53
				285	Moxifloxacin 400MG	Tab 400mg	Navilox 400mg	48
				392	Rivaroxaban 10MG	Tab 10mg	Roxaban 10mg	48
				393	Rivaroxaban 15MG	Tab 15mg	Roxaban 15mg	53
				394	Rivaroxaban 20MG	Tab 20mg	Roxaban 20mg	53
				410	Valsartan+Amlodipine 5/80MG	Tab 5/80mg	Emhart 5/80mg tab	53
				411	Valsartan+Amlodipine 5/160MG	Tab 5/160mg	Emhart 5/160mg tab	48

				412	Valsartan+Amlodipine 10/160MG	Tab 10/160mg	Emhart 10/160mg tab	48
				477	Rosuvastatin 10MG	Tab 10mg	Rosugen 10Mg	38
				523	Pantoprazole Sodium Sesquihydrate 20MG	Tab 20mg	Genopra DR 20mg tab	48
				573	Sitagliptin/Metformin 50/500MG	Tab 50/500mg	Glycon M 50/500mg	48
				574	Sitagliptin/Metformin 50/1000MG	Tab 50/1000mg	Glycon M 50/1000mg	48
				668	Febuxostat 40MG	Tab 40mg	Deuric 40mg	48
				669	Febuxostat 80MG	Tab 80mg	Deuric 80mg	48
				680	Tamsulosin HCl 0.4MG	Cap 0.4mg	Contiflo	48
				685	Aripiprazole 15MG	Tab 15mg	Profy 15mg	53
				699	Desvenlafaxine 50MG	Tab 50mg	Venadex ER 50mg	48
				700	Desvenlafaxine 100MG	Tab 100MG	Venadex ER 100mg	48
				702	Duloxetine Hydrochloride 30MG	Cap 30mg	Dobalta 30mg	48
				703	Duloxetine Hydrochloride 60MG	Cap 60mg	Dobalta 60mg	48
				708	Escitalopram 10MG	Tab 10mg	Prolexa 10Mg	48
				709	Fluoxetine HCl 20MG	Cap 20mg	Geoxit 20mg	48
				716	Lamotrigine 50MG	Tab 50mg	Lamitor 50Mg	48
				735	Pregabalin 50MG	Cap 50mg	Lingab 50mg	48
				736	Pregabalin 75MG	Cap 75mg	Lingab 75mg	48
				737	Pregabalin 150MG	Cap 150mg	Lingab 150mg	48
				742	Quetiapine 100mg	Tab 100MG	Prequal 100MG	48
				743	Risperidone 2MG	Tab 2mg	Vepridone 2Mg	49
				744	Risperidone 4MG	Tab 4mg	Vepridone 4Mg	49
				746	Sertraline HCl 100MG	Tab 100MG	Cetralax 100mg	48
				748	Topiramate 50MG	Tab 50mg	Topagen 50Mg	48
60	Genix Pharma Karachi	Manufacturer	Recommended	329	Acyclovir	Inj. 250 MG	Aclovir	51
				330	Acyclovir	Inj. 500 MG	Aclovir	51
				269	Imipenem / Cilastatin	Inj. 500MG	Cilenem	51
				889	Cholecalciferol (Vitamin D3)	Inj. 5MG	D4U	51
				537	Empagliflozin	Tablet 10MG	Emglif	51
				538	Empagliflozin	Tablet 25MG	Emglif	51
				311	Artesunate	Inj. 120MG	Gen-M	53
				312	Artesunate	Inj. 60 MG	Gen-M	53

				201	Azithromycin	Suspension 200 MG/5 ML	Genthro	47
				198	Azithromycin	Tablet 250 MG	Genthro	51
				199	Azithromycin	Tablet 500 MG	Genthro	51
				571	Sitagliptin + Metformin	Tablet 50 MG/1000 MG	Gvia-M	51
				570	Sitagliptin + Metformin	Tablet 50 MG/500 MG	Gvia-M	51
				393	Tranexamic Acid	Capsule 500 MG	Haemic	51
				395	Tranexamic Acid	Inj. 500 MG/ 5ML	Haemic	51
				246	Clarithromycin 60ml	Dry Suspension 125 MG / 5 ML	Larith	47
				243	Clarithromycin	Tablet 250 MG	Larith	51
				244	Clarithromycin	Tablet 500 MG	Larith	51
				281	Meropenem	Inj. 1 G	Olver	51
				280	Meropenem	Inj. 500 MG	Olver	51
				382	Iron Sucrose	Inj. 100MG/5 ML	RBC	51
				716	Levetiracetam	Tab. 500 MG	Recetam	56
				717	Levetiracetam	Inj. 5 ML/500 MG	Recetam	56
				304	Vancomycin	Inj. 1 G	Vancom	56
				303	Vancomycin	Inj. 500 MG	Vancom	56
				575	Vildagliptin	Tab. 50 MG	Velon	51
				351	Velpatasvir / Sofosbuvir	Tablet 100 MG/400 MG	Velso	37
				55	Nalbuphine HCL	Inj. 10 MG	Zerfin	51
				277	Linezolid	Tablet 600 MG	Zyspan	51
				279	Linezolid	Infusion 600 MG/300 ML	Zyspan	51
61	Genome Pharma Hattar	Manufacturer	<p>The inspection team at the time of inspection observed that</p> <ul style="list-style-type: none"> • Calibration of the magnetic gauges were not done. • Finished good storage area was congested and cartons were in direct contact with the walls. • Temperature noted in the FGS was 31.2°C where as it was needed to be less than 25 °C. • Good laboratory practices were not observed at the time of inspection as the firm was using in house method for the assay of quoted item i.e., Tab. Arefed (Deferasirox) which was not validated. • The firm fail to present in original cGMP to the inspection team. <p>In view thereof, the firm is Not Recommended.</p>	Not Recommended				

62	Geofmann Pharmaceuticals Karachi	Manufacturer	<p>The inspection team at the time of inspection observed the following.</p> <p>1. There was no quarantine area in the Cephalosporins Section. Pass, undertest / quarantine material were placed in the same room.</p> <p>2. There was no temperature monitoring log, thermometer, hygrometer, in Cephalosporin Raw material store.</p> <p>RECOMMENDED FOR QUOTED ITEMS EXCEPT CEPHALOSPORIN SECTIONS.</p>	176	Amoxicillin	250mg Caps.	Geomoxin	41
				177	Amoxicillin	500mg Caps.	Geomoxin	41
				198	Azithromycin	250mg Caps.	Geozit	31
				239	Ciprofloxacin	250mg Tab.	Megaflox	41
				240	Ciprofloxacin	500mg Tab.	Megaflox	41
				268	Gentamycin Sulphate	80mg/2ml. Inj.	Genom	47
				273	Levofloxacin	250mg Tab.	Kingfloxacin	31
				383	Mecobalmin	500mcg/ml.Inj.	Geocobalmin	45
				411	Atenolol	50mg Tab.	Hyperinol	41
				412	Atenolol	100mg Tab.	Hyperinol	41
				496	Xylometazoline Hydrochloride	15.75mg 0.10% Nasal Solution	Xylonas	41
				534	Dexamethasone	4mg/1ml. Inj.	Dexamedron	47
				540	Glibinclamide	5mg Tab.	Glabinol	41
559	Metformin	500mg Tab.	Diabimin	41				

				565	Oxytocin	5.LU Inj.	Tocinox	50
				567	Prednisolone	5mg.Tab.	Presolone	41
				733	Pregabalin	75mg Cap.	Geogabalin	41
				782	Ipratropium Bromide	250mcg./ml Nebulization Solution	Ipratec	41
				839	Clotrimazole Cream	1% Cream	Dermotrim	41
63	Glitz Pharma Islamabad	Manufacturer	<p>Firm was inspected and following observations were made: General Medicines Manufacturing Facility: 1. Raw material store (RMS) sampling booth was small enough to carry out sampling from large containers. Sampling procedure were not as per SOPs. Cutlery spatula was used for sampling. Sampling rod was placed on floor. 2. Dispensing booth laminar flow hood HEPA filter was not maintained. HEPA's Dispersed Oil Particulate (DOP) test record was not presented upon demand. 3. RMS HVAC was not functional. 4. Dispensing practices in RMS was not as per SOPs. 5. Packing materials were stacked in the corridor in front of RMS. 6. In labeling section of syrup, finished goods were placed on floor instead of pallets. 7. In syrup filling and labelling section thermometer and hygrometer was not installed. 8. In syrup section HVAC was not functional. 9. Syrup mixing section floor was dirty, broken and mixing drums were rusted. 10. Finished products (semisolid dosage form) were placed in corridor divides cream and syrup section. 11. In semisolid dosage form filling section cartons were placed upside down. 12. In semisolid dosage form section packing material were stored in main corridor. 13. HVAC was not functioning in semisolid dosage form section. 14. Emergency exit door swung/open inside in the direction of exit travel which is against the safety measure. 15. Sections where tablet manufacture by wet granulation, tablets were stored in corridor. 16. In tablet manufacturing wet granulation section HVAC was not functioning. 17. Door of tablet mixing section was dirty. 18. Tablet section fire extinguisher was expired. 19. Sections where tablets were manufactured by direct compression, HVAC was not working properly. 20. In Psychotropic tablet manufacturing section HVAC was not functioning. 21. In capsule and sachet corridor finish products were placed on floor. 22. In capsule mixing section cone mixer was without safety chain. 23. In capsule section HAVC was not working properly. 24. HVAC of sachet filling section was not working properly. 25. In dry suspension filling section HVAC was not working properly. 26. In all sections lighting was very dim.</p> <p>Cephalosporin Manufacturing Area: 1. Cephalosporin area had poor standards of hygiene. 2. Receiving bay has no pallets, deduster or vacuum cleaner. 3. Thermometer and hygrometers were not installed. 4. HVAC was not functional 5. cGMP was not followed.</p> <p>Quality Control Lab: 1. Record of few tests for raw material and finished product as mentioned in official monograph was not found. 2. Dissolution apparatus for comparative dissolution was not found. "Not Recommended"</p>	Not Recommended				

64	Global Pharma Islamabad	Manufacturer	<p>Firm was inspected and following observations were made:</p> <p>General Medicines Manufacturing Facility:</p> <p>1. Raw material store for general medicines other than carbapenem and penicillin area, HVAC was not working properly.</p> <p>2. Raw material store air curtain at the entry point was not working.</p> <p>3. Change room for manufacturing area had poor hygiene.</p> <p>4. Receiving bay of manufacturing area had no pallets.</p> <p>5. Tablet section HVAC was not working properly.</p> <p>6. In wet granulation section of tablet, powder were scattered on floor.</p> <p>7. In tablet compression section containers were placed on floor instead of pallets.</p> <p>8. Capsule section was under maintenance, corridor ceiling was found erosive and wall at entry point was not painted.</p> <p>9. Corridor floor was broken in capsule section.</p> <p>10. In liquid injectable stainless steel wall corner guard of the pillar near the Cargo lift were dislocated.</p> <p>11. In liquid injectable transfer area HVAC was not working properly.</p> <p>12. In liquid injectable packing hall, products were placed on floor instead of pallets.</p> <p>13. In liquid injectable packing hall HVAC was not working properly.</p> <p>“Recommended for Carbapenem and Penicillin only”</p>	280	Meropenem	Inj. 500 mg/Vial	Merem	57
				281	Meropenem	Inj.1gm /Vial	Merem	57
				287	Piperacillin +Tazobactam	Inj.2 gm+0.25gm (2.25gm)/Vial	Zoycin	56
				288	Piperacillin +Tazobactam	Inj.4 g/0.5 g (4.5gm)/Vial	Zoycin	56
65	Graton Pharma Karachi	Importer	Recommended	754	Dimeglumine Gadopentetate	10ml (469 mg/mL)	Omnivist	44
				754	Dimeglumine Gadopentetate	15ml (469 mg/mL)	Omnivist	44
				754	Dimeglumine Gadopentetate	20ml (469 mg/mL)	Omnivist	44
				757	Iohexol	50ml (350mg/ml)	Ioxican	38
				757	Iohexol	100ml (350mg/ml)	Ioxican	38
66	GSK Karachi	Manufacturer	Recommended	60	Paracetamol	Peed Susp 100ml	Calpol	53
				68	Albendazole	TABLET 2's 200mg	ZENTEL	55
				69	Albendazole	SUSPENSION 4% 10 ML	ZENTEL	55
				144	Fluconazole	CAPSULE 150mg 4's	ZOLANIX	53
				160	Cetirizine (HCL)	TABLETS 10mg	ZYRTEC	53
				161	Cetirizine (HCL)	ORAL SOLUTION 60ML	ZYRTEC	53
				163	Ammonium Chloride , Chlorpheniramine Maleate , Sodium Citrate , Glycerine	EXPECT. LINCTS 120ML	PIRITON	52
				176	Amoxicillin as Amoxicillin Trihydrate B.P	CAP 250mg	AMOXIL	59
				177	Amoxicillin as Amoxicillin Trihydrate B.P	CAP 500mg	AMOXIL	59
				179	Amoxicillin as Amoxicillin Trihydrate B.P	SYRUP 125 MG /90 ML	AMOXIL	59
				182	Amoxicillin as Amoxicillin Trihydrate B.P	SYRUP 250 MG/90 ML	AMOXIL	59
				183	Amoxicillin,Clavulanic Acid	TAB 375mg	AUGMENTIN	60
				184	Amoxicillin,Clavulanic Acid	TAB 625M	AUGMENTIN	60
184	Amoxicillin,Clavulanic Acid	Tab 1 GM	AUGMENTIN	60				
188	Amoxicillin,Clavulanic Acid	SUSP 312.5MG 90ML	AUGMENTIN	60				

				186	Amoxicillin,Clavulanic Acid	SUSP 156-25Mg 90ml	AUGMENTIN	60
				194	Ampicillin Trihydrate Cloxacillin Sodium	CAP 500mg	AMPICLOX	53
				197	Ampicillin Trihydrate Cloxacillin Sodium	CAP 250mg	AMPICLOX	53
				214	Cefixime	SUSP 100MG/5ML 30ML	FIXVAL	52
				213	Cefixime	SUSP 200MG/5ML 30ML	FIXVAL	52
				233	Cephadrine USP	CAPS. 250MG	VELOSEF	53
				234	Cephadrine USP	CAPS. 500MG	VELOSEF	53
				237	Cephadrine USP	SUSP. 125MG/5ML 90ML	VELOSEF	53
				238	Cephadrine USP	SUSP. 250MG/5ML 90ML	VELOSEF	53
				239	Ciprofloxacin Hydrochloride	250MG TABLETS	CIPVAL	52
				240	Ciprofloxacin Hydrochloride	500MG TABLETS	CIPVAL	52
				254	Trimethoprim, Sulfamethoxazole	TABLETS 80+400	SEPTRAN	57
				255	Trimethoprim, Sulfamethoxazole	TABLETS 160+800	SEPTRAN DS	57
				256	Trimethoprim, Sulfamethoxazole	SUSPENSION 50 ML	SEPTRAN DS	57
				257	Trimethoprim, Sulfamethoxazole	SUSPENSION 50 ML	SEPTRAN	57
				421	Captopril USP	TAB. 25MG	CAPOTEN	59
				831	Betamethasone Valerate	OINTMENT 20GM	BETNOVATE	53
				832	Betamethasone Valerate	CREAM 20GM	BETNOVATE	53
				833	Betamethasone Valerate	LOTION 60ML	BETNOVATE	53
				492	Polymyxin B Sulphate, Lignocaine HCl, Propylene Glycol	EAR DROPS 5ML	LIDOSPORIN	53
				787	Salbutamol sulphate	SYRUP SF 120ML	VENTOLIN	55
				788	Salbutamol sulphate	RESP. SOLUTION 20ML	VENTOLIN	55
				820	Polymyxin B Sulphate 10000 units, Bacitracin zinc 500 units Petroleum base 1 gm.	EYE OINTMENT 6 GM	POLYFAX	54
				838	Clobetasole propionate .05% w/w	CREAM 20GM	DERMOVATE	54
				863	Polymyxin B Sulphate 10000 IU,Bacitracin 500 IU,	SKIN OINTMENT 20G	POLYFAX	54
				226	Ceftriaxone	INJ 500MG	TRAXON	48
				227	Ceftriaxone	INJ 1 GM	TRAXON	48

67	GSK Consumer Healthcare Karachi	Manufacturer	Recommended	57	Paracetamol	80mg/0.8ml Oral Drops, 1x 30ml	PANADOL CHILDREN DROPS	43
				59	Paracetamol	160 mg/ 5 ml 120ml Susp. IX120ML	PANADOL CHILDREN LIQUID 32MG/ML	43
				165	Levocetirizine	5 mg Tab	T-DAY	40
				869	Terbinafine 1%	CREAM 1%	LAMISIL	40
68	GT Pharma Lahore	Manufacturer	Recommended	389	Phytonadione	Inj, 2mg	K-Lot Vit-K	30
				889	Cholecalciferol	Inj, 1ml	ED-3	15
				198	Azithromycine	Cap, 250mg	G Azithro	15
				144	Fluconazole	Cap, 150mg	GT Zole	15
				733	Pregabalin	Cap, 75mg	G Gab	15
69	Hakimsons Impex Karachi	Importer	Recommended	606	Rho (D) Immune globulin	Injection 300 mcg	Rhophylac	41
				656	Salt free Albumin 50ml	IV Infusion 20%	Human Albumin 20% 50ml	41
				657	Salt free Albumin 100ml	IV Infusion 20%	Human Albumin 20% 100ml	41
				605	Rabies Immunoglobulin (Human)	Injection 150 IU/ml	Berirab-P	36
				613	Tetanus Immunoglobulin (Human)	Injection 250 IU	Tetagam-P	41
				588	Hepatitis B Immunoglobulin (Adult)	Injection 200IU	Hepatitis B Ig	41
				589	Hepatitis B Immunoglobulin (Neonatal)	Injection 200 IU	Hepatitis B Ig	41
				612	Snake Venom Antiserum	Injection	Snake Venom Anti Serum	35
				580	Anti-Rabies Serum	Vial 200 IU/ml	Equirab	35
				583	Anti-thymocyte globulin (ATG)	Injection 250mg	Thymogam-P	35
				601	Purified Chick Embryo Cell Rabies Vaccine (PCECV)	Injection	Vaxirab N	40

70	Hamaz Pharma Multan	Manufacturer	<p>The inspection team at the time of inspection observed that;</p> <p>1. The megahelic gauges for differential pressure of the Cephalosporin area were not functional, which compromised the mandatory pressure differential in the cephalosporin designated area.</p> <p>2. The Raw material of cephalosporin was stored without proper labelling and QC release or quarantine labels.</p> <p>Recommended for awarding the specified marks for physical evaluation/Inspection in the technical evaluation proforma for the quoted items except cephalosporin.</p>	40	Diclofenac Sodium	Tablet 50mg	Phonac	39
				41	Mefenamic Acid	Syrup 50mg/5ml (60ml)	Panamaz	43
				59	Paracetamol SYP 120MG/5ML	Syp 120mg/5ml (60ml)	Estadol	43
				60	Paracetamol SYP 250MG/5ML	Syp 250mg/5ml (60ml)	Estadol Plus	43
				62	Paracetamol Injection 1gm	IV Inj 1gm	Estadol	41
				69	Albendazole	Suspension 200mg /5ml, 10ml	Larex	48
				98	Mycophenolate Mofetil 500mg	Tablet 500mg	Astecept	44
				160	Cetirizine Tablet 10mg	Tablet 10mg	Xero Sed	39
				161	CETIRIZINE DIHYDROCHLORIDE 5MG	SYRUP 60ml 5mg	XERO-SED	43
				167	Montelukast 10mg / Tablet	Tab10mg	Montilak 3H-	39
				168	Montelukast 5mg / Tablet	Tab 5mg	Montilak 3H-	39
				178	AMOXYCILLIN 125MG / 5ml (60ml)	Syrup 125mg/5ml (60ml)	Skymox	43
				181	AMOXYCILLIN 250MG / 5ml (60ml)	Syrup 250mg/5ml (60ml)	Skymox Forte	43
				239	Ciprofloxacin Tablet 250	Tablet 250mg	Nixin	39
				240	Ciprofloxacin Tablet 500	Tablet 500mg	Nixin	39
				241	Ciprofloxacin Injection 200mg	Injection IV 200mg	Nixin	41
				272	LEVOFLOXACIN Injection	Injection IV 500mg	LUPIN	44
				273	LEVOFLOXACIN 250mg	TABLET 250mg	LUPIN	44
				274	LEVOFLOXACIN 500mg	TABLET 500mg	LUPIN	44
				310	ARTEMETHER15mg + LUMIFANTRINE 90mg	SYRUP (60ml) 15/90mg	ARTEFROST	43
				378	IRON III POLYMALTOSE 100mg Tablet	Tablet 100mg	BEN-10	39
				379	IRON III POLYMALTOSE	Syrup 50MG/5ML 60ml	BEN-10	43
				501	Dimenhydrinate	50mg Inj	Drivol Injection	39
507	Famotidine 40mg tablet	Tablet 40mg	Gaster	39				
705	ESCITALOPRAM 10MG /TABLET	TABLET 10mg	CITALEM 3 H	44				

71	Hashir Surgical Peshawar	Importer	<p>The inspection team at the time of inspection observed that;</p> <p>☐ RIASA Argentina:</p> <ul style="list-style-type: none"> • EU declaration of conformity duly attested from embassy concerned was present at the time of inspection. • Free sale certificate duly attested from embassy concerned was present at the time of inspection. <p>☐ Jiangsue Nanfang Medical Co, Ltd.</p> <ul style="list-style-type: none"> • Declaration of conformity on company letter head duly attested from embassy concerned was present at the time of inspection. • Free sale certificate duly attested from embassy concerned was present at the time of inspection. <p>☐ Revital HealthCare Kenya:</p> <ul style="list-style-type: none"> • Valid production quality assurance duly attested from embassy concerned was present at the time of inspection. • Valid free sale certificate duly attested from embassy concerned was present at the time of inspection. <p>☐ Jiangxi Fenglin Medical appliances Co., Ltd (infusion chamber, IV set & 24G with Heparin stopper):</p> <ul style="list-style-type: none"> • Valid production quality assurance duly attested from embassy concerned was present at the time of inspection. • Valid free sale certificate duly attested from embassy concerned was present at the time of inspection. <p>☐ Jiangxi Fenglin Medical Technology Co., Ltd (urocath & flowcath):</p> <ul style="list-style-type: none"> • Valid production quality assurance duly attested from embassy concerned was present at the time of inspection. • Valid free sale certificate duly attested from embassy concerned was present at the time of inspection. <p>☐ USM Vietnam:</p> <ul style="list-style-type: none"> • Valid production quality assurance duly attested from embassy concerned was present at the time of inspection. • Valid free sale certificate duly attested from embassy concerned was present at the time of inspection. <p>☐ N.A.Z Medical supplies SDN. BHD:</p> <ul style="list-style-type: none"> • Declaration of conformity on company letter head duly attested from embassy concerned was present at the time of inspection. • Free sale certificate duly attested from embassy concerned was present at the time of inspection. However, the scope does not cover powdered free gloves. <p>☐ Triron Titanium Germany:</p> <ul style="list-style-type: none"> • EC quality System certificate duly attested from embassy concerned was present at the time of inspection. • Free sale certificate duly attested from embassy concerned was present at the time of inspection. <p>☐ Jiangsu Kangjin Medical Instrument Co., Ltd:</p> <ul style="list-style-type: none"> • Valid production quality assurance duly attested from embassy concerned was present at the time of inspection. • Valid free sale certificate duly attested from embassy concerned was present at the time of inspection. <p>☐ Shengguang Medical Instrument Co., Ltd:</p> <ul style="list-style-type: none"> • Valid production quality assurance duly attested from embassy concerned was present at the time of inspection. • Valid free sale certificate duly attested from embassy concerned was present at the time of inspection. <p>☐ Meditop Corporation Malaysia:</p> <ul style="list-style-type: none"> • The firm provided free sale certificate of Meditop corporation Malaysia wherein it's clearly mention that manufacturer of the quoted item is Top Corporation Japan while Meditop corporation is the authorized representative. • Full quality assurance of Top Corporation Japan duly attested from embassy concerned was present. <p>Hence, the firm is recommended for all the quoted items except items imported from Meditop corporation Malaysia and non-sterile latex examination gloves powdered free of N.A.Z Medical supplies SDN. BHD.</p> <p>Items quoted at 896, 897 (Adhesive Tape Paper Medisoft are not recommended due to non provision of samples for DTL and End User evaluation.</p>	894	Adhesive Tape (Paper) 0000233	Registration No.MDIE-	1" (2.5cm) x 4.5m	Hipoalergic	51
				895	Adhesive Tape (Paper) 0000233	Registration No.MDIE-	2" (5cm) x 4.5m	Hipoalergic	51
				896	Adhesive Tape (Paper) 0000233	Registration No.MDIE-	3" (7.5cm) x 4.5m	Hipoalergic	51
				897	Adhesive Tape (Paper) 0000233	Registration No.MDIE-	4" (10cm) x 4.5m	Hipoalergic	51
				894	Adhesive Tape (Paper) 0000344	Registration No.MDIE-	1" (2.5cm) x 4.5m	Medisoft	56
				895	Adhesive Tape (Paper) 0000344	Registration No.MDIE-	2" (5cm) x 4.5m	Medisoft	56
				898	Adhesive Tape (Plastic) PE 0000345	Registration No.MDIE-	1" (2.5cm) x 10yard	Medisoft	56
				899	Adhesive Tape (Plastic) PE 0000345	Registration No.MDIE-	2" (5cm) x 10yard	Medisoft	56
				900	Adhesive Tape (Plastic) PE 0000345	Registration No.MDIE-	3" (7.5cm) x 10yard	Medisoft	56
				901	Adhesive Tape (Plastic) PE 0000345	Registration No.MDIE-	4" (10cm) x 10yard	Medisoft	56
				989	Disposable Auto Disable Syringe (Blister packing) sterile Registration No.MDIR-0002121		0.5ML	Revital CADY	56
991	Disposable Auto Disable Syringe (Blister packing) sterile Registration No.MDIR-0002122		2ML	Revital	56				

				993	Disposable Auto Disable Syringe (Blister packing) sterile Registration No.MDIR-0002122	5ML	Revital	56
				994	Disposable Auto Disable Syringe (Blister packing) sterile Registration No.MDIR-0002122	10ML	Revital	58
				1087	I/V fluid administration set (sterile, and pyrogen free, minimum 150cm tube length, Blister Pack) Registration MDIR-0000077	Regular	Bio Soft Infusion Set	59
				1088	I/V fluid administration set with additional: Y Injection Port (sterile, minimum 150cm length tubing, latex, and pyrogen free, blister pack) Registration MDIR-0003075	Y-Port	Bio Soft Infusion Set	56
				1091	I/V Cannula (Sterile having wings + injection port in sterilized blister packing. The Cannula should be radio- opaque, as well as latex, pyrogen, and PVC free) Registration No.MDIR-0000075	With Wings+ Inj: Port+ G-18, (Blister Pack)	FLOWCATH	53
				1092	I/V Cannula (Sterile having wings + injection port in sterilized blister packing. The Cannula should be radio- opaque, as well as latex, pyrogen, and PVC free) Registration No.MDIR-0000075	With Wings+ Inj: Port+ G-20, (Blister Pack)	FLOWCATH	53

				1093	I/V Cannula (Sterile having wings + injection port in sterilized blister packing. The Cannula should be radio-opaque, as well as latex, pyrogen, and PVC free) Registration No.MDIR-0000075	With Wings+ G-22, Pack)	Inj: Port+ (Blister	FLOWCATH	53
				1094	I/V Cannula (Sterile having wings + injection port with heparin stopper inside sterilized blister packing. The Cannula should be radio-opaque, as well as latex, pyrogen, and PVC free) Registration No.MDIR-0003077	With Wings+ G-24, Pack)	Inj: Port+ (Blister	FLOWCATH	56
				1089	I/V Cannula (Sterile having wings + injection port in sterilized blister packing. The Cannula should be radio-opaque, as well as latex, pyrogen, and PVC free) Registration No.MDIR-0001276	With Wings+ G-14, Pack)	Inj: Port+ (Blister	FAVOCATH	56
				1090	I/V Cannula (Sterile having wings + injection port in sterilized blister packing. The Cannula should be radio-opaque, as well as latex, pyrogen, and PVC free) Registration No.MDIR-0001276	With Wings+ G-16, Pack)	Inj: Port+ (Blister	FAVOCATH	56
				1091	I/V Cannula (Sterile having wings + injection port in sterilized blister packing. The Cannula should be radio-opaque, as well as latex, pyrogen, and PVC free) Registration No.MDIR-0001276	With Wings+ G-18, Pack)	Inj: Port+ (Blister	FAVOCATH	60
				1092	I/V Cannula (Sterile having wings + injection port in sterilized blister packing. The Cannula should be radio-opaque, as well as latex, pyrogen, and PVC free) Registration No.MDIR-0001276	With Wings+ G-20, Pack)	Inj: Port+ (Blister	FAVOCATH	60

				1093	I/V Cannula (Sterile having wings + injection port in sterilized blister packing. The Cannula should be radio-opaque, as well as latex, pyrogen, and PVC free) Registration No.MDIR-0001276	With Wings+ G-22, Pack)	Inj: Port+ (Blister	FAVOCATH	60
				1094	I/V Cannula (Sterile having wings + injection port with heparin stopper inside sterilized blister packing. The Cannula should be radio-opaque, as well as latex, pyrogen, and PVC free) No.MDIR-0002120 Registration	With Wings+ G-24, Pack)	Inj: Port+ (Blister	FAVOCATH	60
				896	Adhesive Tape (Paper) Registration No.MDIE-0000344	3" (7.5cm) x 4.5m		Medisoft	36
				897	Adhesive Tape (Paper) Registration No.MDIE-0000344	4" (10cm) x 4.5m		Medisoft	36
				1026	Disposable Non-sterilized Latex Examination Gloves (Powder Free) Registration No.MDIE-0000089	Small, Medium, Large		Nazcare	51
				1027	Disposable Non-sterilized Latex Examination Gloves (Powdered) Registration No.MDIE-0000090	Small, Medium, Large		Nazcare	51
				1097	Infusion Chamber (Burette Type) Sterile, Disposable Registration MDIR-0000078	100ml		BIO SOFT	58
				1112	Disposable Face Mask, (Medical mask, good breathability, and clearly identifiable internal and external faces) (As per WHO or alternative equivalent standards) Registration No.MDIE-0000085	Adult		Shengguang Surgical Mask	53
				1113	Disposable Particulate Respirator as per WHO or Alternative Equivalent standards. Registration No.MDIE-0000249	Individually packed (Adult) FFP2 Mask GB 19083-2010, 1. Bacterial Filtration Efficacy ≥ 95%		Shengguang	48

				1193	Surgical Blade (Steel carbon, black/ blue/ Stainless Steel) Registration No.MDIR-0001725	10		TRINON	56
				1194	Surgical Blade (Steel carbon, black/ blue/ Stainless Steel) Registration No.MDIR-0001725	11		TRINON	56
				1195	Surgical Blade (Steel carbon, black/ blue/ Stainless Steel) Registration No.MDIR-0001725	15		TRINON	56
				1196	Surgical Blade (Steel carbon, black/ blue/ Stainless Steel) Registration No.MDIR-0001725	20		TRINON	56
				1197	Surgical Blade (Steel carbon, black/ blue/ Stainless Steel) Registration No.MDIR-0001725	21		TRINON	56
				1198	Surgical Blade (Steel carbon, black/ blue/ Stainless Steel) Registration No.MDIR-0001725	22		TRINON	56
				1218	Two-Way Foley Catheter 100% Silicon MDIR.0000073	Size.16FR		Uro Cath Foley Catheter	58
				1219	Two-Way Foley Catheter 100% Silicon MDIR.0000073	Size.18FR		Uro Cath Foley Catheter	58
				1222	Two-Way Foley Catheter (Silicon Coated) MDIR.0000072	Size.6FR		Uro Cath Foley Catheter	58
				1223	Two-Way Foley Catheter (Silicon Coated) MDIR.0000072	Size.8FR		Uro Cath Foley Catheter	58
				1224	Two-Way Foley Catheter (Silicon Coated) MDIR.0000072	Size.10FR		Uro Cath Foley Catheter	58
				1225	Two-Way Foley Catheter (Silicon Coated) MDIR.0000072	Size.12FR		Uro Cath Foley Catheter	58
				1226	Two-Way Foley Catheter (Silicon Coated) MDIR.0000072	Size.14FR		Uro Cath Foley Catheter	58
				1227	Two-Way Foley Catheter (Silicon Coated) MDIR.0000072	Size.16FR		Uro Cath Foley Catheter	58
				1228	Two-Way Foley Catheter (Silicon Coated) MDIR.0000072	Size.18FR		Uro Cath Foley Catheter	58
				1229	Two-Way Foley Catheter (Silicon Coated) MDIR.0000072	Size.20FR		Uro Cath Foley Catheter	58
				1250	Urine bag with let 0000025	Registration No.MDIE- 2000ml,	With T-Valve	Bio Bag	55

72	Healthtek Karachi	Manufacturer	Recommended	205	Cefaclor Monohydrate	50mg/ml Drops, 15ml	SLATE	43
				207	Cefaclor Monohydrate	Susp. 125mg/5ml, 60ml	SLATE	43
				208	Cefaclor Monohydrate	Susp. 250mg/5ml, 60ml	SLATE	43
				221	Cefpodoxime	100mg Tablets	ABACUS	47
				222	Cefpodoxime Proxetil	Susp. 40mg/5ml 50ml	ABACUS	43
73	Hofmann Human Health Lahore	Importer	<p>Chong Kun Dang Korea (Cyclosporine 25, 50 and 100mg Capsules) The embassy attested Free Sale Certificates and Agency Agreement were checked and verified in original at the time of inspection, for the quoted items of the above-mentioned principal manufacturer. However, the original embassy attested cGMP was not shown by the bidder to the inspection team claiming that it has been submitted to DRAP. Not Recommended</p> <p>Myungmoon, Korea (Dobutamine and Isosorbide dinitrate injection) The mandatory embassy attested cGMP, Free Sale Certificate /CoPP) and Agency Agreement as per the SBDs were checked and verified in original at the time of inspection, for the quoted items of the above-mentioned principal manufacturer. However, the original Free Sale Certificate shown for the Sorbid Injection was only for the overseas market and not for the domestic market of the principal manufacturer. The stock for dobutamine injection was zero and that of the sorbid injection was 8 boxes only. Not Recommended</p> <p>Not Recommended for all the quoted items of the above principle manufacturers.</p>	Not Recommended				
74	Hospital Services & Sales Karachi	Importer	Recommended	992	Disposable Auto Disable Syringe (Blister packing) sterile	Yu Shou	0.5 ml	46
				993	Disposable Auto Disable Syringe (Blister packing) sterile	Yu Shou	1 ml	46
				995	Disposable Auto Disable Syringe (Blister packing) sterile	Yu Shou	3 ml	56
				996	Disposable Auto Disable Syringe (Blister packing) sterile	Yu Shou	5 ml	56
				997	Disposable Auto Disable Syringe (Blister packing) sterile	Yu Shou	10 ml	46

75	Hudson Pharma Karachi	Manufacturer	Recommended	46	Ketorolac 30mg/mL	Torason 30mg/mL inj	Torason	43
				174	Amikacin Sulfate 250mg Inj	Amak 250mg/2mL Inj	Amak	43
				175	Amikacin Sulfate 500mg Inj	Amak 500mg/2mL Inj	Amak	43
				382	Iron Sucrose 20mg/mL 5mL Inj	Ferris 100mg/5mL Inj	Ferris	48
				782	Ipratropium Bromide 250 mcg/mL Soln	Easehale 0.025% 2mL Nebulizing Soln	Easehale	43
				794	Tiotropium 18mcg Rotacap	Respy 18mcg DPI Capsules	Respy Rotacap	43
				827	Tobramycin + Dexamethasone 0.3% + 0.1% 5mL Eye Drop	Tobcoid 0.3/0.1% 5mL Eye Drop	Tobcoid	33
				828	Travoprost 40mcg/ml 2.5mL Eye Drop	Travson 0.004% 5mL Eye Drop	Travson	43
				814	Moxifloxacin 0.5% 5mL Eye Drop	Moxiopt 0.5% 5mL Eye Drop	Moxiopt	43
				799	Brinzolamide + Brimonidine 10mg + 2mg /ml 5mL Eye Drop	Cobrinzo 2/0.2% 5mL Eye Drop	Cobrinzo	43
889	Cholecalciferol (Vitamin D3) 200,000 IU 1mL Inj	Vydee 5mg 1mL Inj	Vydee	43				
76	ICI (Importer) Hattar	Importer	<p>The inspection team at the time of inspection observed that</p> <p>☐ MS Human Biological Institute:</p> <ul style="list-style-type: none"> • Original cGMP duly attested from concerned embassy was present. However, that was expired (Valid up to 31.12.2021). • Original free sale certificate duly attested from embassy concerned was present. However, that was expired (15.03.2022). <p>In view thereof, the firm is Not Recommended.</p>	Not Recommended				
77	ICI (Manufacturer) Hattar	Manufacturer	<p>The firm was inspected on dated: 07/06/2022 by the MCC inspection team. During inspection the firm was otherwise found compliant to criteria as defined in SBD and was technically qualified. However, CGMP at the time inspection was expired (13.04.2022). The firm submitted that they had inspection carried out by the DRAP on 06/06/2022. Subsequently the firm was asked to present the inspection report before MCC inspection team. To which they submitted that the report is yet not handed over to them by the DRAP officials. Later on the firm approached inspection team and submitted CGMP issued on dated: 07/06/2022, which is after bid opening</p> <p>In view thereof, the firm is Not Recommended.</p>	Not Recommended				

78	Indus Pharma Karachi	Manufacturer	Recommended					
				67	Tramadol	Inj. 50mg/ml, 2ml	Symol	34
				168	Montelukast Sodium	Tab. 5mg	Indokast	29
				242	Ciprofloxacin	inf. 400 mg	Ciplet DS	34
				379	Iron Polymaltose Complex	Syp. 50mg/5ml	Indofer	29
				383	Mecobalamin	inj. 500mcg	Incobal	29
				393	Tranexamic Acid	Cap.500mg	Xed	39
				395	Tranexamic Acid	Inj. 500mg	Xed	39
				565	Oxytocin	Inj. 5IU	Syntomax	40
				511	Lactulose	Syp.3.35 gm/ 5ml, 120ml	Indolact	39
				516	Omeprazole	Inj. 40mg	Cidpro IV	29
				517	Omeprazole	Cap. 40mg	Cidpro	29
				518	Ondansetron Hydrochloride USP	Tab. 8mg	Onseron	39
				677	Cap. Tamsulosin Hydrochloride	Cap. 0.4mg	Dynflow	24

79	IBL Healthcare Karachi	Importer	<p>Shandong Weigao China All mandatory embassy attested documents (Agency agreement, cGMP / Quality Assurance certificate, Free Sale certificate / CoPP) as per the SBDs were checked and verified in original at the time of inspection, for the quoted items of the above-mentioned principal manufacturer.</p> <p>Shandong Weigao Group / Kawasumi Thailand Items Shandong Weigao / Kawasumi Thailand are not registered with DRAP. For Items (Karmi Blood Bags) the Manufacturing site is Kawasumi Thailand while Agency agreement is done with Kawasumi Japan. Moreover the Quality assurance certificate is issued by Japan but attested by Embassy in Thailand.</p> <p>Ultramex Egypt Items of Ultramex Egypt are not registered with DRAP</p> <p>Meditech Systems UK. None of the original Mandatory Embassy attested documents for Meditech Systems UK were presented to the inspection team at the time of inspection.</p> <p>ARES Medical Turkey. None of the original Mandatory Embassy attested documents for ARES Medical Turkey were presented to the inspection team at the time of inspection.</p> <p>Suzhou Zoey Medical Devices China Quoted items of Suzhou Zoey are not registered with DRAP. The free sale of items of Suzhou Zoey is expired on 17-02-2022.</p> <p>RECOMMENDED for quoted items of Shandong Weigao China only.</p> <p>Item No 1097 is not recommended due to non-provision of sample for DTL and End User evaluation.</p>	1087	I/V fluid administration set	sterile and pyrogen free, minimum 150cm tube length, blister pack	WEGO	43
				1088	I/V fluid administration set with additional "Y" injection port	Sterile, minimum 150cm length tubing, latex, and pyrogen free, blister pack	WEGO with Y-Port	43
				915	Single Blood Bag with CPDA-1 + Transfusion Set	500 ml, 18 G	WEGO	40
				916	Single Blood Bag with CPDA-1 + Transfusion Set	250 ml, 18 G	WEGO	40
				917	Double Blood Bag with CPDA-1 + Transfusion Set	500 ml, 18 G	WEGO	40
				919	Tripple Blood Bag with CPDA-1 + Transfusion Set	500 ml, 18 G	WEGO	40
80	Innovate Medical Technologies Karachi	Importer	<p>Yasemin Medikal Turkey Free sale certificate and quality assurance certificate of Yasemin Medikal Turkey are not embassy attested, moreover the products are not registered with DRAP.</p> <p>Zhejiang Kngudi China. Free sale certificate and quality assurance certificate of Yasemin Medikal Turkey are not embassy attested, moreover the products are not registered with DRAP. Face Shield. The quoted face shield is locally manufactured and is not an imported item while the firm has applied as an importer. Suzhou Sunnig underpad Co. Ltd China Free sale certificate and quality assurance certificate of Yasemin Medikal Turkey are not embassy attested, moreover the products are not registered with DRAP.</p> <p>Coloplast Denmark. All mandatory embassy attested documents (Agency agreement, cGMP / Quality Assurance certificate, Free Sale certificate / CoPP, DRAP Registration) as per the SBDs were checked and verified in original at the time of inspection, for the quoted items of the above-mentioned principal manufacturer except that items quoted at Formulary No. 950, 850, 1078 are not registered with DRAP.</p> <p>RECOMMENDED only for DRAP Registered items of Coloplast Denmark.</p>	1079	Hydrofiber Dressing	Dressing 10*10cm	Coloplast-Biatain Alginate Ag 10*10cm	44
				1080	Hydrofiber Dressing with Silver	Dressing 20*30cm	Coloplast-Biatain Alginate Ag 20*30cm	44
				1081	Hydrofiber Dressing with Silver	Dressing 15*15cm	Coloplast-Biatain Alginate Ag 15*15cm	44
				1082	Hydrocolloid Dressing	Dressing 10x10cm	Coloplast-Comfeel Ulcer Dressing 10x10cm	44
				1082	Hydrocolloid Dressing	Dressing 15x15cm	Coloplast-Comfeel Ulcer Dressing 15x15cm	44
				1082	Hydrocolloid Dressing	Dressing 20x20cm	Coloplast-Comfeel Ulcer Dressing 20x20cm	44
				1191	Stomahesive Paste	Ostomy Paste	Coloplast-Ostomy Paste	44
				850	Hydrocolloid Gel	Gel 15g	Coloplast-Purilon Gel 15g	44

81	Intrahealth Karachi	Importer	Flexicare Medical Ltd UK. CE/ Quality assurance certificate of Flexicare UK presented to inspection team in original was not embassy attested. NOT RECOMMENDED	Not Recommended				
82	Ipram International Islamabad	Manufacturer	The inspection team at the time of inspection observed that <ul style="list-style-type: none"> • In quarantine area temperature recorded was 32.5c and 10%RH. Further, temperature log sheet was neither available nor shown to the inspection team. Further the firm failed to provide SOP regarding storage conditions of quarantine area. • HVAC was not functional in RMS. • In built magnehelic gauge of the dispensing booth was not working. • Activities in In process quality control lab were hap hazard and documents available were not verified. Moreover, two burettes were filled with unknown/un-labelled titrants & without valid documented reasons. No PH meter, Polarimeter were available in IPQC. • In finished goods store, no GSP was observed. Temperature recorded was 32.5C and HVAC was not functional. It's worthwhile that the label claim of the items present at the time of inspection was stored at temperature not exceeding 25C. • Overall poor cleanliness and poor temperature control were observed in the production area as HVAC functioning was compromised. The firm was asked about the cleaning and HVAC validation documents. But the firm failed to provide to the inspection team. • GLP was not observed e.g. for infusion paracetamol, innovator specs were used in QC lab and its validation was also not performed. • In microbiology lab, no positive control test was carried out for the samples to check the sterility. • The firm provided technical staff list of the quality assurance department wherein Mr. Hasseb Ul Haq was shown as Quality Assurance in charge. Further in this regard, the said person is also engaged as Pharmacist In charge at Aqib Trading Company Akora Khattak District Nowshera (at S.No. 3) • SOP's for RO plant was not shown to the inspection team. Moreover, the firm failed to provide the integrity test being performed for cartridge filter of RO plant. In view thereof, the firm is Not Recommended.	Not Recommended				
83	Kaizen Pharma Karachi	Manufacturer	Recommended	9	Tinidazole	Tablet 500mg	Tinibact	39
				44	Ibuprofen	200MG/5ML SUSPENSION. 90ml	Torfen	39
				45	Ibuprofen	100MG/5ML SUSPENSION. 120ml	Torfen	39
				99	Mycophenolate Mofetil	Cap. 250mg	Revograf	39
				100	Mycophenolate Mofetil	Tab. 500mg	Revograf	39

				101	Mycophenolate	Tab. 180mg	Actorgan	39
				102	Mycophenolate	Tab. 360mg	Actorgan	39
				104	Tacrolimus	Cap. 1mg	Unigraf	29
				105	Tacrolimus	Cap.0.5mg	Unigraf	29
				120	Deferasirox	Tab. 250mg	Revosirox	39
				123	Deferasirox	Tab. 500mg	Revosirox	39
				166	Levocetizine HCl	(2.5mg/5ml) Syrup, 60ml	Welcet	34
				167	Levocetizine HCl	(5mg) Tablet	Welcet	34
				200	Azithromycin	(250mg) Tablet	Servaz	39
				200	Azithromycin	(250mg) Capsule	Servaz	39
				201	Azithromycin	(500mg) Tablet	Servaz	39
				203	Azithromycin	(200mg/5ml) Suspension, 15ml	Servaz	39
				277	Lincomycin HCl	(500mg) Capsule	Mylinco	29
				302	Rifaximin	550 mg Tablet	Orifax	39
				533	Zinc Sulphate	Syrup 20 mg/5ml	Unizinc	39
				781	Doxofylline	(400mg) Tablet	Profyline	29
				782	Doxofylline	(100mg/5ml) Syrup, 60ml	Profyline	29
				892	Cholecalciferol (5mg e.q. to 200,000 IU of Vitamin D)	(5mg e.q. to 200,000 IU of Vitamin D) Injection	Invital-D	39

84	Karim Industries Lahore	Manufacturer	<p>The inspection team at the time of inspection observed that;</p> <p>1. Unlabeled active Raw material framycetin was placed in the RMS with excipients in compromised environmental controlled area.</p> <p>2. No dispensing chamber/area for dispensing of active raw material "Framycetin" was present in the RMS.</p> <p>3. No analytical equipment for the titration analysis of Framycetin was available in the QC.</p> <p>4. The temperature (35.8 0C) and humidity (37%) in the Medicated Tulle (Framycetin) production area was high and no temperature and humidity logs were maintained for the said area.</p> <p>5. No de-dusting and quarantine area for the active raw material and excipients was present as all the raw material was lying mixed in the single area.</p> <p>6. The sterile gauze sponges manufacturing area was under the direct sunlight and the temperature was 36 0C.</p> <p>7. The temperature in the crepe bandage was recorded as 35.8 0C.</p> <p>Recommended for award of specified marks for physical evaluation/inspection in the technical evaluation proforma for the quoted items except Crepe bandage, Sterile gauze and Paraffin Gauze dressing (Tulle) with framycetin.</p> <p>Item offered at No. 947 is disqualified in DTL Testing.</p>	943	Cotton (Surgical) Corded 200gm	200gm BPC	Medi Cot	61
				944	Cotton (Surgical) Corded 100gm	100gm BPC	Medi Cot	61
				945	Cotton Bandages (Surgical) 6.5cm x 4m BP-II	6.5cm x 4m BP-II	Medi Band	61
				946	Cotton Bandages (Surgical) 7.5cm x 4m BP-II	7.5cm x 4m BP-II	Medi Band	61
				948	Cotton Bandages (Surgical) 15cm x 4m BP-II	15cm x 4m BP-II	Medi Band	61
				1067	Gauze Cloth Roll Packing 100cm x 20m	100cm x 20m	Absorbent Gauze Roll	61
				1068	Gauze Cloth Roll Packing 100cm x 40m	100cm x 40m	Absorbent Gauze Roll	61
				1152	POP Bandage 15cm x 2.7m	15cm x 2.7m	Medi Plast	63
				1153	POP Bandage 10cm x 2.7m	10cm x 2.7m	Medi Plast	62
85	KM Enterprises Lahore	Importer	<p>Zijing Kang Li Di Medical articles, China (Adhesive Tapes -Paper) The original embassy attested Declaration of conformity/cGMP/CE Certificate and Free Sale Certificate for the quoted item were not shown to the inspection team at the time of inspection.</p> <p>Changzhou Medical Appliance, China (I/V fluid administration set with additional "Y" injection port, Infusion Chamber (Burette type) Sterile-Disposable, Two-Way Foley Cathter (Silicon coated) 16 & 18 Fr) The original embassy attested cGMP/CE Certificate and Agency Agreement for the quoted item were not shown to the inspection team at the time of inspection.</p> <p>Euromed Medical Industries, Egypt (I/V Cannula 18G, 20G, 22G, 24G) The original embassy attested cGMP/CE Certificate, Free Sale Certificate and Agency Agreement for the quoted item were not shown to the inspection team at the time of inspection.</p> <p>Morton Medical, Turkey (HME Filter, Bain Circuit and Chest Drainage Bottle with tubing) The original embassy attested cGMP/CE Certificate, Free Sale Certificate and Agency Agreement for the quoted item were not shown to the inspection team at the time of inspection.</p> <p>Super Max SDN BHD, Malaysia Disposable Non-Sterile Latex examination gloves (Powdered and Powder Free) Disposable Non-sterile Nitrile Examination Gloves (Powder Free) The original embassy attested cGMP/CE Certificate and Free Sale Certificate for the quoted item were not shown to the inspection team at the time of inspection.</p> <p>Not Recommended for all the quoted items of the above principle manufacturers.</p>	Not Recommended				

86	Kohinoor Industries Sahiwal	Manufacturer	<p>The inspection team at the time of inspection observed that;</p> <p>1. HVAC was not functional in the Chlorhexidine-tulle manufacturing area. 2. The standard method for production of Chlorhexidine-tulle was not complied. 3. The Sampling booth in the chemicals RMS was not calibrated and DOP test or calibration documents were not presented to the inspection team despite several reminders. 4. Florescence Test method for Cotton (surgical) Corded BPC according to the reference standard was not complied.</p> <p>Recommended for award of specified marks for physical evaluation/inspection in the technical evaluation proforma for the quoted items except Cotton (surgical) Corded BPC and Paraffin Gauze dressing (Tulle) with Chlorhexidine.</p> <p>Items offered at 953 and 954 are disqualified in DTL testing.</p>	945	Cotton Bandage (Surgical)BP Type II	6.5cmx4m	Kohinoor Surgical Bandage BP Type II	65
				946	Cotton Bandage (Surgical)BP Type II	7.5cmx4m	Kohinoor Surgical Bandage BP Type II	65
				947	Cotton Bandage (Surgical)BP Type II	10cmx4m	Kohinoor Surgical Bandage BP Type II	65
				948	Cotton Bandage (Surgical)BP Type II	15cmx4m	Kohinoor Surgical Bandage BP Type II	65
				955	Crepe Bandage BPC	7.5cmx4.5m	Kohinoor Elastic Bandage	65
				956	Crepe Bandage BPC	10cmx4.5m	Kohinoor Elastic Bandage	66
				957	Crepe Bandage BPC	15cmx4.5m	Kohinoor Elastic Bandage	66
				1067	Gauze Cloth Roll Packing	100cmx20m	Kohinoor Absorbent Cotton Gauze BPC	65
				1068	Gauze Cloth Roll Packing	100cmx40m	Kohinoor Absorbent Cotton Gauze BPC	65
				1179	Sterile Gauze Dressing Pad (X-Ray Detectable Radiopaque) (USP/BP/BPC)	30x30cm, 4ply	Medi Gauze BP	65
				1180	Sterile Gauze Dressing Pad (USP/BP/BPC)	10x10cm 8 ply	Medi Gauze BP	65
87	Lasani Healthcare Gadoon Amazai Swabi	Manufacturer	Items offered 1091, 1092, 1093, are disqualified in DTL testing while Item at No. 1094 is of Non-formulary specification.	Not Recommended				
88	Linta Pharma Islamabad	Manufacturer	Recommended	157	Betahistine	Tab. 8mg	Betahist	37
				158	Betahistine	Tab. 16mg	Betahist	37
				198	Azithromycin	Tab. 250mg	Azonic	37
				213	Cefixime	Cap. 400mg	Zix	37
				214	Cefixime	Susp.100mg	Zix	41
				215	Cefixime	Susp.200mg	Zix	41
				239	Ciprofloxacin	Tab. 250mg	Siprion	37

				240	Ciprofloxacin	Tab. 500mg	Siprion	37
				283	Moxifloxacin	Tab. 400mg	Hicox	37
				475	Rosuvastatin	Tab. 10mg	RTS	37
				517	Omeprazole	Cap. 40mg	Ompalin	37
				677	Tamsulosin	Cap. 0.4 mg	Alfatam	37
				715	Levetiracetam	Tab. 250mg	Critam	37
				716	Levetiracetam	Tab. 500mg	Critam	37
				721	Olanzapine	Tab. 5mg	Lintazip	37
				722	Olanzapine	Tab. 10mg	Lintazip	37
				732	Pregabalin	Cap. 50mg	Logigab	37
				733	Pregabalin	Cap. 75mg	Logigab	37
				734	Pregabalin	Cap. 150mg	Blin	37
				845	Fusidic acid	Cream 2%	Fude	37
89	Linz Pharma Karachi	Manufacturer	Recommended	216	Cefoperazone + Sulbactam	inj. 1G/Vial	Psulb	41
				217	Cefoperazone + Sulbactam	inj. 2G/Vial	Psulb	41
				224	Ceftazidime	inj. 500mg/Vial	Utazid	42
				225	Ceftazidime	inj. 1G/Vial	Utazid	42
				226	Ceftriaxone	inj. 500mg/Vial	Qzon	41
				227	Ceftriaxone	inj. 1G/Vial	Qzon	41

90	Muhammad Islam & Sons Malakand	Importer	<p>The inspection team at the time of inspection observed that;</p> <p>□ Shandong Haidike Medical Products Co: Ltd:</p> <p>• Valid full quality assurance duly attested from the embassy concerned was present at the time of inspection.</p> <p>• Valid free sale certificate duly attested from the embassy concerned was present at the time of inspection. However, free sale certificate doesn't cover polypropylene curve cutting needle sutures.</p> <p>Moreover, physical inventory/stock of the items mentioned at formulary No.s, 1281, 1282, 1285, 1287, 1288, 1289, 1290, 1291, 1295, 1297, 1298, 1299, 1300, 1301, 1302, 1303, 1304, 1305, 1306, 1307, 1312, 1313, 1314, 1315 (both quoted sizes), 1324, 1325, 1326, 1327, 1331, 1332, 1334, 1335, 1344, 1346, 1347, 1348, 1350, 1351, 1352 were not present at the time of inspection.</p> <p>HENCE, the firm is recommended except for the items mentioned at formulary No.s, 1281, 1282, 1285, 1287, 1288, 1289, 1290, 1291, 1295, 1297, 1298, 1299, 1300, 1301, 1302, 1303, 1304, 1305, 1306, 1307, 1312, 1313, 1314, 1315 (both quoted sizes), 1324, 1325, 1326, 1327, 1331, 1332, 1334, 1335, 1344, 1346, 1347, 1348, 1350, 1351, 1352 and polypropylene curve cutting needle sutures, in view of the above observations.</p> <p>Items offered at 1284 and 1286 are not recommended due to non provision of samples for DTL and End User evaluation.</p>	1280	Black Braided Silk	17mm 1/2 circle round body taper point needle length 75cm size 4/0	RTMED Silk	48
				1283	Black Braided Silk	26mm 3/8 circle conventional curve cutting needle standard length 45cm size 3/0	RTMED Silk	48
				1308	Polyglactine 910	31mm 1/2 circle round bodied taper point standard length 70cm size 2/0	RTMED PGLA	38
				1317	Polyglycolic Acid	17mm 1/2 circle round bodied taper point standard length 70cm size 5/0	RTMED PGA	48
				1318	Polyglycolic Acid	17mm 1/2 circle round bodied taper point standard length 75cm size 4/0	RTMED PGA	48
				1319	Polyglycolic Acid	22mm 1/2 circle round body taper point standard length 75cm size 4/0	RTMED PGA	48
				1320	Polyglycolic Acid	22mm 1/2 circle round bodied taper point standard length 75cm size 3/0	RTMED PGA	48
				1321	Polyglycolic Acid	25mm 1/2 circle round bodied taper point standard length 75cm size 2/0	RTMED PGA	43
				1322	Polyglycolic Acid	30mm 1/2 circle round bodied taper point standard length 75cm size 2/0	RTMED PGA	43
				1323	Polyglycolic Acid	40mm 1/2 circle round bodied taper point standard length 75cm size 0	RTMED PGA	48
				1337	Polypropylene	13mm 1/2 circle taper point double armed needle 60cm size 5/0	RTMED Prolene	48
				1340	Polypropylene	26mm 1/2 circle round taper point double armed body 90cm size 4/0	RTMED Prolene	48
				1342	Polypropylene	26mm 1/2 circle round taper point double armed body 75cm size 3/0	RTMED Prolene	48
				1343	Polypropylene	30mm 1/2 circle round taper point double armed needle 90cm size 3/0	RTMED Prolene	43
1345	Polypropylene	26mm 3/8circle reverse cutting needle 45cm size 2/0	RTMED Prolene	48				

91	Macter International Karachi	Manufacturer	Recommended					
				177	Amoxicillin as Amoxicillin Trihydrate	Caps 500mg	Maxil	53
				179	Amoxicillin as Amoxicillin Trihydrate	Dry Susp 125mg/5ml 90ml	Maxil	53
				182	Amoxicillin as Amoxicillin Trihydrate	Dry Susp 250mg /5ml 90ml	Maxil	53
				184	Co-Amoxiclav Beta lactum antibiotic,Pencillin	Tab. 625mg	Co - Amoxi	56
				185	Co-Amoxiclav Beta lactum antibiotic,Pencillin	Tab. 1gm	Co - Amoxi	56
				186	Co-Amoxiclav Beta lactum antibiotic,Pencillin	Dry Susp 156.25mg 90ml	Co - Amoxi	56
				188	Co-Amoxiclav Beta lactum antibiotic,Pencillin	Dry Susp 312.50mg 90ml	Co - Amoxi	56
				190	Amoxicillin Sodium, Clavulanic Acid	Inj. 1.2gm	Co - Amoxi	56
				213	Cefixime	Caps 400mg	Maxima	53
				214	Cefixime	Dry Susp 100mg/5ml 30ml	Maxima	53
				215	Cefixime	Dry Susp 200mg/5ml 30ml	Maxima	53
				243	Clarithromycin	Tabs 250mg	Ultima	56
				244	Clarithromycin	Tabs 500mg	Ultima	56
				246	Clarithromycin	Dry Susp 125mg/5ml 60ml	Ultima	56
				287	Piperacillin + Tazobactam	Inj. 2.25gm	Tacip	58
				288	Piperacillin + Tazobactam	Inj. 4.5gm	Tacip	58
				361	Epoetin Alfa	Inj 2000 IU	Epocan	54
				362	Epoetin Alfa	Inj 4000 IU	Epocan	54
				363	Epoetin Alfa	Inj 10000 IU	Epocan	54
				769	Beclomethasone + Salbutamol	Inh 100/50mcg - HFA	Salnon	51
				780	Salmeterol + Fluticasone propionate	Inh 25/125mcg - HFA	Salmicort	51
				789	Salbutamol	Inh.100mcg - HFA	Inspiro	51
				883	Alfacalcidol	Tabs 0.5mcg	Cadla	51

92	Magns Pharma Faisalabad	Manufacturer	<p>The inspection team at the time of inspection observed that;</p> <ol style="list-style-type: none"> Poor documentation and compromised Quality Assurance (QA)/ Quality Control (QC) control were observed as unlabeled Rejected capsule shells were placed in the RMS in open container. The firm failed to provide any documentation for the claimed rejected stocks in the RMS. In overtime duty and active production process the QA department did not sign the batch manufacturing documents for sampling, fluidized bed dryer (FBD), milling, granulation and mixing of tablet formulation. Coating of tablet was in process but the sample was shown in documents as it has already been taken to Quality Control (QC) department before completion of tablet coating contrary to the GMP practices. Incineration SOPs and Record for the expired drugs to be disposed of from the sample retention room was not provided to the inspection team. No record was presented to the inspection team regarding stability studies of the products lying in the stability chambers and the sample of quoted azithromycin was also not present in the stability chambers. Overall RMS, Quality assurance and GMP practices were compromised. <p>Not Recommended</p>	Not Recommended				
93	Maple Pharma Karachi	Manufacturer	Recommended	34	Aceclofenac 100 mg Tab.	100Mg Tablet	Acelo	22
				241	Ciprofloxacin 250 mg Tab.	250Mg Tablet	Ciprozee	22
				242	Ciprofloxacin 500 mg Tab.	500Mg Tablet	Ciprozee	22
				275	Levofloxacin 250 mg Tab.	250Mg Tablet	Levolife	22
				276	Levofloxacin 500 mg Tab.	500Mg Tablet	Levolife	22
				285	Moxifloxacin 400 mg Tab.	400Mg Tablet	Mox	22
				423	Captopril 25 mg Tab.	25Mg Tablet	Capril	32
				439	Glyceryl Trinitrate 2.6 mg Tab.	2.6Mg Tablet	Glyrate SR	32
				440	Glyceryl Trinitrate 6.4 mg Tab.	6.4Mg Tablet	Glyrate SR	32
				450	Isosorbide Dinitrate 10 mg Tab.	10Mg Tablet	Isdin	22
				451	Isosorbide-5-Mononitrate 20 mg Tab.	20Mg Tablet	Monis	22

				452	Isorbide-5-Mononitrate 40 mg Tab.	40Mg Tablet	Monis	22
				456	Losartan + Hydrochlorothiazide 50 mg+12.5mg Tab.	50 mg+12.5mg Tablet	Losaan-H	22
				458	Losartan Potassium 50 mg Tab.	50Mg Tablet	Losaan	22
				477	Rosuvastatin 10 mg Tab.	10 Mg Tablet	Rostatin	27
				545	Glimepiride 1mg Tab.	1Mg Tablet	Glyper	22
				546	Glimepiride 2mg Tab.	2Mg Tablet	Glyper	22
				547	Glimepiride 3mg Tab.	3Mg Tablet	Glyper	22
				548	Glimepiride 4mg Tab.	4Mg Tablet	Glyper	22
				8	Hand sanitizer Iso-Propyl Alcohol Based (As per WHO Recommendations) 0.75 Soln.1000ml	1000ml	Zestize	17
94	Martin Dow Markers Quetta	Manufacturer	Recommended	66	Tizanidine	Tab. 4 mg	Tizorel	26
				198	Azithromycin	Tab. 250mg	Arzomic	36
				199	Azithromycin	Tab. 500mg	Arzomic	36
				213	Cefixime	Cap. 400mg	Tixomer	21
				239	Ciprofloxacin	Tab. 250mg	Mercip	31
				240	Ciprofloxacin	Tab. 500mg	Mercip	31
				243	Clarithromycine	Tab. 250mg	Klaribact	21
				244	Clarithromycine	Tab. 500mg	Klaribact	21
				246	Clarithromycine	Susp. 125mg, 60ml	Klaribact	21
				273	Levofloxacin	Tab. 250mg	Levomerc	26
				274	Levofloxacin	Tab. 500mg	Levomerc	26
				408	Amlodipine+ Valsartan	Tab. 5+80mg	Lodopin-V	36
				409	Amlodipine + Valsartan	Tab. 5+160mg	Lodopin-V	31
				410	Amlodipine+ Valsartan	Tab.10+160mg	Lodopin-V	31

				475	Rosuvastatin	Tab. 10mg	Crescor	36
				509	Hyoscine N Butyl Bromide+ Paracetamol	Tab. 10	Buscopan Plus	41
				559	Metformin HCL	Tab. 500mg	Glucophage	39
				570	Sitagliptin + Metformin	Tab. 50+500mg	Sitaphage	21
				571	Sitagliptin+ Metformin	Tab. 50+1000mg	Sitaphage	21
				705	Escitalopram	Tab. 10mg	Pexnew	36
				732	Pregabalin	Cap. 50mg	Dologab	36
				733	Pregabalin	Cap. 75mg	Dologab	36
				734	Pregabalin	Cap. 150mg	Dologab	36
				777	Ammonium Chloride + Diphenhydramine Hydrochloride + Aminophylline	Syp. 8mg+32mg+30 mg /5ml,120ml	Cosome - E Cough	36
95	Martin Dow Ltd Karachi	Manufacturer	Recommended	449	Isosorbide-5-mononitrate	Tab. 20mg	Ismo	31
				540	Glibenclamide	Tab. 5mg	Euglocan	41
				778	Doxofylline	Tab. 400mg	Dowfylline	41
				779	Doxofylline	Syp. 100mg/5ml, 60ml	Dowfylline	41

96	Medicamp International Rawalpindi	Manufacturer / Importer	<p>Importer of Non Drug Items:</p> <p>Jiangsu Ostup Medical China</p> <ol style="list-style-type: none"> 1. DRAP Registration of quoted products was not found? 2. Free sale was not found in original. 3. Quality Assurance certificate was not found in original. 4. Stomahesive Paste stock was zero. <p>Medpro Medical Netherlands</p> <ol style="list-style-type: none"> 1. DRAP Registration of quoted sizes was not found. 2. Free sale was not found in original. 3. Quality Assurance certificate was not embassy attested. 4. Guide wire for JJ stent stock was below 20 %. <p>Dannik USA</p> <ol style="list-style-type: none"> 1. DRAP Registration of quoted products was not found. 2. Quality Assurance certificate was not found in original. 3. Free sale was not found in original <p>Kollsut USA</p> <ol style="list-style-type: none"> 1. DRAP Registration of quoted products was not found. 2. Quality Assurance certificate was not found in original. 3. Polypropylene meshes stock was below 20 %. <p>Storage Condition:</p> <ol style="list-style-type: none"> 1. Lighting was not proper in store and racks were bended due to overweight. 2. Ceiling and floor was rough. 3. Stock was placed adjacent to wall. 4. Walls of the store was not properly plastered. <p>"Not Recommended"</p> <p>Manufacturer Facility of Non Drug Items:</p> <ol style="list-style-type: none"> 1. cGMP was not issued to the firm. 2. It is situated on the fifth floor of an under construction building consist of single room. 3. In manufacturing area hygiene was not maintained. 4. Overall it was not a proper manufacturing facility. <p>NOT RECOMMENDED</p>	Not Recommended
97	Medilink International Peshawar	Importer	<p>The inspection team at the time of inspection observed that;</p> <p><input type="checkbox"/> Medico (Huaian) Co., Ltd</p> <ul style="list-style-type: none"> • Valid full quality assurance duly attested from the embassy concerned was present. However, scope of the full quality assurance doesn't cover chromic sutures. • Valid free sale certificate duly attested from the embassy attested was present. <p>Moreover, the physical inventory/stock of the items mentioned at formulary No. 1271, 1272, 1273, 1275, 1277, 1279, 1281, 1287, 1289, 1290, 1291, 1319, 1320, 1321, 1324, 1351, 1352 were not present.</p> <p>Hence, the firm is recommended except for the items mentioned at Formulary No. 1271, 1272, 1273, 1275, 1277, 1279, 1281, 1287, 1289, 1290, 1291, 1319, 1320, 1321, 1324, 1351, 1352, and chromic sutures in view of the above mentioned reasons.</p>	Decision regarding technical qualification of the firm is withheld till verification of the Registration and its annexures of the quoted products

98	Medisave Pharma Lahore	Manufacturer	<p>The inspection team at the time of inspection observed that the following:</p> <ol style="list-style-type: none"> 1. The DML of the firm issued by DRAP is expired. 2. Poor environmental control were observed as the temperature and humidity logs was not available in the quarantine area of cephalosporin section. 3. Temperature of RMS quarantine area of Cephalosporin was recorded as Quarantine Area= 32 °C 4. In packing material section the printed packing materials of different drugs were placed in mixed in the same carton mixed and without any lock or key in the Ceph area. 5. No raw material of cephalosporin was present in the RMS. 6. The cephalosporin injectable (vials) washing area was unhygienic. 7. The positive negative controls for microbial testing of the quoted cephalosporins were not available in the microbiology lab. <p>Recommended for award of specified marks for physical evaluation/inspection in the technical evaluation proforma for the quoted items except cephalosporin.</p>	22	Lignocaine HCL	Inj 10ml 2%	Medica	36
				50	Meloxicam Tab 15mg	Tab 15mg	Flamot	32
				51	Meloxicam Tab 15mg	Tab 7.5mg	Flamot	32
				154	Terbinafine Hcl	Tab 250mg	Terbinasav	32
				166	Loratadine	Tab 10mg	Dinsave	37
				175	Amikacin Sulfate	Inj 500mg	Amisave	32
				198	Azithromycin	Tab 250mg	Maczin	32
				199	Azithromycin	Tab 500mg	Maczin	32
				201	Azithromycin	Susp 200mg/5ml, 15ml	Maczin	32
				239	Ciprofloxacin	Tab 250mg	Ciprozan	32
				240	Ciprofloxacin	Tab 500mg	Ciprozan	32
				241	Ciprofloxacin	Inf 200mg, 100ml	Ciprozan	36
				243	Clarithromycin	Tab 250mg	Kalasave	32
				244	Clarithromycin	Tab 500mg	Kalasave	32

				246	Clarithromycin	Susp 125mg/5ml, 60ml	Kalasave	32
				272	Levofloxacin	Inf 500mg/100ml	Medac	36
				273	Levofloxacin	Tab 250mg	Medac	32
				274	Levofloxacin	Tab 500mg	Medac	32
				277	Linezolid	Tab 600mg	Linzrao	32
				278	Linezolid	Inf 200mg, 100ml	Linzrao	36
				279	Linezolid	Inf 600mg, 300ml	Linzrao	36
				283	Moxifloxacin	Tab 400mg	Moxisave	32
				284	Moxifloxacin	Inf 400mg	Moxisave	36
				378	Iron Polymaltose Complex	Tab 10mg	Redish	32
				379	Iron (III) Hydroxide Polymaltose Complex	Syp 50mg/5ml, 120ml	Redish	32
				382	Iron Sucrose Complex	Inj 20mg	Rapir	32
				383	Mecobalmin	Inj 500mcg	Savemin	32
				394	Tranexamic Acid	Inj 250mg	Trisave	32

				395	Tranexamic Acid	Inj 500mg	Trisave	32
				408	Valsartan + Amlodipine	Tab 80mg+5mg	Valturna-A	22
				409	Amlodipine + Valsartan	Tab 10mg+160mg	Valturna-A Plus	22
				503	Domperidone	Tab 10mg	Domsave	32
				504	Domperidone B.P	Susp 1mg/1ml	Domsave	32
				510	Itopride	Tab 50mg	Itiosave	32
				517	Omeprazole	Cap 40mg	Mepzan	32
				520	Pantoprazole	Tab 20mg	P-Line	32
				570	Sitagliptin (as phosphate monohydrate) + Metformin hydrochloride	Tab 50mg+500mg	Sitasun-M	22
				571	Sitagliptin (as phosphate monohydrate) + Metformin hydrochloride	Tab 50mg+1000mg	Sitasun-M	22
				889	Cholecalciferol (Vitamin D3)l	Inj 5mg/1ml	D-Save	32

99	Mega Pharma Lahore	Manufacturer	<p>The inspection team at the time of inspection observed that;</p> <p>1. Compromised cGMP was observed in the Cephalosporin Dispensing area as the manometer and pressure differential were not working.</p> <p>2. Poor temperature control (34 0C) was observed in the Cephalosporin Packing and FGS.</p> <p>Recommended for award of the specified marks for physical evaluation/Inspection in the technical evaluation proforma for the quoted items except Cephalosporin.</p>	40	Diclofenac Sodium (enteric coated)	Tab 50mg	Megafenac	31
				50	Meloxicam	Tab 15mg	Movera	31
				51	Meloxicam	Tab 7.5mg	Movera	31
				64	Paracetamol + Orphenadrine	Tab 450mg/35mg	Megagesic	31
				66	Tizanidine	Tab 4mg	Zandic	41
				92	Leflunomide	Tab 20mg	Lefona	41
				143	Flucanazole	Tab/Cap 50mg	Ranzo	31
				144	Flucanazole	Tab/Cap 150mg	Ranzo	31
				160	Cetirizine	Tab 10mg	Daisy	31
				165	Levocitirizine	Tab 5mg	Zosper	41
				166	Loratadine	Tab 10mg	Megalor	41
				167	Montelukast	Tab 10mg	Mykast	41
				198	Azithromycine	Tab 250mg	Macromax	26
				199	Azithromycine	Tab 50mg	Macromax	26
				201	Azithromycine	Dry Susp. 200mg/5ml	Macromax	31
				239	Ciprofloxacin	Tab 250mg	Riteflo	31
				240	Ciprofloxacin	Tab 500mg	Riteflo	31
				243	Clarithomycin	Tab 250mg	Megamycin	31
				244	Clarithomycin	Tab 500mg	Megamycin	31
				246	Clarithomycin	Dry Susp 125mg/5ml	Megamycin	26
				273	Levofloxacin	Tab 250mg	Leocin	41
				274	Levofloxacin	Tab 500mg	Leocin	41
				277	Linezolid	Tab 600mg	Megalid	26
				283	Moxifloxacin	Tab 400mg	Moxifar	31
				408	Amlodipine + Valsartan	Tab 5mg+80mg	Megadip-V	26
				409	Amlodipine + Valsartan	Tab 5mg+160mg	Mrgadip-V	26
				410	Amlodipine + Valsartan	Tab 10mg+160mg	Megadip-V	26
				411	Atenolol	Tab 50mg	ATL	41
				412	Atenolol	Tab 100mg	ATL	41
				456	Losartan Potassium	Tab 50mg	Megassar	41
				461	Metoprolol	Tab 100mg	Megatop	41
				475	Rosuvastatin	Tab 10mg	Rousmeg	36
				503	Domperidone	Tab 10mg	Protomic	31

				505	Drotaverine	Tab 40mg	Spasmeg	36
				507	Famotidine	Tab 40mg	Curofan	31
				517	Omeprazole	Cap 40mg	Megazole	31
				540	Glibenclamide	Tab 5mg	Glucoban	31
				541	Gliclazide	Tab 80mg	Glide	31
				542	Glimepride	Tab 1mg	Megapride	31
				543	Glimepride	Tab 2mg	Megapride	31
				544	Glimepride	Tab 3mg	Megapride	31
				545	Glimepride	Tab 4mg	Megapride	31
				699	Duloxetine	Cap 30mg	Simbalta	26
				700	Duloxetine	Cap 60mg	Simbalta	26
				705	Escitalopram	Tab 10mg	Esse	31
				706	Flouxetine HCl	Cap 20mg	Deprezac	31
				715	Levetiracetam	Tab 250mg	Tiracit	26
				716	Levetiracetam	Tab 500mg	Tiracit	26
				721	Olanzapine	Tab 5mg	Olanzar	31
				722	Olanzapine	Tab 10mg	Olanzar	31
				732	Pregabalin	Cap 50mg	Pregra	26
				733	Pregabalin	Cap 75mg	Pregra	26
				734	Pregabalin	Cap 150mg	Pregra	26

100	Meher Traders Karachi	Importer	<p>Hunan Sanzhong Medical China. Valid, Embassy attested, CE / Quality assurance Certificate, and free sale certificate of the quoted items of the above mentioned principal manufacturer were not presented to the inspection team in original. Moreover the agency agreement was also not provided in original. The adhesive tape offered by the firm is not registered with DRAP.</p> <p>Ningbo Great Mountain Medical China. All mandatory embassy attested documents (Agency agreement, cGMP / Quality Assurance certificate, Free Sale certificate / CoPP, DRAP Registration) as per the SBDs were checked and verified in original at the time of inspection, for the quoted items of the above-mentioned principal manufacturer except</p> <p>that the quoted Cord Clamp, Tongue Depressor, Disposable Gown, Alcohol Swab, Disposable Adhesive Post Operative, oropharyngeal airways, wound dressing, was not covered in the scope of the CE/ Quality assurance certificate and are also not registered with DRAP.</p> <p>Medical Shoe Cover, Disposable Face Mask, was not covered in the scope of CE / Quality assurance certificate.</p> <p>Mandatory documents for Disposable Catheter mount, Adhesive Fix Roll , Non rebreathing mask, venturi oxygen mask were not present. CE/Quality assurance certificate for OT Cap was not provided to the inspection team.</p> <p>Zhejiang Kangweshi Medical China. Quality assurance certificate of the above mentioned principal manufacturer was not embassy attested.</p> <p>Hunan Beyond China. CE / Quality Assurance certificate and Free sale certificate of the quoted items of the above mentioned principal manufacturer were not provided to the inspection team at the time of inspection.</p> <p>Nanchang Kaimed Medical China. All mandatory embassy attested documents (Agency agreement, cGMP / Quality Assurance certificate, Free Sale certificate / CoPP, DRAP Registration) as per the SBDs were checked and verified in original at the time of inspection, for the quoted items of the above-mentioned principal manufacturer except that for Tracheostomy tube DRAP was not present.</p> <p>Hunan Luzhou China. None of the mandatory documents i.e. CE / Quality assurance certificate, Free sale certificate and Agency agreement were presented to the inspection team for the quoted items of the above mentioned principal manufacturer.</p> <p>Changzhou Yaping Medical China. CE/Quality assurance certificate, Free sale certificate and agency agreement were provided to the inspection team in original. All the quoted items of the above mentioned principal manufacturer were not registered with DRAP.</p> <p>Linyi 2H China. None of the mandatory documents i.e. CE / Quality assurance certificate, Free sale certificate, DRAP Registration and Agency agreement were presented to the inspection team for the quoted items of the above mentioned principal manufacturer.</p> <p>Anrui Medical China. None of the mandatory documents i.e. CE / Quality assurance certificate, Free sale certificate and Agency agreement were presented to the inspection team for the quoted items of the above mentioned principal manufacturer.</p> <p>Top Gloves Malaysia. None of the mandatory documents i.e. CE / Quality assurance certificate, Free sale certificate and Agency agreement were presented to the inspection team for the quoted items of the above mentioned principal manufacturer.</p> <p>China Kingdao Bright Medical China. CE/ Quality assurance and free sale certificate for the quoted items of the above mentioned principal manufacturer were not presented to the inspection team.</p> <p>Zhejiang Jinhua Huatang China. CE, Quality Assurance Certificate, DRAP Registration and Free sale certificate was not present for the quoted items of the above mentioned principal manufacturer.</p> <p>Suzhou Health Plastic Products China. DRAP Registration, Embassy attested Free sale and CE / Quality Assurance Certificate were not provided in original to the inspection team at the time of inspection.</p> <p>Jiangsu Ripe Medical China. DRAP Registration is not present for the quoted Skin Stapler.</p>	<p style="text-align: center;">Not Recommended</p>
-----	-----------------------	----------	--	--

			<p>Huaian Pingan Medical China Valid, Embassy attested, CE / Quality assurance Certificate, and free sale certificate of the quoted items of the above mentioned principal manufacturer were checked and verified by the inspection team in original.</p> <p>The firm was not complying with Good Storage Practices as observed at the time of inspection. Stock was lying on floor in the warehouse and there was no temperature and humidity control in the warehouse, moreover no thermometer and hygrometer was installed in the warehouse. The cleanliness of the warehouse was also compromised. NOT RECOMMENDED</p>	
101	MKB Pharma Peshawr	Manufacturer	<p>The inspection team at the time of inspection observed that</p> <ul style="list-style-type: none"> • Sampling hood in quarantine area was not found. The firm was actually using a separately located area for sampling wherein HVAC outlet was not present. • No cold chain facility was available in quarantine area. Temperature and humidity control device and log sheet were also not available. • In Liquid Raw Material Store, HVAC was not functional. Likewise, hygrometer and temperature log sheet were also not present. • No integrity test of the HEPA filter in dispensing booth was performed. Magnehelic gauges of the dispensing booth were neither in working condition nor calibrated. • Printing machine & Packaging material were placed in Pharmacist office. Coded and Uncoded packaging materials were placed mixed together. • Magnehelic gauges of tablet blistering area II were out of order and not calibrated. • Line clearance of tablet blistering area II was not present. • Air in production corridor was not controlled as flies were flying hither and thither and all doors of the production areas were opened at the time of inspection. • In sachet production area, empty bottles for dry powder suspension were stored without pellets & on floor. • Stability studies were not properly maintained. • Firm was claiming of Ventidox (Doxofylline) assay on HPLC but stability studies were performed on UV. • Cap. Qualicef (Cephadrine) real time stability studies were not present. • In Cephalosporin RMS, no hygrometer was present. Log sheet was found void of 15-06-2022 entry. Moreover, no active material was present except small quantity of cephradine where recommended temperature was 2-8 C and temperature noted was 20C. • Cephalosporin's quarantine was in corridor and neither have cold chain facility nor log sheet and hygrometer. <p>In view therefore the firm is Not Recommended.</p>	<p>Not Recommended</p>

102	MTI Medical Lahore	Manufacturer	Recommended					
				20	Ketamine HCl	Injection 50mg/ml, 10ml	Antamin	51
				28	Rocuronium	Inj. 10mg/ml, 5ml	Roconium	51
				45	Ibuprofen	Susp. 100mg/5ml, 120ml	Prufie	39
				46	Ketorolac Tromethamine	Inj. 30mg/ml	Kinlac	37
				59	Paracetamol	Susp. 120 mg/ 5 ml , 60ml.	Celcius	27
				144	Fluconazole	Cap. 150mg	Gribok	49
				155	Voriconazole	Inj. 200mg	Noric	51
				156	Voriconazole	Tab. 200mg	Noric	47
				161	Cetirizine HCL	Syp. 5mg/5ml, 60ml	Apozine	37
				173	Amikacin Sulphate	Inj. 100mg	Mikaton	56
				175	Amikacin Sulphate	Inj. 500mg	Mikaton	56
				198	Azithromycin (as dihydrate)	Cap. 250mg	Zecmo	47
				199	Azithromycin (as dihydrate)	Tab. 500mg	Zecmo	47
				200	Azithromycin (as dihydrate)	Inj. 500mg/vial	Zecmo	51
				201	Azithromycin(as dihydrate)	Susp. 200mg/5ml, 15ml	Zecmo	47
				211	Cefepime(as hydrochloride with L-Arginine)	Inj. 500mg/ vial	Ceftirom	36

				212	Cefepime(as hydrochloride with L-Arginine)	Inj. 1g/vial	Ceftirom	36
				216	Cefoperazone(as sodium 0.5g)/Sulbactam(as sodium 0.5g)	Inj. 1gm/vial	Sulproz	56
				217	Cefoperazone(as sodium 1g)/Sulbactam(as sodium 1g)	Inj. 2gm/vial	Sulproz	56
				218	Cefotaxime sodium	Inj. 250mg/vial	Mizec	36
				219	Cefotaxime sodium	Inj. 500mg/vial	Mizec	36
				220	Cefotaxime sodium	Inj. 1g/vial injection	Mizec	36
				224	Ceftazidime sodium carbonate equivalent to Ceftazidime	Inj. 500mg/vial	Bactidim	38
				225	Ceftazidime sodium carbonate equivalent to Ceftazidime	Inj. 1g/vial	Bactidim	39
				226	Ceftriaxone sodium	Inj. 500mg/vial injection IV/IM	Cytozon-IV/IM	48
				227	Ceftriaxone sodium	Inj. 1gm/vial	Cytozon-IV	48
				228	Ceftriaxone sodium	Inj. 2gm/vial	Cytozon-IV	47
				229	Cefuroxime sodium eq. to cefuroxime	Inj. 1.5gm./vial	Rokky	51
				232	Cefuroxime sodium eq. to cefuroxime	Inj. 750mg/vial	Rokky	51
				239	Ciprofloxacin HCl	Tab.250mg	Cyto	43
				240	Ciprofloxacin HCl	Tab. 500mg	Cyto	43
				246	Clarithromycin(as granules)	Susp. 125mg/5ml, 60ml	Grotic	43
				253	Colistimethate sodium	Inj.1 Million IU lyophilized/vial	Colimate	51
				273	Levofloxacin hemihydrate	Tab.250mg	Lofamin	33

				274	Levofloxacin hemihydrate	Tab.500mg tablet	Lofamin	33
				283	Moxifloxacin(as HCl)	Tab. 400mg	Mozex	43
				302	Tigecycline	Inj.50mg/vial	Tagagy	56
				303	Vancomycin(as HCl)	Inj. 500mg/vial	Vinvin	53
				304	Vancomycin(as HCl)	Inj. 1g/vial	Vinvin	53
				329	Acyclovir	Inj.250mg/vial .	Arpes	54
				330	Acyclovir	Inj.500mg/ vial .	Arpes	54
				379	Iron III hydroxide polymaltose complex	Syp. 50 mg/5ml, 60ml	Temurin	10
				382	Iron Sucrose	Inj. 20 mg/ml, 5 ml	Temurin-S	52
				430	Dobutamine HCl	Inj. 50mg/ml ,5ml	Tobuject	51
				431	Dopamine HCl	Inj. 40mg/ml,5ml	Dopacin HCl	54
				469	Norepinephrine Bitartate	Inj.4mg/4ml	Norephed 4mg injection	56
				504	Domperidone	Susp.5mg/5ml, 120ml	MT Done	32
				516	Omeprazole sodium	Inj.40mg/Vial	Gotec	52
				517	Omeprazole	Cap.40 mg	Gotec	48
				519	Ondansteron HCl	Inj.8mg/4ml	Mondes IV	48
				530	Zinc sulphate monohydrate	Syp. 20mg/5ml, 60ml	Zinky	47
				532	Clomiphene citrate	Tab. 50mg	Clomate	33
				677	Tamsulosin HCl	Cap.SR 0.4mg	Tosson SR	44
103	Munawwar Pharma Lahore	Manufacturer	<p>The inspection team at the time of inspection observed that;</p> <ol style="list-style-type: none"> 1) The original cGMP and DML issued by DRAP were not shown to the inspection team at the time of inspection. 2) The firm informed the inspection team at the time of inspection that the HVAC is not functional and they have informed the Govt. MCC through email. 3) The packing of injectable was in process but the temperature and humidity was not controlled. 4) The thermometer/hygrometer installed in the production area were not calibrated as the calibration labels were peeled off from the thermometer/hygrometer. 5) Poor temperature and humidity control were observed as the HVAC System of the firm was out of order at the time of inspection. The temperature recorded was 34 0C. Even the temperature was recorded higher in the production area when the HVAC was functional i.e. 31 °C as per the temperature log book of the firm. 6) Poor documentation practices were observed as the log sheets were missing the humidity range for pharmaceutical production. 7) The API of the quoted item Ibuprofen was not present in the RMS. 8) Sterility tests/Growth promotion tests of media were not available in the microbiology section thereby compromising GLP. 9) Compromised GLP were observed in the QC department as the Reagents/dilutions prepared for analysis were expired. 10) Temperature log sheet for the retained sample room was not available. The temperature was uncontrolled and the AC window in the wall was opened. <p>Not Recommended</p>	Not Recommended				

104	Nabiqasim Pharma Karachi	Manufacturer	Recommended					
				50	Meloxicam	15mg Tablet	Melrun	37
				51	Meloxicam	7.5mg Tablet	Melrun	37
				59	Paracetamol	(120mg/5ml) Suspension	Reliefal	27
				60	Paracetamol	(250mg) Suspension	Reliefal	32
				64	Paracetamol + Orphenadrine	(650mg + 50mg) Tab.	Feveral Forte	32
				140	Clotrimazole	500mg Vag. Tablet	Gynosporin	29
				141	Clotrimazole	Vag. Cream 2%	Gynosporin	29
				141	Clotrimazole 10% 5gm	10% Vag. Cream	Gynosporin	29
				143	Fluconazole	(50 mg) Capsule	Fluderm	27
				144	Fluconazole	(150 mg) Capsule	Fluderm	27
				148	Itraconazole	100mg Capsule	Racona	27
				154	Terbinafine	(250mg) Tablet	Mycoderm	32
				160	Citizine	(10 mg) Tablet	Neset	42
				161	Citizine	Syrup (5mg / 5ml)	Neset	42
				163	Chlorpheniramine Maleate	Syrup 120ml (2mg / 5ml)	Allergex	32
				166	Loratadine	10mg Tablet	Lumfort	27
				167	Montelukast Sodium	(10 mg) Tablet	Lungair	47
				168	Montelukast Sodium	(5 mg) Tablet	Lungair	47
				169	Montelukast Sodium	(4 mg) Sachet	Lungair	47
				213	Cefixime	(400mg) Capsules	Cefexol	42

				214	Cefixime	(100mg / 5ml) Suspension (With Water)	Cefexol	42
				215	Cefixime	(200mg / 5ml) Suspension (With Water)	Cefexol DS	42
				239	Ciprofloxacin	(250mg) Tablet	Bacip	42
				240	Ciprofloxacin	(500mg) Tablet	Bacip	42
				243	Clarithromycin	(250 mg) Tablet	Clarithro	47
				244	Clarithromycin	(500 mg) Tablet	Clarithro	47
				246	Clarithromycin	(125mg / 5ml) Susp.	Clarithro	47
				252	Colistimethate Sodium Lyophilized	Inj. (2 Million IU	Nogotex	51
				253	Colistimethate Sodium Lyophilized	Inj. (1 Million IU	Nogotex	51
				273	Levofloxacin	(250 mg) Tablet	Warior	37
				274	Levofloxacin	(500 mg) Tablet	Warior	37
				277	Linezolid	(600mg) Tablet	Linox	37
				283	Moxifloxacin Hydrochloride	(400 mg) Tablet	Meflox	42
				303	Vancomycin	(500mg) Injection	Vanbact IV	51
				304	Vancomycin	(1gm) Injection	Vanbact IV	51
				316	Chloroquine	(243 mg / 15 ml) Syrup	Miniquine	47
				330	Acyclovir	500mg Inj.	Hypovir	46
				339	Gancyclovir	500mg Inj.	Gancycvir	46
				376	Folic Acid	(5 mg) Tablet	Folitam	42
				378	Iron Polymaltose+ Folic Acid 100mg	Tablet	IRPO-FA	27

				379	Iron Polymaltose Complex + Folic Acid	Syrup 50 mg + 0.35mg/5ml	IRPO-FA	27
				383	Mecobalamin	Injections 500 mcg / 1 ml	Mecobal	37
				406	Amlodipine Besylate	(5 mg) Tablet	Amdipine	42
				407	Amlodipine Besylate	(10 mg) Tablet	Amdipine	42
				408	Amlodipine + Valsartan	5mg/80mg Tablet	Redupres-AM	27
				409	Amlodipine + Valsartan	5mg/160mg Tablet	Redupres-AM	27
				410	Amlodipine + Valsartan	10mg/160mg Tablet	Redupres-AM	27
				411	Atenolol	(50mg) Tablet	Normitab	47
				412	Atenolol	(100mg) Tablet	Normitab	47
				416	Bosentan Monohydrate	(62.5 mg) Tablet	Bozpah	47
				422	Carvedilol	(6.25 mg) Tablet	Carpro	27
				423	Carvedilol	(12.5 mg) Tablet	Carpro	27
				424	Carvedilol	(25 mg) Tablet	Carpro	27
				425	Clopidogrel	(75 mg) Tablet	Deplat	47
				454	Losartan Potassium + Hydrochlorothiazide	Tablet 50mg + 12.5mg	Bepsar	32
				455	Losartan Potassium	25 mg) Tablet	Bepsar	42
				456	Losartan Potassium	(50 mg) Tablet	Bepsar	42
				475	Rosuvastatin	(10 mg) Tablet	Roviros	42
				511	Lactulose +Lactose + Galactose	Syrup 3.35gm/5ml +0.30gm +0.55gm	Kleenlac	27

				516	Omeprazole	(40 mg) Injection	Loprot	51
				517	Omeprazole	40mg Capsule	Loprot	47
				525	Sodium Biphosphate + Sodium Phosphate	Enema Liquid 19.2g + 7.2g	Kleen Enema	32
				529	Zinc Sulphate	20mg Tablet	Zynq	32
				530	Zinc Sulphate	Syrup 20mg / 5ml	Zynq	32
				532	Clomiphene Citrate	50mg Tablet	Clomitab	27
				535	Dinoprostone	3mg Vag. Tablet	Glandin E2	29
				542	Glimepiride	1 mg Tablet	Norlim	42
				543	Glimepiride	2 mg Tablet	Norlim	42
				544	Glimepiride	3 mg Tablet	Norlim	42
				545	Glimepiride	4 mg Tablet	Norlim	42
				563	Misoprostol	(200mcg) Tablet	Tecmiso	47
				570	Sitagliptin Phosphate Monohydrate+ Metformin HCl	(50mg + 500mg) Tablet	Glytec-M	32
				571	Sitagliptin Phosphate Monohydrate+ Metformin HCl	(50mg + 1000mg) Tablet	Glytec-M	32
				575	Vildagliptin	50mg Tablet	Insutol	27
				665	Febuxostat	(40mg) Tablet	Xostat	32
				666	Febuxostat	(80mg) Tablet	Xostat	32
				699	Duloxetine HCL	(30 mg) Capsule	Zuloxet	27
				700	Duloxetine HCL	(60 mg) Capsule	Zuloxet	32

				705	Escitalopram	(10 mg) Tablet	Es-Prancit	27
				706	Fluoxetine HCl	(20mg) Capsule	Depricap	27
				732	Pregabalin	50mg Capsule	Preneu	32
				733	Pregabalin	75mg Capsule	Preneu	32
				734	Pregabalin	150mg Capsule	Preneu	32
				739	Quetiapine	(100mg) Tablet	Nubaquel	37
				740	Risperidone	(2 mg) Tablet	Buzon	27
				741	Risperidone	(4 mg) Tablet	Buzon	27
				745	Topiramate	(50mg) Tablet	Neutop	42
				766	Acefyline	125mg/5ml Syrup	Acefyl	39
				777	Aminophylline + Diphenhydramine + Ammonium Chloride + Menthol	Cough Syrup	Rexyl	32
				801	Chloramphenicol	Eye Drop(5% / 10 ml) (0.5%)	Comycetin Eye Drop	47
				839	Clotrimazole	Skin Cream (20mg / 1 %)	Dermosporin	48
				840	Clotrimazole	Skin Lotion (20mg / 1 %)	Dermosporin	48
				841	Clotrimazole	Skin Lotion (20mg / 1 %)	Dermosporin	48
				845	Fusidic Acid	Cream 2 % / 15gm	Zudic	47
				869	Terbinafine	(10gm / 1%) Cream	Mycoderm	32
				883	Alfa Calcidol	0.25mcg Tablet	Bio Alfa	37

105	Nenza Pharma Peshawar	Manufacturer	<p>The inspection team at the time of inspection observed that</p> <ul style="list-style-type: none"> • Mixed shippers of glass bottles were present without labels in quarantine area. • No testing record was present for release bottles in bottle blowing area. • In Liquid packaging hall, ceiling fans were installed. Furthermore, neither temperature/humidity control device nor log sheet were available. • HVAC was not functional in all quoted sections at the time of inspection. • Magnetic pressure gauges were neither functional nor calibrated. • In finish goods store, label claim for different products were 15-30C where the recorded temperature was 32.2C with 33%RH. • At the time of inspection, production was not carried out. In tools room, different punches were placed in cartons instead of SS box and no logbook data of instrument cleaning was available. • Both real time & accelerated chamber were not properly functional (i.e., Real time stability chamber was showing 34.7C, 40.3%RH; whereas Accelerate stability chamber showed 40C, 29.9%RH) at the time of inspection. • In quality control lab, no proper data record was available i.e., (stability studies etc.). • The firm was using in-house/un-official methods & they were also not validated. • Quality control analyst, manager quality assurance and microbiologist were found absent. <p>In view thereof, the firm is Not Recommended.</p>	Not Recommended				
106	Next Pharmaceuticals Faisalabad	Manufacturer	Recommended	40	Diclofenac Sodium 50mg	TAB	Painext 50mg	35
				158	Betahistine Dihydrate 16mg	Tab	Gerohist 16mg	45
				167	Montelukast Sodium 10mg	TAB	Airmont 10mg	50
				198	Azithromycin as Dihydrate	TAB	Azithronext 250mg	50
				199	Azithromycin as Dihydrate	CAP	Azithronext 500mg	50
				239	Ciprofloxacin 250mg	TAB	Alacep 250mg	50
				240	Ciprofloxacin 500mg	TAB	Alacep 500mg	50
				379	Elemental Iron (as Iron III Hydroxide Polymaltose Complex)	SYP	HB-More Syrup	45
				390	Rivaroxaban 10mg	TAB	Verinoya 10mg	35
				391	Rivaroxaban 15mg	TAB	Verinoya 15mg	35
				392	Rivaroxaban 20mg	TAB	Verinoya 20mg	35

				406	Amlodipine as Besylaten 5mg	TAB	Amlonext 5mg	50
				407	Amlodipine as Besylate 10mg	TAB	Amlonext 10mg	50
				408	Amlodipine 5mg + Valsartan 80mg	TAB	Velvet-AM 5/80mg	50
				409	Amlodipine 5mg + Valsartan 160mg	TAB	Velvet-AM 5/160mg	50
				410	Amlodipine 10mg + Valsartan 160mg	TAB	Velvet-AM 10/160mg	50
				475	Rosuvastatin 10mg	TAB	Rosunext 10mg	45
				503	Domperidone 10mg	TAB	Domflash 10mg Plain	50
				504	Domperidone	SYP	Domflash Suspension	50
				517	Omeprazole 40mg	CAP	Omezap 40mg	45
				559	Metformin HCL	TAB	Nextfor 500mg	50
				570	Sitagliptin 50mg + Metformin 500mg	TAB	Sitanext 50/500mg	50
				571	Sitagliptin 50mg + Metformin 1000mg	TAB	Sitanext 50/1000mg	50
				677	Tamsulosin HCL 0.4mg	TAB	Tamlin MR 0.4mg	45
				705	Escitalopram 10mg	TAB	Gleetal 10mg	35
				732	Pregabalin 50mg	CAP	Reslorton 50mg	50
				733	Pregabalin 75mg	CAP	Reslorton 75mg	50
107	Nicholas Pharma Islamabad	Manufacturer	The firm was inspected and following observations were made: Cephalosporin Manufacturing Area: 1. Staff was not as per guidelines. Cephalosporin area has only one pharmacist for 3 sections i.e., capsule, dry suspension and dry powder injectable 2. Corridor wall was cracked. 3. Hygrometer and thermometer were out of order. "Recommended for quoted carbapenem only "	280	Meropenem	500mg Injection (IV)	Noopem	42
				281	Meropenem	1gm Injection (IV)	Noopem	42

108	Nipro Medical Lahore	Importer	<p>Shunmei Medical Co. Ltd China (Dialysis Catheters) Free Sale Certificates of the quoted items of the above principle manufacturer were expired on March, 2022. Moreover, the original Quality Assurance Certificate was not embassy attested. Not Recommended</p> <p>Nipro, Indonesia (AV Fistula Cannula) The original EC Certificate and Free Sale Certificate of the quoted items shown to the inspection team were embassy attested and valid. However the agency agreement is with the Nipro, Singapore instead of the principle manufacturer. Not Recommended</p> <p>Nipro, Japan (Haemodialyzer with tubing set) The original Free Sale Certificate shown to the inspection team was not embassy attested. Moreover, the provided agency agreement is with the Nipro, Singapore instead of the principle manufacturer. Not Recommended</p> <p>JMI Syringes and Medical Devices, Bangladesh. (Auto disable Syringes 0.5 ml, 3 ml and 5 ml)</p> <p>All mandatory embassy attested documents (cGMP/Quality Assurance certificate, Free Sale certificate/CoPP, and Agency agreement) as per the SBDs were checked and verified in original at the time of inspection, for the quoted items of the above-mentioned principal manufacturer</p> <p>Recommended only for the quoted items of JMI Syringes & Medical Devices, Bangladesh.</p> <p>Items offered at No. 989, 992 are disqualified in DTL testing.</p>	993	Disposable Auto Disable syringe (Blister Packing)	5ml	JMI Auto Disable Syringe 5ml	53
-----	----------------------	----------	--	-----	---	-----	------------------------------	----

109	Nisa Impex Islamabad	Importer	Recommended Except for Items at No. 1093 and 1094 which are disqualified in DTL testing.	995	Disposable Insulin Syringe	1ml	Nisa Disposable Insulin Syringe	66
				999	Disposable Syringe	50cc Ordinary (Blister Packing) Sterile	Nisa Disposable Syringe	61
				1001	Disposable Syringe	60cc Ordinary with Nozzle for feeding (Blister Packing) Sterile	Nisa Disposable Syringe	66
				1087	I/V Fluid Administration Sets (Sterile, Minimum)	150cm length tubing, latex and Pyrogen free, Blister Packing	Nisa Disposable I/V Fluid Administration Set	59
				1091	I/V Cannula (Sterile having wings + injection port in sterilized blister packing. The Cannula Should be radio-opaque, as well as latex, pyrogen and PVC free)	18G	Nisa IV Cannula	59
				1092	I/V Cannula (Sterile having wings + injection port in sterilized blister packing. The Cannula Should be radio-opaque, as well as latex, pyrogen and PVC free)	20G	Nisa IV Cannula	59
110	Nisa SF Pvt Ltd Muridke	Importer	Recommended	992	Disposable Syringe AUTO DISABLE (Blister Packing) Sterile	3cc	BM Auto Disposable Syring	61
				993	Disposable Syringe AUTO DISABLE (Blister Packing) Sterile	5cc	BM Auto Disposable Syring	62
				996	Disposable Syringe (Blister Packing) Sterile	1cc	BM Disposable Syring	62
				997	Disposable Syringe Ordinary (Blister Packing) Sterile	10cc	BM Disposable Syring	62
				998	Disposable Syringe Ordinary (Blister Packing) Sterile	20cc	BM Disposable Syring	63
				1087	I.V. Fluid administration Set	sterila 150 cm tubing	BM Disposable IV Set	61
				1088	I.V. Fluid administration Set with Extra Injection y Port	sterila 150 cm tubing	BM Disposable IV Set y port	59

111	Novamed Pharma Lahore	Manufacturer	Recommended					
				409	Amlodipine as Besylate (B.P)	Tablet 10mg	Amilip	33
				408	Amlodipine as Besylate	Tablet 5mg	Amilip	33
				262	Doxycycline as Hyclate	Capsule 100mg	Declocine	38
				246	Clarithromycin	Tablet 500mg	Arithro	33
				414	Atenolol	Tablet 100mg	B-Loc	33
				413	Atenolol	Tablet 50mg	B-Loc	33
				241	Ciprofloxacin as Hydrochloride	Tablet 250mg	Ciprojan	43
				242	Ciprofloxacin as Hydrochloride	Tablet 500mg	Ciprojan	43
				162	Cetirizine 2HCl	Tablet 10mg	Citzin	33
				168	Loratidine	Tablet 10mg	Clarín	33
				546	Glimipride	Tablet 2mg	Diabryl	43
				548	Glimipride	Tablet 4mg	Diabryl	43
				39	Diclofenac Sodium	Injection 75mg	Dianic	43
				40	Diclofenac Sodium	Tablet 50mg	Dianic	43
				506	Domperidone	Tablet 10mg	Dovomit	43
				167	Levocetirizine Dihydrochloride	Tablet 5mg	Evocet	33
				380	Iron (III) Polymaltose eq. to elemental Iron Folic Acid	Tablet 100mg	Fer-P Plus	33
				381	Iron (III) Hydroxide Polymaltose eq. to elemental Iron	Syrup 60ml	Fer-P	33
				510	Famotidine	Tablet 40mg	No-Acid	33
				275	Levofloxacin as hemihydrate	Tablet 250mg	Oxylevo	43
				276	Levofloxacin as hemihydrate	Tablet 500mg	Oxylevo	43
				520	Omeprazole	Capsule 40mg	O-Zole	33
				222	Cefotaxime	Injection 1g	Pure-XIM	33
				220	Cefotaxime	Injection 250mg	Pure-XIM	33
				221	Cefotaxime	Injection 500mg	Pure-XIM	33
				708	Escitalopram	Tablet 10mg	Rolax	43
				477	Rosuvastatin	Tablet 10mg	Rosomed	43
				427	Clopidogrel	Tablet 75mg	Seaclop	43

112	Novartis Pharma Karachi	Importer	Recommended					
				78	Basiliximab	Inj. 20mg/ vial	Simulect	45
				82	Cyclosporine-A	Cap. 25 mg	Sandimmun Neoral	52
				84	Cyclosporine-A	Cap. 100 mg	Sandimmun Neoral	52
				99	Mycophenolate Sodium	Tab. 180 mg	Myfortic	56
				100	Mycophenolate Sodium	Tab. 360 mg	Myfortic	51
				115	Deferasirox	Tab. 90mg	Oleptiss	46
				116	Deferasirox	Tab. 100mg	Asunra	59
				117	Deferasirox	Tab. 180mg	Oleptiss	56
				119	Deferasirox	Tab. 360mg	Oleptiss	51
				120	Deferasirox	Tab. 400mg	Asunra	54
				122	Desferoxamine	Inj. 500mg	Desferal	54
				482	Sacubitril+ Valsartan	Tab. 48.60 mg +51.40 mg	Uperio	54
				515	Octreotide Acetate	Inj . 0.1mg/ml	Sandostatin	51
				607	Secukinumab	Inj.150mg/ Vial	Fraizeron	54

				799	Brinzolamide + Brimonidine	Eye Drops 10mg + 2mg /ml, 5ml	Simbrinza	45
				802	Ciprofloxacin HCl	Eye Drops 0.3% w/v, 5ml	Ciloxan	45
				805	Dexamethasone	Eye Drops 0.1% w/v	Maxidex	46
				814	Moxifloxacin HCl	Eye Drops 0.5% w/v, 5ml	Vigamox	47
				822	Ranibizumab	Inj. 10 mg/ ml	Patizra	48
				826	Tobramycin	Eye Drops 0.3% w/v, 5ml	Tobrex	49
				827	Tobramycin+ Dexamethasone	Eye Drops 0.3% + 0.1% w/v, 5ml	Tobradex	37
				828	Travoprost	Eye Drops 40 mcg/ml , 2.5ml	Travatan	41
				37	Diclofenac Sodium	Supp. 25mg	Voltral	49
				38	Diclofenac Sodium	Supp. 100mg	Voltral	49
113	Novo Nordisk Karachi	Importer	Recommended	553	Insulin 70/30 (rDNA)	Inj. 100IU/ ml 10 ml Vial	Mixtard 30 HM Vial	64
				554	Insulin R (rDNA)	Inj. 100IU/ ml 10 ml Vial	Actrapid HM Vial	61
				557	Insulin N (rDNA)	Inj. 100IU/ ml 10 ml Vial	Insulatard HM Vial	61
				370	Factor v11	Inj. 1mg Vial	NovoSeven	61
114	Otsuka Pakistan Ltd Karachi / Hub	Manufacturer	Recommended	4	Metronidazole	Infusion 500mg/100ml	OTSUZOL	49
				62	Paracetamol	Infusion 1000mg/100ml	OTSUMOL	49
				241	Ciprofloxacin	Infusion 200mg /100ml	OTSUFLOX	49
				614	Amino acid Solution 3%	Infusion 2.7% Aminoacid 5% Sorbitol, 500ml	PAN AMIN G	49
				614	Amino acid Solution 5%	Infusion 5% Aminoacids 10% Sorbitol 500ml	AMINOVOL	49
				614	Amino acid Solution 8%	Infusion 8% Aminoacids 500ml	AMINOLEBAN	49
				617	Calcium Chloride, Glucose, Potassium .2g/L,5% W/V,1.5g/L,3.13g/L	Infusion 500ml	PLABOLYTE-M	49
				618	Calcium Chloride, Glucose, Potassium .2g/L,5% W/V,1.5g/L,3.13g/L	Infusion 1000ml	PLABOLYTE-M	49
				640	Normal Saline.9% 100ml	Infusion 100ml	PLASALINE	54
				649	Ringer's Lactate + Dextrose 5% Soln.	Infusion 500ml	RINGOLACT-D	49

				650	Ringer's Lactate + Dextrose 5% Soln.	Infusion 1000ml	RINGOLACT-D	49	
				651	Ringer's Lactate Soln	Infusion 500ml	RINGOLACT	49	
				652	Ringer's Lactate Soln	Infusion 1000ml	RINGOLACT	49	
115	Paktex Industries Kamoke	Manufacturer	The inspection team at the time of inspection observed that; The whole plant/facility was under construction/renovation and there was no production carried out at the time of inspection. Not Recommended	Not Recommended					
116	Pfizer Pakistan Limited Karachi (Importer)	Importer	Recommended	590	Meningococcal Vaccine (WHO Prequalified)	Inj	Nimenrix	48	
				560	Methyl Prednisolone	Inj. 500mg/via	Solumedrol	50	
				561	Methyl Prednisolone	Inj. 1gm/ vial	Solumedrol	50	
117	Pfizer Pakistan Limited Karachi (Manufacturer)	Manufacturer	Recommended	47	Mefenemic acid	250mg Tablet	Ponstan tab 250mg	50	
				48	Mefenemic acid	500mg Tablet	Ponstan forte Tab 500mg	50	
				275	Lincomycin HCl	500mg capsule	Lincomin 500mg cap	50	
				276	Lincomycin HCl	600mg Inj	Lincomin 600mg inj 2ml	50	
				198	Azithromycin	250mg Tablet	Zeetamax 250mg tab	55	
				199	Azithromycin	500mg Tablet	Zeetamax 500mg tab	55	
				201	Azithromycin	22.5ml Suspension	Zeetamax susp 22.5ml	55	
				260	Doxycycline	100mg cap	Vibramycin 100mg cap	50	
				297	Rifampicin + INH	150mg Tablet	Rin 150mg Tablet	40	
				295	Rifampicin +Isoniazid+ Pyrazinamide+Ethambutol	150mg+75mg+400mg+275mg	Myrin p Forte Tablet	45	
				567	Prednisolone	5mg Tablet	Deltacortril 5mg Tablet	50	
118	Pharmasol Lahore	Manufacturer	Recommended	47	Ketorolac tromethamine	Injection 30mg	Ketrol	35	
				56	Nalbuphine Hydrochloride	Injection 10mg/ml	Nalbusol	45	
				146	Fluconazole	Capsule 150mg	Konacane	41	
				169	Montelukast	Tab. 10mg	Montisel	31	
				171	Montelukast	Sachet 4mg	Montisel	31	
				255	Colistimethate Sodium	Injection 80mg	Colistim	45	
				279	Linezolid	Tablet 600mg	Xolid	41	
				280	Linezolid	Infusion 200mg/100ml	Xolid	43	

				281	Linezolid	Infusion 600mg/300ml	Xolid	43
				305	Vancomycin	Injection 500mg	Vancosol	45
				306	Vancomycin	Injection 1000mg	Vancosol	45
				397	Tranexamic Acid	Injection 500mg/5ml	Inxamic	45
				521	Ondansetron	Tablets 8mg	Deston	45
				522	Ondansetron	Injection 8mg	Deston	45
				553	Hydrocortisone	Injection 100mg	Hicartif	45
				554	Hydrocortisone	Injection 250mg	Hicartif	45
				563	Methylprednisolone	Injection 500mg	Solomed	45
				564	Methylprednisolone	Injection 1gm	Solomed	45
				573	Sitagliptin+Metformin Hcl	Tablet 50/500mg	Sitamin	41
				574	Sitagliptin+Metformin Hcl	Tablet 50/1000mg	Sitamin	41
				805	Ciprofloxacin	Eye Drops 3mg	Ciproxol	31
				817	Moxifloxacin	Ophthalmic Solution 5mg	Moxol	41
				830	Tobramycin+ Dexamethasone	Ophthalmic Suspension 3mg+1mg	Tobracort	41

119	Pharmawise Lahore	Manufacturer	<p>The inspection team at the time of inspection observed that,</p> <p>1. Compromised cGMP was observed in the syrup section as data regarding the Filter for the Deionized water for in the syrup section was not available.</p> <p>2. The vessel (drum, stirrer) in the Povidone Iodine manufacturing area were not calibrated.</p> <p>3. No BMR was presented for the semi-manufactured povidone iodine solution which present in the drum in the antiseptic section. The filling and packing of the semi-manufactured Povidone Iodine was stopped and no line clearance was present.</p> <p>4. There was no production in process in the cream, ointment and gel section.</p> <p>5. The stability studies of quoted Povidone 7.5% and 10%, Syp Iron Hydroxide poly maltose complex 50 mg/5ml (60ml), Clotrimazole 1 % cream 10 gm Ointment, Lignocain HCL 15 gm Gel 2%, Silver Suphadiazine 1 % 50 gm Cream, Hydrogen Peroxide 6% 450 ml Solution were available.</p> <p>Recommended for Syrup Tablets and Sachet (ORS) Sections Only.</p>	2	Metronidazole	400 mg Tab	Elazyl	41
				3	Metronidazole	200 mg/5ml 60 ml Susp	Elazyl	41
				35	Aspirin	300 mg Tab	Solprin	27
				630	ORS WHO	Sachets Sodium Chloride (3.5 g/L), Glucose Anhydrous (20g/L) Potassium Chloride (1.5g/L) Trisodium Citrate (2.9g/L)	Paeditol	31
				631	ORS Low Osmolality	Sodium Chloride Sachet (2.6 g/L) Glucose Anhydrous (13.5 g/L) Potassium Chloride (1.5 g/L) Trisodium citrate (2.9 g/L)Sachets	Rehydrate LOSM (ORS)	31
				379	Iron Hydroxide poly maltose complex	Syp 50 mg/5ml, 60ml	Uniha	41
				198	Azithromycin	Cap 250mg	Azithrowise	41
120	Platinum Pharma Karachi	Manufacturer	Recommended	34	Aceclofenac Tab 100mg	Tab 100mg, 3x10	ACELISH	43
				100	Mycophenolate Mofetil Tab. 500mg	Tab. 500mg, 2 x 10	MYGRAF	33
				104	Tacrolimus 1mg	Cap. 1mg, 3x10	INOGRAF	43
				105	Tacrolimus 0.5mg	Cap.0.5mg, 3x10	INOGRAF	43
				146	FUNGIX Caps. 150mg	Caps. 150mg, 1x1	FUNGIX	43
				200	AZITHROMYCIN Tabs 250mg	Tab 250 mg, 1 x 6	PLAZO	43
				201	AZITHROMYCIN Tabs 500mg	1 x 6	PLAZO	43
				203	AZITHROMYCIN Susp 200mg/5ml	15ml	PLAZO	43
				215	CEFIXIME Caps. 400mg	1x5	CEFTAS	43
				216	CEFIXIME Dry Susp.100mg/5ml	30ml	CEFTAS	43
				217	CEFIXIME Dry Susp.200mg/5ml	30ml	CEFTAS DS	43
				235	CEPHRADINE Caps 250mg	12's	VELORA	43
				236	CEPHRADINE Caps 500mg	12'S	VELORA	43
				239	CEPHRADINE Susp 125mg	60ml	VELORA	43
				240	CEPHRADINE Susp 250mg	60ml	VELORA	43
				245	CLARITHROMYCIN Tabs 250mg	1x10	NOVICLAR	43
				248	CLARITHROMYCIN Susp 125mg/5ml	60ml	NOVICLAR	43

				262	DOXYCYCLINE Caps 100mg	3x10	NORDOX	43
				275	LEVOFLOXACIN Tabs 250mg	1x10	FLOXOLEV	43
				276	LEVOFLOXACIN Tabs 500mg	1X10	FLOXOLEV	43
				286	MOXIFLOXACIN Tab 400mg	1x5	ARBIMOX	43
				310	ARTEMETHER + LUMEFANTRINE Tabs 40mg + 240mg	1 x 8	HI-SERVIN DS	43
				311	ARTEMETHER + LUMEFANTRINE Tabs 80mg + 480mg	2 x 3	HI-SERVIN BD	43
				312	ARTEMETHER + LUMEFANTRINE Susp.15mg/5ml + 90mg/5ml	60ml	HI-SERVIN Dry Suspension	43
				319	DIHYDROARTEMISININ + PIPERAQUINE PHOSPHATE Sachets 15mg + 120mg	Sachet, 1x16	ARTEQUINE	33
				320	DIHYDROARTEMISININ + PIPERAQUINE PHOSPHATE Caps 40mg + 320mg	Caps, 1x8	ARTEQUINE	33
				535	CLOMIPHENE CITRATE Tabs 50mg	1x10	FERTICLO	43
				538	DINOPROSTONE Tab. 3mg	1 X 1	PREGLAN E2	43
				686	CARBAMAZEPINE Tabs 200mg	2X25	SEIZUNIL	43
				687	CARBAMAZEPINE Susp 100mg/5ml	120ml	SEIZUNIL	33

				698	CO-DERGOCRINE MESYLATE Tabs. 1.5mg	30'S	CEREGIN	33
				704	DIVALPROEX SODIUM Tabs 250mg	10 x 10	DAPAKAN	43
				705	DIVALPROEX SODIUM Tabs 500mg	10 x 10	DAPAKAN	43
				716	LAMOTRIGINE Tabs 50mg	3x10	LAMONIL	43
				717	CARBIDOPA + LEVODOPA Tabs 25mg + 250mg	10 x 10	NEUDOPA	43
				725	OLANZAPINE Tabs 5mg	1x10	SCHIZAP	43
				726	OLANZAPINE Tabs 10mg	1x10	SCHIZAP	43
				742	QUETIAPINE (AS FUMARATE) Tab 100mg	3x10	QUETAP	43
				747	SODIUM VALPROATE Syrup 250mg/5ml	120ml	DAPAKAN	43
				748	TOPIRAMATE Tabs. 50mg	2 x 10	TOPIRAMA	43
				772	SALBUTAMOL + BECLOMETHASONE DIPROPIONATE Inhaler 100mcg/50mcg	200 dose	SALBECLO	43
				786	KETOTIFEN Tab 1mg	3x10	PROASMA	43
				787	KETOTIFEN Syrup 1mg/5ml	120ml	PROASMA	43
				792	SALBUTAMOL Inhaler 100 mcg	200 Metered dose	SALBEST	43
				794	TERBUTALINE SULFATE Tabs 2.5mg	10 x 10	BRETHIN	43
				842	FUSIDIC ACID Cream	15gm	INFACID	43
				886	ALFACALCIDOL Tablet 0.5mcg	1x10	ALFA-D	43

121	Popular International Karachi	Importer	Recommended	1356	Nylon	MONOSOFT™ NYLON 10-0 6.3MM 30CM 3/8 CIRCLE PREMIUM SPATULA DOUBLE NEEDED BLACK 12 FOILS	MONOSOFT™	61
				1357	Nylon	MONOSOFT™ NYLON 1 48MM 150CM 1/2 CIRCLE TAPER POINT BLACK 24 FOILS	MONOSOFT™	61
				1387	Nylon	MONOSOFT™ NYLON 10-0 6.3MM 30CM 3/8 CIRCLE PREMIUM SPATULA DOUBLE NEEDED BLACK 12 FOILS	MONOSOFT™	61
				1388	STAINLESS STEEL WIRE	STEEL STAINLESS STEEL 5 48MM 4X45CM 1/2 CIRCLE TAPER CUTTING ROTOG RIP UNDYED 12 FOILS	Steel	61
				1389	STAINLESS STEEL WIRE	STEEL STAINLESS STEEL 4 48MM 2X45CM 1/2 CIRCLE REVERSE CUTTING ROTOG RIP UNDYED 12 FOILS	Steel	61
				1389	STAINLESS STEEL WIRE	STEEL STAINLESS STEEL 3 48MM 5X45CM 1/2 CIRCLE TAPER CUTTING UNDYED 12 FOILS	Steel	61
				1390	POLYPROPYLENE MESH	PARIETENE MACRO PP 30X30CM	Parietene	61
				1391	POLYPROPYLENE MESH	PARIETENE MACRO PP 15X15CM	Parietene	61

				1393	POLYPROPYLENE MESH	PARIETENE MACRO PP 11X6CM	Parietene	61
				1394	BONE WAX	BONE WAX 2.5G	Bonewax	61
				1283	Silk	SILK 4-0 17MM 75CM 1/2 CIRCLE TAPER POINT BLACK 36 FOILS	SOFSILK™	63
				1284	Silk	SOFSILK™ SILK 3-0 30MM 75CM 1/2 CIRCLE TAPER POINT BLACK 36 FOILS	SOFSILK™	63
				1285	Silk	SOFSILK™ SILK 3-0 26MM 75CM 1/2 CIRCLE TAPER POINT BLACK 36 FOILS	SOFSILK™	63
				1286	Silk	SOFSILK™ SILK 3-0 24MM 45CM 3/8 CIRCLE PREMIUM REVERSE CUTTING BLACK 36 FOILS	SOFSILK™	63
				1287	Silk	SOFSILK™ SILK 3-0 17MM 75CM 1/2 CIRCLE TAPER POINT BLACK 36 FOILS	SOFSILK™	63
				1288	Silk	SOFSILK™ SILK 2-0 30MM 75CM 1/2 CIRCLE TAPER POINT BLACK 36 FOILS	SOFSILK™	63

				1289	Silk	SOFSILK™ SILK 2-0 26MM 75CM 1/2 CIRCLE TAPER POINT BLACK 36 FOILS	SOFSILK™	63
				1290	Silk	SOFSILK™ SILK 0 30MM 75CM 1/2 CIRCLE TAPER POINT BLACK 36 FOILS	SOFSILK™	63
				1291	Silk	SOFSILK™ SILK 1 30MM 75CM 3/8 CIRCLE REVERSE CUTTING BLACK 36 FOILS	SOFSILK™	63
				1292	Silk	SOFSILK™ SILK 1 37MM 75CM 1/2 CIRCLE TAPER POINT BLACK 36 FOILS	SOFSILK™	63
				1293	Silk	SOFSILK™ SILK 1 39MM 75CM 3/8 CIRCLE REVERSE CUTTING BLACK 36 FOILS	SOFSILK™	63
				1294	Silk	SOFSILK™ SILK 2 40MM 75CM 1/2 CIRCLE TAPER POINT BLACK 36 FOILS	SOFSILK™	63
				1296	POLYGLACTINE	POLYSORB™ LACTOMER™ 9-1 6-0 VIOLET 45CM SS-14 8.6MM PREMIUM SPATULA 1/4 CIRCLE DOUBLE NEEDED 12 Foils	POLYSORB™	63
				1297	POLYGLACTINE	POLYSORB™ LACTOMER™ 9-1 6-0 11MM 45CM 3/8 CIRCLE PREMIUM REVERSE CUTTING UNDYED 36 FOILS	POLYSORB™	63
				1300	POLYGLACTINE	POLYSORB™ LACTOMER™ 9-1 5-0 13MM 45CM 3/8 CIRCLE PREMIUM REVERSE CUTTING UNDYED 36 FOILS	POLYSORB™	63
				1301	POLYGLACTINE	POLYSORB™ LACTOMER™ 9-1 5-0 13MM 75CM 1/2 CIRCLE TAPER POINT VIOLET 36 FOILS	POLYSORB™	63
				1302	POLYGLACTINE	POLYSORB™ LACTOMER™ 9-1 4-0 16MM 75CM 3/8 CIRCLE REVERSE CUTTING VIOLET 36 FOILS	POLYSORB™	63

				1303	POLYGLACTINE	POLYSORB™ LACTOMER™ 9-1 4-0 19MM 45CM 3/8 CIRCLE PREMIUM CONVENTIONAL CUTTING UNDYED 36 FOILS	POLYSORB™	63
				1305	POLYGLACTINE	POLYSORB™ LACTOMER™ 9-1 4-0 22MM 75CM 1/2 CIRCLE TAPER POINT VIOLET 36 FOILS	POLYSORB™	63
				1306	POLYGLACTINE	POLYSORB™ LACTOMER™ 9-1 3-0 16MM 75CM 3/8 CIRCLE REVERSE CUTTING VIOLET 36 FOILS	POLYSORB™	63
				1308	POLYGLACTINE	POLYSORB™ LACTOMER™ 9-1 3-0 22MM 75CM 1/2 CIRCLE TAPER POINT VIOLET 36 FOILS	POLYSORB™	63
				1309	POLYGLACTINE	POLYSORB™ LACTOMER™ 9-1 3-0 26MM 75CM 1/2 CIRCLE TAPER POINT VIOLET 36 FOILS	POLYSORB™	63
				1310	POLYGLACTINE	POLYSORB™ LACTOMER™ 9-1 2-0 26MM 75CM 1/2 CIRCLE TAPER POINT VIOLET 36 FOILS	POLYSORB™	63
				1311	POLYGLACTINE	POLYSORB™ LACTOMER™ 9-1 2-0 30MM 75CM 1/2 CIRCLE TAPER POINT VIOLET 36 FOILS	POLYSORB™	63
				1312	POLYGLACTINE	POLYSORB™ LACTOMER™ 9-1 2-0 40MM 75CM 1/2 CIRCLE TAPER POINT VIOLET 36 FOILS	POLYSORB™	63
				1315	POLYGLACTINE	POLYSORB™ LACTOMER™ 9-1 0 40MM 75CM 1/2 CIRCLE TAPER POINT VIOLET 36 FOILS	POLYSORB™	63

				1316	POLYGLACTINE	POLYSORB™ LACTOMER™ 9-1 1 40MM 90CM 1/2 CIRCLE TAPER POINT VIOLET 36 FOILS	POLYSORB™	63
				1317	POLYGLACTINE	POLYSORB™ LACTOMER™ 9-1 1 48MM 75CM 1/2 CIRCLE TAPER CUTTING VIOLET 36 FOILS	POLYSORB™	63
				1318	POLYGLACTINE	POLYSORB™ LACTOMER™ 9-1 2 40MM 90CM 1/2 CIRCLE TAPER POINT VIOLET 36 FOILS	POLYSORB™	63
				1319	POLYGLACTINE	POLYSORB™ LACTOMER™ 9-1 2 48MM 75CM 1/2 CIRCLE TAPER CUTTING VIOLET 36 FOILS	POLYSORB™	63
				1320	POLYGLACTINE	POLYSORB™ LACTOMER™ 9-1 5-0 17MM 75CM 1/2 CIRCLE TAPER POINT VIOLET 36 FOILS	POLYSORB™	63
				1321	POLYGLACTINE	POLYSORB™ LACTOMER™ 9-1 4-0 17MM 75CM 1/2 CIRCLE TAPER POINT VIOLET 36 FOILS	POLYSORB™	63
				1322	POLYGLACTINE	POLYSORB™ LACTOMER™ 9-1 4-0 22MM 75CM 1/2 CIRCLE TAPER POINT VIOLET 36 FOILS	POLYSORB™	63
				1323	POLYGLACTINE	POLYSORB™ LACTOMER™ 9-1 3-0 22MM 75CM 1/2 CIRCLE TAPER POINT VIOLET 36 FOILS	POLYSORB™	63
				1324	POLYGLACTINE	POLYSORB™ LACTOMER™ 9-1 2-0 30MM 75CM 1/2 CIRCLE TAPER POINT VIOLET 36 FOILS	POLYSORB™	63
				1325	POLYGLACTINE	POLYSORB™ LACTOMER™ 9-1 2-0 26MM 75CM 1/2 CIRCLE TAPER POINT VIOLET 36 FOILS	POLYSORB™	63
				1326	POLYGLACTINE	POLYSORB™ LACTOMER™ 9-1 0 40MM 75CM 1/2 CIRCLE TAPER POINT VIOLET 36 FOILS	POLYSORB™	63
				1327	POLYGLACTINE	POLYSORB™ LACTOMER™ 9-1 1 40MM 90CM 1/2 CIRCLE TAPER POINT VIOLET 36 FOILS	POLYSORB™	63

				1328	POLYGLACTINE	POLYSORB™ LACTOMER™ 9-1 1 30MM 75CM 1/2 CIRCLE TAPER POINT VIOLET 36 FOILS	POLYSORB™	63
				1330	POLYGLACTINE	POLYSORB™ LACTOMER™ 9-1 2 40MM 90CM 1/2 CIRCLE TAPER POINT VIOLET 36 FOILS	POLYSORB™	63
				1334	POLYPROPYLENE	SURGIPRO™ II POLYPROPYLENE 8-0 6MM 45CM 3/8 CIRCLE TAPER POINT DOUBLE NEEDED BLUE 36 FOILS	SURGIPRO™	63
				1338	POLYPROPYLENE	SURGIPRO™ II POLYPROPYLENE 6-0 11MM 75CM 3/8 CIRCLE TAPER POINT DOUBLE NEEDLE 36 FOILS	SURGIPRO™	63
				1339	POLYPROPYLENE	SURGIPRO™ II POLYPROPYLENE 6-0 16MM 45CM 3/8 CIRCLE CONVENTIONAL REVERSE CUTTING BLUE 36 FOILS	SURGIPRO™	63
				1340	POLYPROPYLENE	SURGIPRO™ II POLYPROPYLENE 5-0 13MM 75CM 1/2 CIRCLE TAPER POINT DOUBLE NEEDED BLUE 36 FOILS	SURGIPRO™	63
				1341	POLYPROPYLENE	SURGIPRO™ POLYPROPYLENE 5-0 16MM 45CM 3/8 CIRCLE PREMIUM CONVENTIONAL CUTTING BLUE 36 FOILS	SURGIPRO™	63

				1342	POLYPROPYLENE	SURGIPRO™ POLYPROPYLENE 4-0 19MM 45CM 3/8 CIRCLE PREMIUM CONVENTIONAL CUTTING BLUE 36 FOILS	SURGIPRO™	63
				1343	POLYPROPYLENE	SURGIPRO™ II POLYPROPYLENE 4-0 26MM 90CM 1/2 CIRCLE TAPER POINT DOUBLE NEEDED BLUE 36 FOILS	SURGIPRO™	63
				1344	POLYPROPYLENE	SURGIPRO™ POLYPROPYLENE 3-0 19MM 45CM 3/8 CIRCLE PREMIUM CONVENTIONAL CUTTING BLUE 36 FOILS	SURGIPRO™	63
				1345	POLYPROPYLENE	SURGIPRO™ II POLYPROPYLENE 3-0 26MM 90CM 1/2 CIRCLE TAPER POINT DOUBLE NEEDED BLUE 36 FOILS	SURGIPRO™	63
				1347	POLYPROPYLENE	SURGIPRO™ POLYPROPYLENE 2-0 26MM 75CM 1/2 CIRCLE TAPER POINT BLUE 36 FOILS	SURGIPRO™	63
				1350	POLYPROPYLENE	SURGIPRO™ POLYPROPYLENE 2-0 26MM 90CM 1/2 CIRCLE TAPER CUTTING DOUBLE NEEDED BLUE 36 FOILS	SURGIPRO™	63
				1353	POLYPROPYLENE	SURGIPRO™ POLYPROPYLENE 2-0 60MM 75CM STRAIGHT CONVENTIONAL CUTTING BLUE 36 FOILS	SURGIPRO™	63
				1354	POLYPROPYLENE	SURGIPRO™ POLYPROPYLENE 0 40MM 75CM 1/2 CIRCLE TAPER POINT BLUE 36 FOILS	SURGIPRO™	63
				1355	POLYPROPYLENE	SURGIPRO™ POLYPROPYLENE 1 40MM 75CM 1/2 CIRCLE TAPER POINT BLUE 36 FOILS	SURGIPRO™	63
				1358	POLYESTER	TICRON™ POLYESTER 3-0 25MM 105CM 1/2 CIRCLE TAPER POINT DOUBLE NEEDED BLUE 36 FOILS	TICRON™	63

				1359	POLYESTER	TICRON™ POLYESTER 2-0 17MM 75CM 1/2 CIRCLE TAPER CUTTING DOUBLE NEEDED BLUE 36 FOILS	TICRON™	63
				1360	POLYESTER	TICRON™ POLYESTER 2-0 26MM 90CM 1/2 CIRCLE TAPER CUTTING DOUBLE NEEDED BLUE 36 FOILS	TICRON™	63
				1361	POLYESTER	TICRON™ POLYESTER 2-0 26MM 90CM 1/2 CIRCLE TAPER POINT DOUBLE NEEDED BLUE 36 FOILS	TICRON™	63
				1362	POLYDIOXANONE	MAXON™ POLYGLYCONATE 7-0 9MM 75CM 3/8 CIRCLE TAPER POINT DOUBLE NEEDED GREEN 36 FOILS	MAXON™	63
				1364	POLYDIOXANONE	MAXON™ POLYGLYCONATE 6-0 13MM 45CM 3/8 CIRCLE TAPER POINT DOUBLE NEEDED GREEN 36 FOILS	MAXON™	63
				1367	POLYDIOXANONE	MAXON™ POLYGLYCONATE 5-0 13MM 75CM 1/2 CIRCLE TAPER POINT GREEN 36 FOILS	MAXON™	63
				1368	POLYDIOXANONE	MAXON™ POLYGLYCONATE 5-0 17MM 75CM 1/2 CIRCLE TAPER POINT DOUBLE NEEDED GREEN 36 FOILS	MAXON™	63
				1373	POLYDIOXANONE	MAXON™ POLYGLYCONATE 4-0 20MM 75CM 1/2 CIRCLE TAPER POINT GREEN 36 FOILS	MAXON™	63
				1375	POLYDIOXANONE	MAXON™ POLYGLYCONATE 3-0 20MM 75CM 1/2 CIRCLE TAPER POINT GREEN 36 FOILS	MAXON™	63
				1376	POLYDIOXANONE	MAXON™ POLYGLYCONATE 3-0 26MM 75CM 1/2 CIRCLE TAPER POINT GREEN 36 FOILS	MAXON™	63

				1378	POLYDIOXANONE	MAXON™ POLYGLYCONATE 2-0 26MM 75CM 1/2 CIRCLE TAPER POINT GREEN 36 FOILS	MAXON™	63
				1379	POLYDIOXANONE	MAXON™ POLYGLYCONATE 2-0 30MM 75CM 1/2 CIRCLE TAPER POINT GREEN 36 FOILS	MAXON™	63
				1382	POLYDIOXANONE	MAXON™ POLYGLYCONATE 0 40MM 150CM LOOP 1/2 CIRCLE TAPER POINT GREEN 12 FOILS	MAXON™	63
				1383	POLYDIOXANONE	MAXON™ POLYGLYCONATE 0 40MM 75CM 1/2 CIRCLE TAPER POINT GREEN 36 FOILS	MAXON™	63
				1385	POLYDIOXANONE	MAXON™ POLYGLYCONATE 1 40MM 150CM LOOP 1/2 CIRCLE TAPER POINT GREEN 12 FOILS	MAXON™	63
				374	Factor VIII	250 IU/Vial Each Vial	Koate DVI	40
				656	Salt Free Albumin 20%	50 ml Vial	Plasbumin 20% (Albumin Human 20% USP)	40
				657	Salt Free Albumin 20%	100 ml Vial	Plasbumin 20% (Albumin Human 20% USP)	40

122	Punjab Medical Services Lahore	Importer	<p>I. Onco Ilac San Ve Tis A.S Turkey. (Iohexol 350 mgI, 50ml and 100ml)</p> <p>The mandatory embassy attested documents (Agency agreement, cGMP, Free Sale certificate/CoPP) for the quoted items as per the SBDs were not present at the time of inspection however coloured copies of the cGMP with no embassy attestation and coloured copy of Free sale was presented to the inspection team.</p> <p>Not Recommended for all the quoted items of the above principle manufacturer.</p>	Not Recommended				
123	Rakaposhi Pharmaceuticals Peshawar	Manufacturer	<p>The inspection team at the time of inspection observed that</p> <ul style="list-style-type: none"> • Integrity test of sampling/dispensing booth were not performed. • In quarantine, temperature control was not controlled. • Rabepazole sodium was present in a refrigerator and without temperature measuring device and log sheet. It is relevant to mention that the refrigerator was of commercial use. • In packaging hall, no tags/labelling were made to identify the ongoing process/packaging of different products. Moreover, mixed batches of H2BF 40 (Famotidine), Esorok 40 (Esomeprazole), Rothin 250mg (Azithromycin) & levosulpride were present without labelling. Temperature control was poor and there was no log sheet available in packing hall. • In dry suspension filling area, no bottle blowing and Nitrogen purging facility was present and no proper labelling found. • The firm was using different internal working standards that was kept in plastic zippers and placed in awful condition (Colour & Physical appearance were compromised) in the desiccator and that too was not labelled. • The firm uses in-house, invalidated methods for analysis. E.g. Assay of Tab. Risperidone 2mg (USP) and Tab Moxifloxacin 400mg (Moxacin) were carried out using UV spectrophotometer while official method is HPLC and • HPLC log book was not maintained properly. • Raw data was not maintained in the QC lab. • SOP's for RO plant was not available and the firm was using pipes for loops system other than SS. <p>In view thereof, the firm is Not Recommended.</p>	Not Recommended				
124	Rehman Rainbow Lahore	Manufacturer	<p>The inspection team at the time of inspection observed that;</p> <ol style="list-style-type: none"> 1. No rodent control system was present in RMS of Cotton as the raw cotton was placed in wide open area. 2. The roof of the Cotton RMS was only 7 feet high, and was made of breaks, with wide open longitudinal area to the direct sunlight. 3. Impaired cotton suction outlet collection was observed as the cotton was flying in the open air outside the cotton production area. 4. There was no hygrometer, thermometer or temperature and humidity control device in the absorbent cotton RMS and production area. 5. Poor environmental control and high temperature (36 0C) and humidity (68 %) were observed in the Gauze cloth manufacturing area. 6. Finished Gauze cloth was lying in the open area under the stairs towards the QC department. 7. Poor environmental control was observed as a door in the Gauze cloth production was kept open during active manufacturing towards the stairs which was full of dust and open air was circulating the Gauze cloth production area. <p>Recommended for award of specified marks for physical evaluation/inspection in the technical evaluation proforma for the quoted items except Cotton (Surgical) Corded BPC and Gauze cloth roll packing.</p>	955	Crepe Bandages BPC	7.5cm x 4.5m Roll	Surgeecrepe	65
				956	Crepe Bandages BPC	10cm x 4.5m	Surgeecrepe	65
				957	Crepe Bandages BPC	15cm x 4.5m	Surgeecrepe	65
				1179.	Sterile Gauze Dressing Pad (X-ray detectable Radiopaque) (USP/BP/BPC) Among the three different monograph specifications only one (the best evaluated bid) shall be selected in the combined competition Blister pack	30x30cm, 4 ply	Surgeeguaze	65
				1180	Sterile Gauze Dressing Pad (USP/BP/BPC), Among the three different monograph specifications only one (the best evaluated bid) shall be selected in the combined competition Blister pack	10x10 cm, 8 ply	Surgeeguaze	67
				1181	Sterile Gauze Dressing Pad (USP/BP/BPC), Among the three different monograph specifications only one (the best evaluated bid) shall be selected in the combined competition Blister pack	15x15 cm, 8 ply	Surgeeguaze	65

125	Relizon Pharma Lahore	Manufacturer	<p>The inspection team at the time of inspection observed that;</p> <ol style="list-style-type: none"> 1. The original cGMP shown to the inspection team was issued after (10-06-2022) the cut off of date of bid submission (20-04-2022). 2. Mecobalamine utilization record was not available in the RMS and it was dispensed in the presence of light contrary to the RMS SOPs/guidelines. 3. Compromised GLP was observed as the data for testing method of linezolid was not available. 4. Validation of the testing method for metformin + sitagliptin was not available. 5. Compromised GLP was observed as 10 micron HPLC column was used for Omeprazole testing instead of 5 micron. 6. No production was observed at the time of inspection except packaging <p>Not Recommended</p>	Not Recommended				
126	Renacon Pharma Lahore	Manufacturer	<p>The inspection team at the time of inspection observed that;</p> <ol style="list-style-type: none"> 1. Accelerated Stability chamber was out of order. 2. The required solution of pH for the calibration of pH meter were not available in the QC, thereby compromising GLP. <p>Not Recommended</p>	Not Recommended				
127	Roche Pakistab Limited	Importer	Recommended	98	Mycophenolate Mofetil	Tablet 500 mg	Cellcept	61
				365	Epoetin-β	PF Syr 5,000IU/0.3ml	Recormon PF Syr	59
				384	Methoxy PEG Epoetin-β	PF Syr 50mcg/0.3ml	Mircera PF Syr	54
				385	Methoxy PEG Epoetin-β	PF Syr 75mcg/0.3ml	Mircera PF Syr	54
				386	Methoxy PEG Epoetin-β	PF Syr 100mcg/0.3ml	Mircera PF Syr	54
				604	Rituximab	500mg/50ml Vial	Ristova	59
128	Rock Pharma Risalpur	Manufacturer	<p>The inspection team at the time of inspection observed that</p> <ul style="list-style-type: none"> • No record found for integrity test of the HEPA filter in dispensing booth. • Receiving bay was far away from the quarantine and stairs were in use to shift the Raw material from receiving bay to quarantine. • In labelling and packaging area, hygrometer was not installed for measurement of temperature and humidity. Moreover, temperature log sheet was not maintained. • The firm failed to produce the relevant record of viscosity test for a Rokgel antacid Suspension (batch No. 01235) during the inspection. • Microbiologist was not available at the time of inspection. • The firm adopted in-house UV method instead of HPLC to check the assay of Tablet Clopidogrel 75mg USP (Rogrip) etc and that was also invalidated. Further, the firm failed to produce the calculations and graphs for the tests performed. • SOPs regarding RO plant functioning was not available. Moreover, the firm fail to produce the integrity tests being performed for the cartridge filters of RO plant. <p>In view thereof, the firm is Not Recommended.</p>	Not Recommended				
129	Saad Sales Services Karachi	Importer	Recommended	478	Streptokinase	Injection 1.5MIU/Vial	Eskinase 1.5MIU	44

130	Sadqain Healthcare Islamabad	Importer	Recommended	908	Bacterial filter, HME Filter and Viral filter (HCV, HBS+HIV etc.)		Intersurgical	51
				909	Bain Circuit	Adult	Intersurgical	46
				910	Bain Circuit	Pediatric	Intersurgical	46
				1030	Disposable Sterile Catheter Mount		superset	46
				1105	Laryngeal mask	Different size	Solus Laryngeal mask	51
				1116.	Nasal Oxygen Cannula	Neonatal	Intersurgical	51
				1117	Nasal Oxygen Cannula	Pediatric	Intersurgical	51
				1118	Nasal Oxygen Cannula	Adult	Intersurgical	46
				1119	Nebulizer mask with chamber and tubing	Pediatric	Intersurgical	51
				1120	Nebulizer mask with chamber and tubing	Adult	Cirrus 2 Nebulizer Ecolite mask kit	51
				1129	Non-rebreather mask	Adult	Intersurgical	46
				1130	Non-rebreather mask	Pediatric	Intersurgical	46
				1135	Oxygen Mask	Adult	Ecolite adult oxygen mask	51
				1136	Oxygen Mask	Pediatric	Intersurgical	46
				1137	Oropharyngeal Airway	Size 0	Intersurgical	46
				1138	Oropharyngeal Airway	Size 1	Intersurgical	46

				1139	Oropharyngeal Airway	Size 2	Intersurgical	41
				1140	Oropharyngeal Airway	Size 3	Intersurgical	41
				1141	Oropharyngeal Airway	Size 4	Intersurgical	41
				1142	Oropharyngeal Airway	Size 5	Intersurgical	51
				1242	Tracheostomy mask	Adult	Intersurgical Ecolite	46
				1253	Ventilator Circuit	Adult	Intersurgical	46
				1254	Venturi Oxygen Mask with different oxygen concentration venturi valve	Adult	Ecolite adult venturi mask	46
131	Safe Pharma Karachi	Manufacturer	<p>The inspection team at the time of inspection observed the following,</p> <ol style="list-style-type: none"> 1. Raw material (Atorvastatin and PVP K-30) were present in the quarantine area which were acquired from local source without invoice. The company argued that due to low batch size they are purchasing raw material from local source. This clearly indicates that the firm is not importing raw material through proper channel. 2. Active and Inactive raw material were kept mixed in the raw material store in a hap hazard fashion thereby compromising Good Storage Practices (GSP). 3. There was no designated rejected area instead a cage was place inside the raw material store for rejected material. 4. Organic and inorganic solvents were kept in the same room without temperature control and precautionary measures. 5. Tools inside blistering room were in unhygienic condition. 6. The whole unit was very congested and every section including the QC Lab was having space constraints. The microbiology section was inside the QC Lab. 7. Firm was not having testing method validation for its in-house developed methods. <p>NOT RECOMMENDED</p>	Not Recommended				
132	Saffron Pharma Faisalabad	Manufacturer	<p>Recommended</p> <p>Except for Dry Powder Injctables as Type III glass is used as per the documents attached in the original bid.</p>	39	Diclofenac Sodium	Inj: Diclofenac Sodium 75mg/3ml	Sofac Injection	37
				40	Diclofenac Sodium	Tab: Diclofenac Sodium 50mg	Sofac Tablet	33
				56	Nalbuphine	Inj: Nalbuphine 10mg/ml	Naldol Injection	47
				56	Nalbuphine	Inj: Nalbuphine 20mg/ml	Naldol Injection	47
				156	Terbinafine	Tab: Terbinafine 250mg	Terbisil Tablet	38
				162	Tab: Cetirizine 10mg	Tab: Cetirizine 10mg	Cetrix tablet	43
				163	Syp: Cetirzine 5mg/5ml	Syp: Cetirzine 5mg/5ml	Cetrix Syp	43
				167	Tab: Levocetirizine 5mg	Tab: Levocetirizine 5mg	Xenocit Tablet	38

				166	Syp: Levocetirizine 2.5mg/5ml	Syp: Levocetirizine 2.5mg/5ml	Xenocit Syp	38
				169	Tab: Montelukast 10mg	Tab: Montelukast 10mg	Sokast tablet	43
				170	Tab: Motelukast 5mg	Tab: Motelukast 5mg	Sokast Tablet	43
				175	Inj: Amikacin Sulphate 100mg	Inj: Amikacin Sulphate 100mg	Sefkin Injection	42
				176	Inj: Amikacin Sulphate 250mg	Inj: Amikacin Sulphate 250mg	Sefkin Injection	42
				177	Inj: Amikacin Sulphate 500mg	Inj: Amikacin Sulphate 500mg	Sefkin Injection	42
				200	Tab: Azithromycin 250mg	Tab: Azithromycin 250mg	Azotek Tablet	43
				201	Tab: Azithromycin 500mg	Tab: Azithromycin 500mg	Azotek Tablet	43
				203	Susp: Azithromycin 200mg/5ml	Susp: Azithromycin 200mg/5ml	Azotek Suspension	43
				241	Tab: Ciprofloxacin 250mg	Tab: Ciprofloxacin 250mg	Lucid Tablet	43
				242	Tab: Ciprofloxacin 500mg	Tab: Ciprofloxacin 500mg	Lucid Tabetl	43
				243	Inf: Ciprofloxacin 200mg/100ml	Inf: Ciprofloxacin 200mg/100ml	Lucid Infusion	45

				245	Tab: Clarithromycin 250mg	Tab: Clarithromycin 250mg	Karit Tablet	43
				246	Tab: Clarithromycin 500mg	Tab: Clarithromycin 500mg	Karit Tablet	43
				274	Inf: Levofloxacin 500mg/100ml	Inf: Levofloxacin 500mg/100ml	Locus Infusion	40
				275	Tab: Levofloxacin 250mg	Tab: Levofloxacin 250mg	Locus Tablet	38
				276	Tab: Levofloxacin 500mg	Tab: Levofloxacin 500mg	Locus Tablet	38
				285	Tab: Moxifloxacin 400mg	Tab: Moxifloxacin 400mg	Microcid Tablet	43
				380	Tab: Iron Hydroxide poly maltose complex 100mg	Tab: Iron Hydroxide poly maltose complex 100mg	Acefer-F tablet	43
				381	Tab: Iron Hydroxide poly maltose complex 100mg	Tab: Iron Hydroxide poly maltose complex 100mg	Acefer Syrup	43
				385	Inj: Mecobalmine 500mcg	Inj: Mecobalmine 500mcg	Bezel Injection	47
				408	Tab: Amlodipine Besylate 5mg	Tab: Amlodipine Besylate 5mg	Hypotin tablet	43
				409	Tab: Amlodipine Besylate 10mg	Tab: Amlodipine Besylate 10mg	Hypotin tablet	43
				410	Tab: Amlodipine+Valsartan 5mg+80 mg	Tab: Amlodipine+Valsartan 5mg+80 mg	Presto tablet	33

				411	Tab: Amlodipine+Valsartan 5mg+160 mg	Tab: Amlodipine+Valsartan 5mg+160 mg	Presto tablet	33
				412	Tab: Amlodipine+Valsartan 10mg+160 mg	Tab: Amlodipine+Valsartan 10mg+160 mg	Presto tablet	33
				415	Tab: Bisoprolol 2.5mg	Tab: Bisoprolol 2.5mg	Safcor Tablet	43
				416	Tab: Bisoprolol 5mg	Tab: Bisoprolol 5mg	Safcor Tablet	43
				417	Tab: Bisoprolol 10mg	Tab: Bisoprolol 10mg	Safcor Tablet	43
				427	Tab: clopidogrel 75mg	Tab: clopidogrel 75mg	Plagril Tablet	33
				456	Tab: Losartan+ Hydrochlorothiazide 50mg+12.5mg	Tab: Losartan+ Hydrochlorothiazide 50mg+12.5mg	Sar-K Plus Tablet	43
				458	Tab: Losartan Potassium 50mg	Tab: Losartan Potassium 50mg	Sar-K Tablet	43
				477	Tab: Rosuvastatin 10mg	Tab: Rosuvastatin 10mg	Rostor Tablet	43
				494	Spray Fluticasone 50mcg	Spray Fluticasone 50mcg	Ticovate Nasal Spary	33

				510	Tab: Famotidine 40mg	Tab: Famotidine 40mg	Apsin Tablet	43
				520	Cap: Omeprazol 40mg	Cap: Omeprazol 40mg	Noctis Capsule	43
				545	Tab: Glimipride 1mg	Tab: Glimipride 1mg	Safgo Tablet	43
				546	Tab: Glimipride 2mg	Tab: Glimipride 2mg	Safgo Tablet	43
				547	Tab: Glimipride 3mg	Tab: Glimipride 3mg	Safgo Tablet	43
				548	Tab: Glimipride 4mg	Tab: Glimipride 4mg	Safgo Tablet	43
				549	Tab: Glimipride 1mg + Metformin 500mg	Tab: Glimipride 1mg + Metformin 500mg	Safgo-Met Tablet	43
				550	Tab: Glimipride 2mg + Metformin 500mg	Tab: Glimipride 2mg + Metformin 500mg	Safgo-Met Tablet	43
				566	Tab: Misoprostol 200mcg	Tab: Misoprostol 200mcg	Cytotol Tablet	43
				573	Tab: Sitagliptin+ Metformin 50mg/500mg	Tab: Sitagliptin+ Metformin 50mg/500mg	Alosita –Met Tablet	38

				574	Tab: Sitagliptin+ Metformin 50mg/1000mg	Tab: Sitagliptin+ Metformin 50mg/1000mg	Alosita –Met Tablet	38
				578	Tab: Vildagliptin 50mg	Tab: Vildagliptin 50mg	Bygliv Tablet	33
				680	Cap: Tamsulosin HCl 0.4mg	Cap: Tamsulosin HCl 0.4mg	Urivent Capsule	43
				708	Tab: Escitaloprom 10mg	Tab: Escitaloprom 10mg	Joyel Tablet	43
				836	Lotion Betamethasone 0.05%	Lotion Betamethasone 0.05%	Provate Lotion	48
				838	Cream: Betamethasone Dipropionate + Gentamycin 0.05%+ 0.1%	Cream: Betamethasone Dipropionate + Gentamycin 0.05%+ 0.1%	Provate-G Cream	38
				839	Ointment: Betamethasone Dipropionate + Gentamycin 0.05%+ 0.1%	Ointment: Betamethasone Dipropionate + Gentamycin 0.05%+ 0.1%	Provate-G Ointment	38
				848	Cream: Fusidic Acid 2%	Cream: Fusidic Acid 2%	Fucort Cream	48
				849	Ointment: Fusidic Acid 2%	Ointment: Fusidic Acid 2%	Fucort Ointment	48
				863	Cream : Premethrin 5% w/w	Cream : Premethrin 5% w/w	Mitonal Cream	33
				864	Lotion : Premethrin	Lotion : Premethrin	Mitonal Lotion	33

				872	Cream: Terbinifine 1%	Cream: Terbinifine 1%	Terbisil Cream	38
				873	Lotion : Terbinifine	Lotion : Terbinifine	Terbisil Lotion	38
				892	Inj: Cholecalciferol (Vit:D3) 200000 IU 1ml	Inj: Cholecalciferol (Vit:D3) 200000 IU 1ml	Doplet -3 Inj	33
				736	Cap: Pregablin 75mg	Cap: Pregablin 75mg	Higab 75mg capsule	43
133	Sami Pharma Karachi	Manufacturer	Recommended	7	Nitazoxanide	500mg Tablets	IZATO	55
				8	Nitazoxanide	100mg/5ml Suspension	IZATO	55
				34	Aceclofenac	100mg Tablets	ALKERIS	54
				56	Nalbuphine HCl	20mg Injection	KINZ	62
				61	Paracetamol	300mg Injection	PROVAS	57
				89	Filgrastim	300mcg Injection	NEOFIL	48
				157	Betahistine Dihydrochloride	8mg Tablets	ENIER	54
				158	Betahistine Dihydrochloride	16mg Tablets	ENIER	54
				164	Levocetirizine	2.5mg/5ml Syrup	NEO-SEDIL	54
				165	Levocetirizine	5mg Tablets	NEO-SEDIL	54
				168	Montelukast	5mg Chewable Tablets	MONTIKA	54

				169	Montelukast	4mg Sachets	MONTIKA	54
				171	Amikacin Sulphate	25mg Injection	GRASIL	57
				172	Amikacin Sulphate	50mg Injection	GRASIL	57
				174	Amikacin Sulphate	250mg Injection	GRASIL	57
				200	Azithromycin	500mg Injection	AZITMA	54
				248	Clarithromycin	500mg Lyophilized Injection	RITHMO	54
				300	Rifaximin	550mg Tablets	NIXAF	53
				317	Dihydroartemisinin + Piperaquin	40 mg+320 mg Sachets	TIMEQUIN	55
				318	Dihydroartemisinin + Piperaquin	15 mg+120 mgCapsules	TIMEQUIN	55
				361	Erythropoietin	2000 IU Injection	ROPO	57
				362	Erythropoietin	4000 IU Injection	ROPO	57
				363	Erythropoietin	10000 IU Injection	ROPO	57
				413	Bisoprolol Fumarate	2.5mg Tablets	ACTIM	57
				414	Bisoprolol Fumarate	5mg Tablets	ACTIM	57
				415	Bisoprolol Fumarate	10mg Tablets	ACTIM	57
				521	Phloroglucinol + Trimethylphloroglucinol	80mg/80mg Tablets	ORGLU	47
				537	Empagliflozin	Tablets 10mg	EMPOLI	52
				538	Empagliflozin	Tablets 25mg	EMPOLI	52
				732	Pregabalin	50mg Capsules	PREGY	52
				733	Pregabalin	75mg Capsules	PREGY	52
				734	Pregabalin	150mg Capsules	PREGY	52

134	Sanofi (Manufacturer) Karachi	Manufacturer	Recommended Except for Claforan Injections due to use of USP-Type III glass vial.	2	METRONIDAZOLE 400 mg tab	Tablet 400 mg	Flagyl	52
				3	METRONIDAZOLE 200mg/5 ml	Suspension 200mg per 5mL 120 mL Bottle	Flagyl	52
				4	METRONIDAZOLE 500mg/100ml	Infusion 500mg per 100ml Bottle	Flagyl	50
				223	CEFPODOXIME 100mg tab	Tablet 100 mg	Orelox	30
				224	CEFPODOXIME 50ml	Orelox Suspension 50 mL Bottle	Orelox	30
				543	GLIBENCLAMIDE 5mg tab	Tablet 5 mg	Daonil	49
				632	POLYGELINE infusion 500ml	Infusion 500 mL 3.5%	Haemaccel	54
				508	DROTAVERINE 40mg tab	Tablet 40mg	No-Spa	47
				476	RAMIPRIL 5mg tab	Tablet 5 mg	Tritace	46
135	Sanofi (Importer) Karachi	Importer	Recommended	360	ENOXAPARIN SODIUM 40mg	Injection 40 mg	Clexane	55
				361	ENOXAPARIN SODIUM 60mg	Clexane Injection 60 mg	Clexane	55
				362	ENOXAPARIN SODIUM 80 mg	Clexane Injection 80 mg	Clexane	55
				509	DROTAVERINE 40mg /2ml	Injection 40mg per 2ml 25's	No-Spa	43
				427	CLOPIDOGREL 75mg tab	Tablet 75 mg	Plavix	42
				558	Glargine 100 un/ml, 10 ml inj	Inj 10ml	Lantus	42
				498	Bacillus Clausii	susp 10s	Enterogermina	48
136	Sante Pharma Karachi	Manufacturer	Recommended	66	Tizanidine	Tab. 4mg	Zantid	33
				154	Terbinafine	Tab. 250mg	Terbisan Forte	43
				198	Azithromycin	Cap. 250 mg	Zithrosan	43
				199	Azithromycin	Tab. 500 mg	Zithrosan	43
				243	Clarithromycin	Tab. 250 mg	Claraze	43
				244	Clarithromycin	Tab. 500 mg	Claraze	43
				283	Moxifloxacin	Tab. 400 mg	Santomox	47
				801	Chloramphenicol	Eye Drops 0.5 % w/v, 10ml	Santochlor	43

				807	Dorzolamide + Timolol	Eye Drops 2 + 0.5% , 5ml	Co-Dorzal	45
				814	Moxifloxacin	0.5% w/v Eye Drops, 5ml	Megamox	43
				825	Timolol Maleate	0.5% w/v Eye Drops, 5ml	Betalol Solution	43
				827	Tobramycin + Dexamethasone	Eye Drops 0.3% + 0.1% w/v , 5ml	Santodex Sterile n	43
				845	Fusidic acid 2% Cream	Cream 2% , 15gm	Fusac	47
				869	Terbinafine	Cream 1% , 10gm	Terbisan	47
137	Syah Impex Karachi	Importer	<p>Changzhou Tongda Medical Appliances China. All mandatory embassy attested documents (Agency agreement, cGMP / Quality Assurance certificate, Free Sale certificate / CoPP, DRAP Registration) as per the SBDs were checked and verified in original at the time of inspection, for the quoted items of the above-mentioned principal manufacturer.</p> <p>Jiangxi Sanxin Meditech Co. Ltd China. None of the original Mandatory Embassy attested documents were presented to the inspection team.</p> <p>Shanghai Motex Healthcare China. All mandatory embassy attested documents (Agency agreement, cGMP / Quality Assurance certificate, Free Sale certificate / CoPP, DRAP Registration) as per the SBDs were checked and verified in original at the time of inspection, for the quoted items of the above-mentioned principal manufacturer.</p> <p>Changzhou Yuekang Medical Appliances China. The quoted item (Urine Bag) is not registered with DRAP.</p> <p>RECOMMENDED only for quoted items of Changzhou Tongda Medical Appliances China and Shangha Motex Healthcare China.</p>	992	Disposable Auto Disable Syringe	3ml	SHIFA	51
				993	Disposable Auto Disable Syringe	5ml	SHIFA	51
				995	Disposable Insulin Syringe 1ml (30G)	1ml	SHIFA	51
				996	Disposable Syringe Ordinary 1ml	1ml	SHIFA	51
				997	Disposable Syringe Ordinary 10ml	10ml	SHIFA	51
				998	Disposable Syringe Ordinary 20ml	20ml	SHIFA	51
				999	Disable Syringe Ordinary 50ml	50ml	SHIFA	51
				1088	I/V fluid administration set with additional "Y" injection port	Sterile, minimum 150cm length tubing, latex, and pyrogen free, blister pack	SHIFA	51
				1087	I/V fluid administration sets Basic Blister	sterile and pyrogen free, minimum 150cm tube length, blister pack	SHIFA	51
				1001	Disposable Syringe Ordinary with nozzle for feeding 60ml	60ml	SHIFA	48
				1097	Infusion Chamber (Burette Type) Sterile Disposable		SHIFA	22
				1022	Disposable Sterile Latex Gloves (Powder Free)	6.5, 7.0, 7.5, 8.0, 8.5	SHIFA	51
				1023	Disposable Sterile Latex Gloves (Powdered)	6.5, 7.0, 7.5, 8.0, 8.5	SHIFA	51

138	The Schazoo Lahore	Manufacturer	<p>The inspection team at the time of inspection observed that;</p> <ol style="list-style-type: none"> 1. HVAC in the entire production facility (including RMS, Production, FGS) was out of order at the time of inspection, while the production was in process with full capacity. 2. Poor environmental control and hygiene was observed during inspection in the whole production facility as the employees were sweating and production was in process. 3. Non adherence to the cGMP and quality assurance practices were observed as the temperature was higher than the upper limit allowed as per SOPs of the firm, and required under the GMP, in different areas of production as follows; RMS= 34 °C Tablet coating area= 34 °C In-process Quarantine of Tablet = 34 °C Syrup mixing area= 34 °C 4. Compromised GSP was observed in the RMS. 5. Poor environmental control were observed as Rain water was pouring out from the roof in the plant. 6. No in process SOPs for the tablet tooling (punches etc) was available. <p>Not Recommended</p>	Not Recommended				
139	Scilife Pharma Karachi	Manufacturer	Recommended	410	Amlodipine + Vaslsartan	Tablet 10 MG/160 MG	Amstan	51
				409	Amlodipine + Vaslsartan	Tablet 5 MG/ 160 MG	Amstan	51
				408	Amlodipine + Vaslsartan	Tablet 5 MG/ 80 MG	Amstan	51
				167	Monteukast	Tablet 10 MG	Asthiven Tablet	55
				715	Budesonide + Formoterol Fumarate	Rotacaps 200+6 MG	B-Form	50
				481	Valsartan + Hydrochlorothiazide	Tablet 80 MG/12.5 MG	Co-Valid	51
				571	Sitagliptin + Metformin	Tablet 50 MG / 1000 MG	Glusimet Tablet	50
				570	Sitagliptin + Metformin	Tablet 50 MG / 500 MG	Glusimet Tablet	50
				475	Rosuvastatin	Tablet 10 MG	Kestore Tablet	45
				456	Losartan Potassium	Tablet 50 MG	Losmart Tablet	55

				454	Losartan Potassium + HCT	Tablet 50 MG / 12.5 MG	Losmart-H Tablet	50
				407	Amlodipine	Tablet 10 MG	M-Low Tablet	50
				406	Amlodipine	Tablet 5 MG	M-Low Tablet	50
				426	Clopidogrel	Tablet 75 MG	Morplat	50
				40	Diclofenac Sodium	Tablet 50 MG	Panslay Tablet	55
				537	Empagliflozin	Tablet 10 MG	Sciampa Tablet	50
				538	Empagliflozin	Tablet 25 MG	Sciampa Tablet	50
				283	Moxifloxacin	Tablet 400 MG	Scimox Tablet	55
				732	Pregabalin	Tablet 50 MG	Scirica Capsules	55
				733	Pregabalin	Tablet 75 MG	Scirica Capsules	55
				453	Lisinopril	Tablet 10 MG	Trupril Tablet	55
				452	Lisinopril	Tablet 5 MG	Trupril Tablet	55
				198	Azithromycin	Tablet 250 MG	Trezo Tablet	55
				199	Azithromycin	Tablet 500 MG	Trezo Tablet	55
				480	Valsartan	Tablet 80 MG	Valid Tablet	50

140	Searle IV Solutions Lahore	Manufacturer	<p>The inspection team at the time of inspection observed that,</p> <p>1. The whole plant/facility was under construction/renovation and there was no production carried out at the time of inspection.</p> <p>Not Recommended</p>	Not Recommended				
141	Shaigan Pharma Rawalpindi	Manufacturer	Recommended					
				50	Meloxicam	Tab 15 mg	Mits	51
				51	Meloxicam	Tab 7.5 mg	Mits	51
				64	Paracetamol + Orphenadrine	Tab 450 mg/35 mg	Acetofen	51
				175	Amikacin Sulphate	Inj. 500 mg	Glykin	51
				213	Cefixime	Cap 400 mg	Ruwin	51
				214	Cefixime	Dry Susp. 100 mg/5ml	Ruwin	51
				215	Cefixime	Dry Susp. 200 mg/5ml	Ruwin	51
				273	Levofloxacin	250 mg	Bexus	51
				274	Levofloxacin	500 mg	Bexus	51
				283	Moxifloxacin	Tab 400 mg	Mionex	51
				408	Amlodipine + Valsartan	Tab. 5mg/80 mg	Diasar	51
				409	Amlodipine + Valsartan	Tab. 5mg/160 mg	Diasar	51
				382	Iron Sucrose	20 mg/ml 5ml	Irose	51
				410	Amlodipine + Valsartan	Tab. 10 mg/160 mg	Diasar	51
				398	Warfarin Sodium	Tab 5mg	Warfin	56

				507	Famotidine	40 mg	Famot	51
				532	Clomiphene Citrate	Tab. 50 mg	Fertab	51
				570	Sitagliptin + Metformin	Tab 50mg /1000 mg	Admit	51
				571	Sitagliptin + Metformin	Tab 50 mg/500 mg	Admit	51
				543	Glimepiride	2mg	Dilgem-2	51
				733	Pregabalin	Cap 75mg	Pegalin	51
				807	Dorzolamide + Timolol	Eye drops 2 + 0.5% 5ml	Tilomide	47
				814	Moxifloxacin	Eye Drops 0.5% w/v 5ml	Mionex	47
				827	Tobramycin + Dexamethasone	Eye Drops 0.3% + 0.1% w/v 5ml	Mydex	47
				845	Fusidic acid	2% 15g	Fudic	51
				846	Fusidic acid	2% 15g	Fudic	51
				860	Permethrin	Cream 5% w/w 30g	Skab	47
				861	Permethrin	Lotion 60ml	Skab	47
				225	Ceftazidime	Inj. 1gm/Vial	Ceftiz	51
				227	Ceftriaxone	Inj. 1gm/Vial	Celtis	41
				212	Cefepime	Inj. 1 gm/vial	Cepime	51
				216	Cefoperazone + Sulbactam	Inj. 1gm/Vial	Deezone Plus	51
				217	Cefoperazone + Sulbactam	Inj. 2 gm/Vial	Deezone Plus	51
				220	Cefotaxime Sodium	Inj. 1gm/Vial	Cliver	51
				516	Omeprazole	Inj. 40 mg / Vial	Vyber	51

142	Shrooq Pharma Lahore	Manufacturer	Recommended					
				6	Metronidazole	0.75%, Gel. 75mg	METICAL-V	17
				34	Acceclofenac	Tab. 100mg	CLOF	17
				46	Ketorolac	Inj. 30mg	KEROOQ	27
				50	Meloxicam	Tab. 15mg	LOXIRAX	27
				51	Meloxicam	Tab. 7.5mg	LOXIRAX	27
				66	Tizanidine	Tab. 4mg	TIZAX	27
				67	Tramadol	Inj. 100mg/2ml	TRAMAROOQ	27
				92	Leflunomide	Tab. 20mg	LEFLINE	17
				118	Deferasirox	Tab. 250mg	EFESIR	27
				121	Deferasirox	Tab. 500mg	EFESIR	27
				144	Fluconazole	Cap. 150mg	COZIL	27
				148	Itraconazole	Cap. 100mg	TRIZOX	17
				149	Miconazole	Cream. 2%, 20gm	ALBIMIN	10
				154	Terbinafine	Tab. 250mg	TERMI	27
				167	Montelukast	Tab. 10mg	AEROMAX	27
				169	Montelukast	Sachet. 4mg	AIRVENT	27

				198	Azithromycin	Cap. 250mg	CINZIT	27
				199	Azithromycin	Cap. 500mg	CINZIT	27
				211	Cefepime	Inj. 500mg	FEPIZEN	17
				212	Cefepime	Inj. 1gm	FEPIZEN	17
				216	Cefoperazone+Sulbactum	Inj. 1gm	RAZOBACT	27
				217	Cefoperazone+Sulbactum	Inj. 2gm	RAZOBACT	27
				221	Cefpodoxime	Cap. 100mg	CEFPORITE	27
				222	Cefpodoxime	Susp. 40mg/5ml, 50ml	CEFPORITE	27
				230	Cefuroxime	Tab. 250mg	DAYCEF	27
				231	Cefuroxime	Susp. 125mg/5ml,	DAYCEF	27
				239	Ciprofloxacin	Tab. 250mg	M.CIP	17
				240	Ciprofloxacin	Tab. 500mg	M.CIP	17
				273	Levofloxacin	Tab. 250mg	LEFEXY	27
				274	Levofloxacin	Tab. 500mg	LEFEXY	27
				307	Artemether	inj. 80mg/ml	MAXLUM IM	27
				308	Artemether+ Lumefantrine	Tab. 40mg/240mg	MAXLUM-DS	27
				309	Artemether+ Lumefantrine	Tab. 80mg+480mg	MAXLUM FORTE	27

				310	Artemether+ Lumefantrine	Susp. 15+90mg, 60ml	MAXLUM	27
				350	Tenofovir	Tab. 300mg	TENOXIL	17
				378	Iron Hydroxide polymaltose comp 100mg and Folic acid 0.75mg	Tab. 100mg	NOVARISE	17
				382	Iron Susrose	Inj. 20mg/ml, 5ml	ZELZO LV	27
				383	Mecobalamin	Inj. 500mcg	HIREX (IM/ IV)	27
				407	Amlodipine	Tab. 10mg	S-DIP	17
				503	Domperidone	Tab. 10mg	DOME-ONE	27
				504	Domperidone	Susp. 5mg/5ml, 120ml	DOME-ONE	27
				507	Famotidine	Tab. 40mg	FOMEN	27
				510	Itopride HCL	Cap. 150mg	ITOTEC SR	27
				517	Omeprazole	Cap. 40mg	MEPCID	17
				518	Ondansetron	Tab. 8mg	DANTRON	27
				519	Ondansetron	Inj. 8mg/4ml	DANTRON	27
				529	Zinc Sulphate	Tab. 20mg	ZINMOR	17
				546	Metformin HCL+ Glimepiride	Tab. 1mg+500mg	METME	17
				547	Metformin HCL+ Glimepiride	Tab. 2mg+500mg	METME PLUS	17

				563	Misoprostol	Tab. 200mcg	MISOTIN	27
				570	Sitagliptin+ Metformin	Tab. 50mg+500mg	MELIPT	17
				571	Sitagliptin+ Metformin	Tab. 50mg+1000mg	MELIPT	17
				665	Febuxostat	Tab. 40mg	FABINEX	27
				666	Febuxostat	Tab. 80mg	FABINEX	27
				669	Ibandronic Acid	Tab. 150mg	BONFAC	27
				677	Tamsulosin HCL	Cap. 0.4mg	TOPZIN	17
				699	Duloxetine	Cap. 30mg	YENTREVE	17
				700	Duloxetine	Cap. 60mg	YENTREVE	17
				705	Escitalopram	Tab. 10mg	CITALAX 10	27
				706	Fluoxetine	Cap. 20mg	TEXLOF	27
				715	Levetiracetam	Tab. 250mg	LEVTRAL	27
				716	Levetiracetam	Tab. 500mg	LEVTRAL	27
				721	Olanzapine	Tab. 5mg	OLPIN	27
				722	Olanzapine	Tab. 10mg	OLPIN	27

				733	Pregabalin	Cap. 75mg	Gabmark	27
				734	Pregabalin	Cap. 150mg	Gabmark	27
				739	Quetiapine	Tab. 100mg	QUTIRATE	27
				740	Risperidone	Tab. 2mg	RISMAL	17
				741	Risperidone	Tab. 4mg	RISMAL	17
				743	Sertraline	Tab. 100mg	SERGEX	17
				745	Topiramate	Tab. 50mg	AMTEC	27
				750	Venlafaxin HCL	Cap. 75mg	XINFAX XR	17
143	Silver Surgical Complex Karachi	Manufacturer	Recommended except for 1093, 1094 which are disqualified in DTL testing, while item No. 993 is not recommended by End Users / Consultants / MCC experts.	1091	I/V Cannula (Sterile having wings + injection port in sterilized blister packing. The Cannula should be radio- opaque, as well as latex, pyrogen, and PVC free)	18G	GREEN IV Cannula with Wing Injection Port cap. Guage 18	55
				1092	I/V Cannula (Sterile having wings + injection port in sterilized blister packing. The Cannula should be radio- opaque, as well as latex, pyrogen, and PVC free)	20G	GREEN IV Cannula with Wing Injection Port cap. Guage 20	55

144	Sindh Medical Stores Karachi	Importer	Recommended except for item quoted at No. 1349 due to non provision	995	Diposable Insulin Syringe ordinary sterile 1ml (30G x 5/16")	1ml (30G x 5/16")	Disposable Insulin Syringe 1ml	58
				997	Diposable Syringe ordinary (Blister Packing) sterile 10ml (22 G x 1 /1/4")	10ml (22 G x 1 /1/4")	Yushou	58
				998	Diposable Syringe ordinary (Blister Packing) sterile 20ml (21G x 1 1/2")	20ml (21G x 1 1/2")	Yushou	58
				997	Diposable Syringe ordinary (Blister Packing) sterile 50ml (21G x 1 1/2")	50ml (21G x 1 1/2")	Yushou	58
				1271	Cat Gut Chromic 4/0, 20mm 1/2 circle Round Body needle 75 cm	4/0, 20mm	DemeGUT	58
				1272	Cat Gut Chromic 3/0, 20mm 1/2 circle Round Body needle 75 cm	3/0, 20mm	DemeGUT	58
				1273	Cat Gut Chromic 2/0, 30mm 1/2 Circle Round Body 75cm	2/0, 30mm	DemeGUT	58
				1275	Cat Gut Chromic 0, 40mm 1/2 circle Round Body needle 75 cm	0, 40mm	DemeGUT	58
				1277	Cat Gut chromic 1, 40mm 1/2 Circle Round Body 75cm	1, 40mm	DemeGUT	58
				1279	Cat Gut Chromic 2, 40mm 1/2 Circle Round Body 75cm	2, 40mm	DemeGUT	58
				1288	Silk 1, 40 mm 1/2 circle Round Body Needle 75 cm	1, 30mm	DemeSILK	58
				1289	Silk 1, 30 mm 1/2 circle Round Body Needle 75 cm	1, 40mm	DemeSILK	58
				1291	Silk 2, 40 mm 1/2 circle Round Body Needle 75 cm	2, 40mm	DemeSILK	58

				1318	PolyGlycolic Acid 4/0, 17mm, 1/2 circle Round Body 75 cm	4/0, 17mm	DemeSORB	58
				1321	PolyGlycolic Acid 2/0, 25mm, 1/2 circle Round Body 75 cm	2/0, 25mm	DemeSORB	58
				1322	PolyGlycolic Acid 2/0, 30mm, 1/2 circle Round Body 75 cm	2/0, 30mm	DemeSORB	58
				1323	PolyGlycolic Acid 0, 40mm, , 1/2 circle Round Body 75 cm	0, 40mm,	DemeSORB	58
				1325	PolyGlycolic Acid 1, 40mm, , 1/2 circle Round Body 75 cm	1, 40mm,	DemeSORB	58
				1326	PolyGlycolic Acid 2, 40mm ,1/2 circle Round Body 75 cm	2, 40mm	DemeSORB	58
				1337	Polypropylene 5/0, 13mm 1/2 circle Round Body double needle 75cm	5/0, 13mm	DemeLENE	58
				1348	Polypropylene 2/0, 30mm 1/2 circle Round Body 75cm	2/0, 30mm	DemeLENE	58
				1350	Polypropylene 2/0, 60mm Straight curved cutting 75 cm	2/0, 60mm	DemeLENE	58
				1351	Polypropylene 0, 40mm 1/2 Circle Round Body 75 cm	0, 40mm	DemeLENE	58
				1352	Polypropylene 1, 40mm 1/2 Circle Round Body 75 cm	1, 40mm	DemeLENE	58
				581	BCG Vaccine	1's Vial (1ml) (20 Doses)	Nil	43
				593	Pentavalent Vaccine (DTP+Hep B + Hib)	Single Dose Vial 0.5ml	Nil	43
				599	Purified Vero Cell Rabies Vaccine (PVRV)	1ml Vial	RABIVAX-S	43

145	Stallion Pharma Lahore	Manufacturer	Recommended					
				178	Amoxicillin	Cap 250mg	Stamox	47
				179	Amoxicillin	Cap 500mg	Stamox	47
				180	Amoxicillin	Suspension 125mg/5ml (60ml)	Stamox	47
				181	Amoxicillin	Suspension 125mg/5ml (90ml)	Stamox	47
				182	Amoxicillin	Inj 500mg	Stamox	47
				183	Amoxicillin	Suspension 250mg/5ml (60ml)	Stamox	47
				184	Amoxicillin	Suspension 250mg/5ml (90ml)	Stamox	47
				188	Amoxicillin + Clavulanic Acid	Suspension 125mg + 31.5mg/5ml (90ml)	Stamentin	47
				190	Amoxicillin + Clavulanic Acid	Suspension 250mg + 62.5mg/5ml (90ml)	Stamentin	47
				191	Amoxicillin + Clavulanic Acid	Inj 600mg	Stamentin	52
				192	Amoxicillin + Clavulanic Acid	Inj 1.2g	Stamentin	52
				194	Ampicillin	Inj 500mg	Ampistal	47
				196	Ampicillin + cloxacillin	Cap 250mg+ 250mg	Staclox	45
				198	Ampicillin + cloxacillin	Inj 250mg+ 250mg	Staclox	45
				199	Ampicillin + cloxacillin	Cap 125mg+ 125mg	Staclox	45
				266	Flucloxacillin + Amoxicillin	Cap 250mg+ 250mg	Flustal	48
				271	Imipenem + Cilastatin	Inj 500mg	Primaxin	53
				282	Meropenem	Inj 500mg	Merostin	53
				283	Meropenem	Inj 1000mg	Merostin	53
				289	Piperacillin + Tazobactam	Inj 2.25g	Talzon	53
				290	Piperacillin + Tazobactam	Inj 4.5g	Talzon	53

146	Stanco's Pvt Ltd Shiekhupura	Manufacturer	Recommended	877	Hand sanitizer Iso-Propyl Alcohol Based (As per WHO Recommendations)(DRAP/PSQCA Registered)	1000ml	PRO-PNOL	30
				878	Hand sanitizer Ethyl Alcohol Based (As per WHO Recommendations)(DRAP/PSQCA Registered)	1000ml	PRO-ENOL	30
147	Stanley Pharma Peshawar	Manufacturer	Recommended	2	Metronidazole	Tab. 400mg	Riam	54
				3	Metronidazole	Susp.200mg /5ml, 90ml	Riam	52
				44	Ibuprofen	Susp.200mg /5ml, 90ml	Fenbro 8 Plus	56
				45	Ibuprofen	Susp.200mg /5ml, 120ml	Fenbro	59
				47	Mefenamic Acid	Tab. 250mg	Kamic	52
				48	Mefenamic Acid	Tab.500mg	Kamic forte	54
				57	Paracetamol	Oral Drops80mg / 0.8ml, 30ml	Pedrol Drops	56
				59	Paracetamol	Susp. 120mg /5ml ,120 ml	Pedrol	54
				60	Paracetamol	Susp. 250mg /5ml ,90 ml	Pedrol Fort	54
				64	Paracetamol + Orphenadrine	Tab. 450mg+35mg	Rid-all	54
				68	Albendazol	Tab. 200mg	Bendazol	51

				69	Albendazol	Susp. 200mg /5ml,10 ml	Bendazol	54
				166	Loratadine	Tab.10mg	Lorid	54
				239	Ciprofloxacine	Tab.250mg	Rozid	52
				240	Ciprofloxacine	Tab.500mg	Rozid	54
				260	Doxycycline	Cap.100mg	Ridox	54
				375	Ferrous Sulphate	Syp. 100mg /5ml,120 ml	F.S	54
				497	Aluminium Hydroxide + Magnesium Hydroxide + Simethicone	Susp. 215mg / 5ml+ 80mg / 5ml + 25mg/ 5ml, 120 ml	Manacid	59
				500	Dimenhydrinate	Syp.12.5mg /4ml,60 ml	Dymin	52
				502	Dimenhydrinate	Tab.50mg	Dymin	54
				503	Domperidon	Tab.10mg	Domtek	52
				504	Domperidon	Syp. 5mg/ 5ml, 120 ml	Domtek	54
				532	Cloniphen citrate	Tab. 50mg	Hex	54
				766	Acefylline	Syp.125mg /5ml ,120 ml	Brophyll	54
				777	Aminophylline+ Diphenhydramine +Amonium Chloride	Syp. 32mg + 8mg + 30mg /5ml 120 ml	Broxol	54

148	Sudais Associates Peshawar	Importer	<p>The inspection team at the time of inspection observed that</p> <p><input type="checkbox"/> Dr. Japan Co Limited (Spinal Needle):</p> <p><input type="checkbox"/> Valid full quality assurance duly attested from embassy concerned was present at the time of inspection.</p> <p><input type="checkbox"/> Valid free sale certificate duly attested from embassy concerned was present at the time of inspection.</p> <p><input type="checkbox"/> Wellex Egypt:</p> <p><input type="checkbox"/> EC/Full quality assurance certificate and free sale certificate duly attested from embassy concerned were not present in original at the time of inspection. Moreover, the quoted items of the said principal are not registered with DRAP.</p> <p><input type="checkbox"/> Ameco Tech. Egypt.</p> <p><input type="checkbox"/> EC/Full quality assurance certificate and free sale certificate duly attested from embassy concerned were not present in original at the time of inspection. Moreover, the quoted items of the said principal are not registered with DRAP.</p> <p><input type="checkbox"/> Jiangsu Ostup Medical Products Co., China:</p> <p><input type="checkbox"/> EC/Full quality assurance certificate and free sale certificate duly attested from embassy concerned were not present in original at the time of inspection.</p> <p>Recommended for awarding the specified marks for the items mentioned in the scrutiny proforma for physical evaluation of Dr. Japan Co Ltd only (Spinal Needle) only.</p>	1012	Disposable Sterile Spinal Needle	18 G	Dr. J	51
				1013	Disposable Sterile Spinal Needle	19 G	Dr. J	46
				1014	Disposable Sterile Spinal Needle	20 G	Dr. J	51
				1015	Disposable Sterile Spinal Needle	22 G	Dr. J	51
				1016	Disposable Sterile Spinal Needle	23 G	Dr. J	51
				1017	Disposable Sterile Spinal Needle	25 G	Dr. J	51
				1018	Disposable Sterile Spinal Needle	27 G	Dr. J	51
				149	Surge Laboratories Shiekhupura	Manufacturer	Recommended	4
10	Atracurium	Inj. 25mg / 2.5ml	Efacurium					48
11	Atracurium	Inj. 50mg / 5ml	Efacurium					48
12	Bupivacaine HCL	Inj.50mg/10ml	Nervlok					45
13	Bupivacaine HCL	Inj. 7.5mg/2ml	Nervlok					45
22	Lignocaine HCl	Inj. 200mg/10ml, 2%	Lidoject					45
31	Suxamethonium Chloride	Inj.100mg/2ml	Neuronium					35
39	Diclofenac Sodium	Inj. 75 mg/3 ml	Lisodim					50
46	Ketorolac	Inj. 30mg / ml	Toraject					45
62	Paracetamol	Inf.1gm/100ml	Feveral IV Infusion					26
67	Tramadol HCL	Inj. 100mg / 2ml	Trompol					30
107	Zoledronic Acid Monohydrate	Inf.100ml	Ledronic					10
142	Fluconazole	inf. 100mg/ 50ml	Infuderm					26

				173	Amikacin	Inj. 100mg	Prekacin	45
				174	Amikacin	Inj. 250mg	Prekacin	45
				175	Amikacin	Inj. 500mg	Prekacin	45
				198	Azithromycin	Tab. 250mg	Romycin	26
				199	Azithromycin	Tab.500mg	Romycin	26
				201	Azithromycin	Susp.200mg/ 5ml, 15ml	Romycin	26
				218	Cefotaxime Sodium	Inj.250 mg	Surgitec	41
				219	Cefotaxime Sodium	Inj. 500 mg	Surgitec	41
				220	Cefotaxime Sodium	Inj.1 gm	Surgitec	41
				224	Ceftazidime	Inj.500 mg	Xtrazid	46
				225	Ceftazidime	Inj. 1gm	Xtrazid	46
				226	Ceftriaxone	Inj. 500 mg	Sergifex	41
				227	Ceftriaxone	Inj. 1gm	Sergifex	41
				228	Ceftriaxone	Inj. 2gm	Sergifex	41
				241	Ciprofloxacin	Inf.200mg / 100ml	Bacip	41
				268	Gentamycin Sulphate	Inj. 80mg/2ml	Genxat	41
				272	Levofloxacin	Inf.500 mg / 100 ml	Warior	31
				278	Linezolid	Inf. 200mg / 100ml	Linze	26
				279	Linezolid	Inf. 600mg / 300ml	Linze	26
				284	Moxifloxacin	Inf.400mg / 250ml	Adloxin	26
				302	Tigecycline	Inj.50mg	Tigetral	26

				307	Artemether	Inj.80mg/ml	Rotem	45
				311	Artesunate	Inj. 60mg	Artisurge	41
				312	Artesunate	Inj.120mg	Artisurge	41
				382	Iron Sucrose	Inj.100mg / 5ml	Megafer	45
				395	Tranexamic Acid	Inj. 500mg / 5ml	Tranmax	45
				514	Metoclopramide Hydrochloride	Inj. 10mg/2ml	Clotide	35
				519	Ondansetron	Inj. 8mg / 4ml	Nixvom	30
				782	Ipratropium Bromide	Soln. 500mcg/2ml	Ventpro Respules	35
150	The Eastern Trade & distribution Karachi	Importer	Recommended	586	Hepatitis B Immunoglobulin Intravenous (Human)	2 ml	Hepatect (2ml) (Reg. # 14605)	37
				653	Human Albumin 20% Low Salt	50 ml	Human Albumin 20% (Reg. # 8459)	38
				654	Human Albumin 20% Low Salt	100 ml	Human Albumin 20% (Reg. # 8459)	38
				587	IgM Enriched Immunoglobulin Intravenous (Human)	10 ml	Pentaglobin (0.50gm 10ml) (Reg. # 9943)	41
				587	IgM Enriched Immunoglobulin Intravenous (Human)	50 ml	Pentaglobin (2.50gm 50ml) (Reg. # 9943)	41
151	The Searle Company Karachi	Importer	Recommended Except for item No. 1094 which is not fulfilling the required / advertised specifications.	1091	I/V Cannula (Sterile having wings + injection port in sterilized blister packing. The Cannula should be radio-opaque, as well as latex, pyrogen, and PVC free)	18G	Medeco	56
				1092	I/V Cannula (Sterile having wings + injection port in sterilized blister packing. The Cannula should be radio-opaque, as well as latex, pyrogen, and PVC free)	20G	Medeco	56

				1093	I/V Cannula (Sterile having wings + injection port in sterilized blister packing. The Cannula should be radio-opaque, as well as latex, pyrogen, and PVC free)	22G	Medeco	56
				995	Disposable Insulin Syringe Ordinary sterile	30G, 31G 1ml	Medeco	56
				1027	Disposable Non-sterile latex Examination gloves (Powdered)	S,M,L	ProTiex	58
				1022	Disposable Latex Surgical Gloves (Powder-Free)	6.5,7,7.5,8	ProTiex	49
				1023	Disposable Latex Surgical Gloves (Powdered)	6.5,7,7.5,8	ProTiex	58
152	UDL Distribution Karachi	Importer	Recommended Except for item quoted at Formulary No. 1096 (Intra osseous Needle Different Sizes) due to non provision of samples for evaluation by MCC Experts/ End Users / Consultants.	904	Arterial Catheter (Sterile wings having holes, Spring Wire Guide Handle, Black Feed Tube)	20 GA X 1-3/4 (RA-04020)	ARROW ARTERIAL CATHETER 20GA	51
				936	Chest Drainage bottle with tubing		PLUER EVAC CHEST BOTTLE III CHAMBER	48
				958	CVP line (Single Lumen)	Different sizes	ARROW CVP SINGLE LUMEN ADULT	41
				959	CVP Line (Double Lumen)	7FrX20cm	ARROW CVP DOUBLE LUMEN ADULT	52
				960	CVP line (Triple Lumen)	7FrX16cm (CV-12703)	ARROW CVP TRIPLE LUMEN ADULT	52
				960	CVP line (Triple Lumen)	7FrX20cm (CV-15703)	ARROW CVP TRIPLE LUMEN ADULT	52

				961	CVP line (Quad Lumen)	CV-12854 8.5Fr X 16cm	ARROW CVP QUARD LUMEN ADULT	51
				966	Dialysis Catheters (Double Lumen)	16 cmx12F (CV-12122)	ARROW DOUBLE LUMEN CATH	54
				967	Dialysis Catheters (Double Lumen)	20 cmx12Fr (CV-15122)	ARROW DOUBLE LUMEN CATH	53
				1225	Two-Way Foley Catheter (Silicon Coated) 12fr	12Fr	RUSCH GOLD II FOLLEY CATH	49
				1226	Two-Way Foley Catheter (Silicon Coated) 14fr	14Fr	RUSCH GOLD II FOLLEY CATH	49
				1227	Two-Way Foley Catheter (Silicon Coated) 16fr	16Fr	RUSCH GOLD II FOLLEY CATH	49
				1228	Two-Way Foley Catheter (Silicon Coated) 18fr	18Fr	RUSCH GOLD II FOLLEY CATH	49
				1229	Two-Way Foley Catheter (Silicon Coated) 20fr	20Fr	RUSCH GOLD II FOLLEY CATH	49
				1230	Two-Way Foley Catheter (Silicon Coated) 22fr	22Fr	RUSCH GOLD II FOLLEY CATH	49
153	Uniferoz Karachi	Manufacturer	Recommended	894	Adhesive Tapes (Paper)	25mm x 4.5mtr / 1" Box (Pack of 12 Rolls)	Nichipore Surgical Paper Tape	57
				895	Adhesive Tapes (Paper)	50mm x 4.5mtr / 2" Box (Pack of 06 Rolls)	Nichipore Surgical Paper Tape	57
				896	Adhesive Tapes (Paper)	75mm x 4.5mtr / 3" Box (Pack of 04 Rolls)	Nichipore Surgical Paper Tape	57
				897	Adhesive Tapes (Paper)	100mm x 4.5mtr / 4" Box (Pack of 03 Rolls)	Nichipore Surgical Paper Tape	57
				1099	Isopropyl Alcohol 70% Disposable Nonwoven Swabs	(Pack of 200's)	Sani Swab Alcohol Pad	57
				1122	Non Medicated sterilized adhesive post-operative wound dressing	6 x 7 cm	Dermapore Dressing	57

				1123	Non Medicated sterilized adhesive post-operative wound dressing	9 x 10cm	Dermapore Dressing	57
				1124	Non Medicated sterilized adhesive post-operative wound dressing	9 x 15cm	Dermapore Dressing	57
				1125	Non Medicated sterilized adhesive post-operative wound dressing	10 x 20cm	Dermapore Dressin	57
				1126	Non Medicated sterilized adhesive post-operative wound dressing	9 x 25cm	Dermapore Dressing	57
				1128	Non-woven Fabric Surgical Adhesive Fix Roll	10cm x 10m	Dermapore Fix Roll	57
154	Unisa Pharmaceuticals AkoraKhattak	Manufacturer	<p>The inspection team at the time of inspection observed that</p> <ul style="list-style-type: none"> • In quarantine area temperature recorded was 32.5c and 10%RH. Further, temperature log sheet was neither available nor shown to the inspection team. Further the firm failed to provide SOP regarding storage conditions of quarantine area. • HVAC was not functional in RMS. • In built magnehelic gauge of the dispensing booth was not working. • Activities in In process quality control lab were hap hazard and documents available were not verified. Moreover, two burettes were filled with unknown/un-labelled titrants & without valid documented reasons. No PH meter, Polarimeter were available in IPQC. • In finished goods store, no GSP was observed. Temperature recorded was 32.5C and HVAC was not functional. It's worthwhile that the label claim of the items present at the time of inspection was stored at temperature not exceeding 25C. • Overall poor cleanliness and poor temperature control were observed in the production area as HVAC functioning was compromised. The firm was asked about the cleaning and HVAC validation documents. But the firm failed to provide to the inspection team. • GLP was not observed e.g. for infusion paracetamol, innovator specs were used in QC lab and its validation was also not performed. • In microbiology lab, no positive control test was carried out for the samples to check the sterility. • The firm provided technical staff list of the quality assurance department wherein Mr. Hasseb Ul Haq was shown as Quality Assurance in charge. Further in this regard, the said person is also engaged as Pharmacist In charge at Aqib Trading Company Akora Khattak District Nowshera (at S.No. 3) • SOP's for RO plant was not shown to the inspection team. Moreover, the firm failed to provide the integrity test being performed for cartridge filter of RO plant. <p>In view thereof, the firm is Not Recommended.</p>	Not Recommended				

155	Unisa Pvt Ltd Akora Khattak	Manufacturer	Recommended Except for item quoted at No. 1087 which is disqualified in DTL testing.	941	Cord Clamp		UNICORD	59
				992	Disposable Syringe AUTO DISABLE (Blister Paking) Sterile	3cc	UNiLOCK	59
				993	Disposable Syringe AUTO DISABLE (Blister Paking) Sterile	5cc	UNiLOCK	62
				997	Disposable Syringe AUTO DISPOSABLE (Blister Paking) Sterile	10cc	UNIJECT	61
				1088	I.V. Fluid administration Set with Extra Injection Port		UNiSET with Y-Port	59
156	Usmanco International Karachi	Importer	Recommended	936	Chest Drainage Bottle with Tubing		BTDS-2001 Thoracic Drainage System	54
				937	Chest Tube (with trocar) Different Size	Sizes: 16Ch, 20Ch, 24Ch, 28Ch & 32Ch	Thoracic Catheter With Trocar, Standard Tip	54
				938	Chest Tube (without trocar) Different Size	Sizes: 16Ch, 20Ch,24Ch, 28Ch, 32Ch & 36Ch	Thoracic Catheter Without Trocar	54
				969	Disposable Endotracheal Tube without cuff 2.5mm	2.5	Endosoft	53
				970	Disposable Endotracheal Tube without cuff 3.0mm	3	Endosoft	53
				971	Disposable Endotracheal Tube without cuff 3.5mm	3.5	Endosoft	53
				972	Disposable Endotracheal Tube without cuff 4.0mm	4	Endosoft	53
				973	Disposable Endotracheal Tube without cuff 5.0mm	5	Endosoft	52

				974	Disposable Endotracheal Tube without cuff 5.5mm	5.5	Endosoft	52
				980	Disposable Endotracheal Tube with cuff 4.0mm	4	Endosoft	53
				981	Disposable Endotracheal Tube with cuff 4.5mm	4.5	Endosoft	53
				982	Disposable Endotracheal Tube with cuff 5.0mm	5	Endosoft	53
				983	Disposable Endotracheal Tube with cuff 5.5mm	5.5	Endosoft	53
				984	Disposable Endotracheal Tube with cuff 6.0mm	6	Endosoft	53
				985	Disposable Endotracheal Tube with cuff 6.5mm	6.5	Endosoft	53
				986	Disposable Endotracheal Tube with cuff 7.0mm	7	Endosoft	53
				987	Disposable Endotracheal Tube with cuff 7.5mm	7.5	Endosoft	53
				988	Disposable Endotracheal Tube with cuff 8.0mm	8	Endosoft	53
				1002	Disposable Sterile Nasogastric Tube 4Fr	4Fr	Feeding Tube (Radiopaque Line DEHP Free)	55

				1003	Disposable Sterile Nasogastric Tube 5Fr	5Fr	Feeding Tube (Radiopaque Line DEHP Free)	55
				1004	Disposable Sterile Nasogastric Tube 6Fr	6Fr	Feeding Tube (Radiopaque Line DEHP Free)	55
				1005	Disposable Sterile Nasogastric Tube 8Fr	8Fr	Feeding Tube (Radiopaque Line DEHP Free)	55
				1006	Disposable Sterile Nasogastric Tube 10Fr	10Fr	Feeding Tube (Radiopaque Line DEHP Free)	55
				1007	Disposable Sterile Nasogastric Tube 12Fr	12Fr	Nasogastric Catheter-Levin (Radiopaque Line & DEHP Free)	55
				1008	Disposable Sterile Nasogastric Tube 14Fr	14Fr	Nasogastric Catheter-Levin (Radiopaque Line & DEHP Free)	55
				1009	Disposable Sterile Nasogastric Tube 16Fr	16Fr	Nasogastric Catheter-Levin (Radiopaque Line & DEHP Free)	55
				1010	Disposable Sterile Nasogastric Tube 18Fr	18Fr	Nasogastric Catheter-Levin (Radiopaque Line & DEHP Free)	55
				1011	Disposable Sterile Nasogastric Tube 20Fr	20Fr	Nasogastric Catheter-Levin (Radiopaque Line & DEHP Free)	55
				1053	Feeding Tube with Stopper Cap 6Fr	6Fr	Feeding Tube (Radiopaque Line DEHP Free)	55
				1054	Feeding Tube with Stopper Cap 8Fr	8Fr	Feeding Tube (Radiopaque Line DEHP Free)	55

				1055	Feeding Tube with Stopper Cap 10Fr	10Fr	Feeding Tube (Radiopaque Line DEHP Free)	55
				1056	Feeding Tube with Stopper Cap 12Fr	12Fr	Feeding Tube (Radiopaque Line DEHP Free)	55
				1057	Feeding Tube with Stopper Cap 14Fr	14Fr	Nasogastric Catheter-Levin (Radiopaque Line & DEHP Free)	54
				1058	Feeding Tube with Stopper Cap 16Fr	16Fr	Nasogastric Catheter-Levin (Radiopaque Line & DEHP Free)	54
				1059	Feeding Tube with Stopper Cap 18Fr	18Fr	Nasogastric Catheter-Levin (Radiopaque Line & DEHP Free)	54
				1060	Feeding Tube with Stopper Cap 20Fr	20Fr	Nasogastric Catheter-Levin (Radiopaque Line & DEHP Free)	54
				1095	IV Flow Regulator	-	B-Flow (Flow Regulator)	54
				1163	Sterile Nelaton Catheter 12Fr	12Fr	Nelaton Catheter	46
				1164	Sterile Nelaton Catheter 14Fr	14Fr	Nelaton Catheter	46
				1165	Sterile Nelaton Catheter 16Fr	16Fr	Nelaton Catheter	46

				1184	Sterile Suction Catheter 6Fr	6Fr	Suction Catheter with Kapkon Connector	54
				1185	Sterile Suction Catheter 8Fr	8Fr	Suction Catheter with Kapkon Connector	54
				1186	Sterile Suction Catheter 10Fr	10Fr	Suction Catheter with Kapkon Connector	54
				1187	Sterile Suction Catheter 12Fr	12Fr	Suction Catheter with Kapkon Connector	54
				1188	Sterile Suction Catheter 14Fr	14Fr	Suction Catheter with Kapkon Connector	54
				1189	Sterile Suction Catheter 16Fr	16Fr	Suction Catheter with Kapkon Connector	54
				1190	Sterile Suction Catheter 18Fr	18Fr	Suction Catheter with Kapkon Connector	54
				1192	Stop Cock 3 way with Extension	-	Threeway Stopcock W/tubing x 10 cm 72 PSI	55
				992	Disposable Auto Disable Syringe (Blister Packing) Sterile 3ml	3ml	Yi Xin	53
				993	Disposable Auto Disable Syringe (Blister Packing) Sterile 5ml	5ml	Yi Xin	54
				996	Disposable Syringe Ordinary (Blister packing) sterile 1ml	1ml	UCI Disposable Syringe	55

				997	Disposable Syringe Ordinary (Blister packing) sterile 10ml	10ml	UCI Disposable Syringe	55
				998	Disposable Syringe Ordinary (Blister packing) sterile 20ml	20ml	UCI Disposable Syringe	55
				999	Disposable Syringe Ordinary (Blister packing) sterile 50ml	50ml	UCI Disposable Syringe	45
				1089	I/V Cannula (Sterile Having Wings + Injection Port in Sterilized Blister Packing The Cannula Should be Radio- Opaque, as well as Latex, Pyrogen and PVC Free) 14G	14G	B-Cat 2 I.V. Cannula	56
				1090	I/V Cannula (Sterile Having Wings + Injection Port in Sterilized Blister Packing The Cannula Should be Radio- Opaque, as well as Latex, Pyrogen and PVC Free) 16G	16G	B-Cat 2 I.V. Cannula	57
				1091	I/V Cannula (Sterile Having Wings + Injection Port in Sterilized Blister Packing The Cannula Should be Radio- Opaque, as well as Latex, Pyrogen and PVC Free) 18G	18G	B-Cat 2 I.V. Cannula	58
				1092	I/V Cannula (Sterile Having Wings + Injection Port in Sterilized Blister Packing The Cannula Should be Radio- Opaque, as well as Latex, Pyrogen and PVC Free) 20G	20G	B-Cat 2 I.V. Cannula	59
				1093	I/V Cannula (Sterile Having Wings + Injection Port in Sterilized Blister Packing The Cannula Should be Radio- Opaque, as well as Latex, Pyrogen and PVC Free) 22G	22G	B-Cat 2 I.V. Cannula	59
				1094	I/V Cannula (Sterile Having Wings + Injection Port in Sterilized Blister Packing The Cannula Should be Radio- Opaque, as well as Latex, Pyrogen and PVC Free) 24G	24G	B-Cat 2 I.V. Cannula	58
157	Vikor Healthcare Hub	Manufacturer	Recommended Except for 1. Items quoted at 1021, 1037, 1038, 1112, 1113 due to non-provision of cGMP certificate issued by DRAP. 2. Item Quoted at No. 1273 which is disqualified in DTL testing.	1271	20mm, 1/2 circle round bodied taper point needle, strand length 70cm	4/0	SURGILINE Surgigut Chromic (CT224)	55
				1272	20mm, 1/2 circle round bodied taper point needle, strand length 70cm	3/0	SURGILINE Surgigut Chromic (CT214)	55
				1274	26mm, 1/2 circle round bodied taper point needle, strand length 70cm	2/0	SURGILINE Surgigut Chromic (CT221)	55
				1275	40mm, 1/2 circle round bodied taper point needle, strand length 70cm	0	SURGILINE Surgigut Chromic (CTH205)	55

				1276	30mm, 1/2 circle round bodied taper point needle, strand length 70cm	0		SURGILINE Surgigut Chromic (CT212)	55
				1277	40mm, 1/2 circle round bodied taper point needle, strand length 70cm	1		SURGILINE Surgigut Chromic (CT205)	55
				1278	30mm, 3/8 circle round bodied taper point needle, strand length 70cm	1		SURGILINE Surgigut Chromic (CT207)	55
				1279	40mm, 1/2 circle round bodied taper point needle, strand length 70cm	2		SURGILINE Surgigut Chromic (CTH201)	55
				1281	30mm, 1/2 circle round bodied taper point needle, Strand length 75cm	3/0		SURGILINE Silk Braided (ST209)	55
				1282	26mm, 1/2 circle round bodied taper point needle, Strand length 75cm	3/0		SURGILINE Silk Braided(ST210)	55
				1283	26mm, 3/8 circle conventional cutting needle, Strand length 45 cm	3/0		SURGILINE Silk Braided (SI301)	55
				1286	26mm, 1/2 circle round bodied taper point needle, Strand length 75cm	2/0		SURGILINE Silk Braided (ST207)	55
				1289	30mm, 1/2 circle round bodied taper point needle, Strand length 75cm	1		SURGILINE Silk Braided(STH202)	55
				1291	40mm, 1/2 circle round bodied taper point needle, Strand length 75cm	2		SURGILINE Silk Braided (STH201)	55
				1339	16mm, 3/8 circle conventional cutting needle, strand length 45cm	4/0		SURGILINE Surgilene (NX308)	55
				1340	26mm, 1/2 circle round bodied taper point double armed needle, strand length 90cm	4/0		SURGILINE Surgilene (NTD206)	55
				1342	26mm, 1/2 circle round bodied taper point double armed needle, strand length 75cm	3/0		Surgilene Surgilene (NTD203)	55
				1343	30mm, 1/2 circle round bodied taper point double armed needle, strand length 90cm	3/0		SURGILINE Surgilene (NTD202)	55
				1344	26mm, 1/2 circle round bodied taper point needle, strand length 75 cm	2/0		SURGILINE Surgilene (NT206)	55
				1345	26mm, 3/8 circle reverse cutting needle, strand length 45cm	2/0		SURGILINE Surgilene (NR302)	55

				1347	26mm, 1/2 circle round bodied taper cut double needle, strand length 75cm	2/0	SURGILINE Surgilene (NCD201)	55
				1348	30mm, 1/2 circle round bodied taper point needle, strand length 75cm	2/0	SURGILINE Surgilene (NT205)	55
				1350	60mm, straight cutting needle, strand length 75cm	2/0	SURGILINE Surgilene (NS002)	55
				1351	40mm, 1/2 circle round bodied taper point needle, Strand length 75cm	0	SURGILINE Surgilene (NT204)	55
				1352	40mm, 1/2 circle round bodied taper point needle, Strand length 75cm	1	SURGILINE Surgilene (NT202)	55
158	Vision Pharma Islamabad	Manufacturer	Recommended	62	Paracetamol	Inf.1000 mg /100ml	Acetamol	45
				284	Moxifloxacin	Inf.400 mg/250ml	Odimox	43
				516	Omeprazole	Inj.40 mg / Vial	Rapid	48
				550	Hydrocortisone	Inj. 100 mg/Vial	Cortizone	48
				551	Hydrocortisone	Inj.250 mg/Vial	Cortizone	48
159	Wilshire Laboratories Lahore	Manufacturer	Recommended	200	Azithromycin	Tab. 250mg	Zeecin	41
				199	Azithromycin	Tab. 500mg	Zeecin	41
				201	Azithromycin	Susp. 200mg/5ml, 15ml	Zeecin	41
				213	Cefixime	Cap. 400mg	Secure	41
				214	Cefixime	Susp. 100mg/5ml	Secure	45

				215	Cefixime	Susp. 200mg/5ml	Secure DS	45
				216	Cefoperazone + Sulbactam	Inj. 1gm	Eleva Plus (I.V) (I.M)	45
				217	Cefoperazone + Sulbactam	Inj. 2gm	Eleva Plus (I.V) (I.M)	45
				226	Ceftriaxone	Inj. 500mg	Triax	45
				227	Ceftriaxone	Inj. 1gm	Triax	45
				241	Ciprofloxacin	Inf. 200mg/100ml	Quash Injection 200mg/100ml	31
				246	Clarithromycin	Susp. 125mg/5ml, 60ml	Ranker	45
				277	Linezolid	Inj. 600mg/300ml	Volinza	41
				283	Moxifloxacin HCl	Tab. 400mg	Palzic	41
				284	Moxifloxacin HCL	Inf. 400mg/250ml	Palzic	41
				303	Vancomycin	Inj. 500mg	Zalpac	45
				304	Vancomycin	Inj. 1gm	Zalpac	45
				395	Tranexamic Acid	Inj.500mg/5ml	Xavene	45
				475	Rosuvastatin	Tab. 10mg	Qazzo	45
				516	Omeprazole	Inj. 40mg	Benzim	45
				519	Ondansetron	Inj.8mg/4ml	Onwil	35
				573	Sitagliptin +Metformin	Tablet 50+500mg	Qosmet	45

160	Wimit Pharma Lahore	Manufacturer	<p>The inspection team at the time of inspection observed that;</p> <p>1. GMP was not compiled as the filling of omeprazole pellets were carried out manually to the loader instead of using a hopper connected to the semi-automatic machine</p> <p>Recommended for the award of specified marks for physical evaluation/inspection in the technical evaluation proforma for the quoted items except Capsule Omeprazole.</p>	22	Lignocaine HCl	2% Injection	Ligwim	41
				40	Diclofenac Sodium enteric coated	50mg Tablet	Painsa	41
				45	Ibuprofen	Suspension (100mg/5ml)	Ibuprofen	41
				47	Ketorolac	Inj 30mg/ml	K-Lac	41
				56	Nalbuphine	10mg Injection	Nal-Bee	46
				67	Tizanidine	4mg Tablet	Xantix	41
				68	Tramadol HCl	50mg Capsule	W-Dol	41
				146	Fluconazole	150mg Capsule	Funol	41
				156	Terbinafine	Tab 250mg	Terfun	41
				162	Cetirizine	Tab 10mg	Cetrido	41
				163	Cetirizine	Syp 5mg/5ml	Cetrido	41
				166	Levocetirizine	Syp 2.5mg/5ml	Zarcet	41
				200	Azithromycin	Tab 250mg	Azotrax	46

				201	Azithromycin	Tab 500mg	Azotrax	46
				241	Ciprofloxacin	Tab 250mg	Solo-Cip	31
				242	Ciprofloxacin	Tab 500mg	Solo-Cip	31
				262	Doxycycline	Cap 100mg	Microdox	41
				275	Levofloxacin	Tab 250mg	Levodor	41
				276	Levofloxacin	Tab 500mg	Levodor	41
				279	Linezolid	Tab 600mg	Diozen	41
				285	Moxifloxacin	Tab 400mg	Moxi'la	46
				381	Iron Hydroxide poly maltose complex	Syp 50mg/5ml	P-Malt	31
				385	Mecobalamin	Inj. 500mcg	Mecowim	41
				392	Rivaroxaban	Tab 10mg	Xaremit	41
				394	Rivaroxaban	Tab 20mg	Xaremit	41
				395	Tranexamic Acid	Cap 500mg	Tranza	41

				397	Tranexamic Acid	Inj 500mg	Tranza	41
				427	Clopidogrel	Tab 75mg	Wascorel	41
				433	Dopamine HCl	Inj 40mg/ml 5ml	Dopa	46
				437	Furosemide	Inj 2ml	Dreetay	41
				477	Rosuvastatin	Tab 10mg	Rosuwin	46
				504	Dimenhydrinate	Inj 50mg	Mavinat	41
				506	Domperidone	Tab 10mg	Donits	41
				507	Domperidone	Susp 1mg/ml	Donits	41
				510	Famotidine	Tab 40mg	Famitol	41
				521	Ondansetron	Tab 8mg	Dysit	46
				522	Ondansetron	Inj 2mg/ml 4ml	Dysit	46
				533	Zinc Sulphate	Syp 20mg/5ml	Zincwin	31
				691	Citicoline	Inj 2ml	Colicit	41

				708	Escitalopram	Tab 10mg	Esitor	41
				718	Levetiracetam	Tab 250mg	Levic	41
				719	Levetiracetam	Tab 500mg	Levic	41
				735	Pregabalin	Cap 50mg	Ebalin	46
				736	Pregabalin	Cap 75mg	Ebalin	46
				737	Pregabalin	Cap 150mg	Ebalin	46
				790	Salbutamol	Syp 2mg/5ml	Ventosal	31
161	Wyeth Pakistan Ltd	Importer	Recommended	594	Pneumococcal Conjugate Vaccine	Inj. 13 PFS	Prevenar	52
162	Zafa Pharma Karachi	Manufacturer	Recommended	421	Captopril	Tablet 25MG	Acetopril	50
				34	Aceclofenac	Tablet 100 MG	Aczofena	50
				306	Amodiaquine base USP	Tablet 150 MG	Amdaquin	36
				305	Amodiaquine base USP	Susp 150 MG/ 5 ML	Amdaquin	36
				175	Amikacin	Injection 500 MG	Amikacin	50
				174	Amikacin	Injection 250 MG	Amikacin	50
				173	Amikacin	Injection 100 MG	Amikacin	50
				468	Nitroglycerin	0.05MG Tablet	Anglingual	50

				308	Artemether +Lumefantrine	Tablet 40/240MG	Arlufa	50
				309	Artemether +Lumefantrine	Tablet 80/480MG	Arlufa	50
				307	Artemether	Injection 80MG/ML	Arteza	50
				784	Ketotifen	Syrup 1MG/5ML	Asthotifen	51
				783	Ketotifen	Tablet 1 MG	Asthotifen	37
				412	Atenolol	Tablet 100 MG	Atenolol	50
				202	Penicillin-G-Benzathine USP	Inj 1.2MU/Vial	Benzibiotic	41
				831	Betamethasone Dipropionate	Ointment 0.5MG	Betadip	50
				832	Betamethasone Dipropionate	Cream 15MG	Betadip	50
				669	Ibandronic Acid Monosodium Monohydrate	Tablet 150MG	Bonzaf	50
				213	Cefixim	Capsule 400MG	Ceforal-3	46
				214	Cefixim	Susp 100MG/5ML	Ceforal-3	50
				235	Cephadrine	Inj+ WFI 1G	Cephgen-1	48
				236	Cephadrine	Inj + WFI 500MG	Cephgen-1	48
				839	Clotrimazole	Cream 1% 10MG	Clotrim	50
				840	Clotrimazole	solution 1% 20ML	Clotrim	50
				874	Chlorhexidine 4%	Gel 10MG	Cordiclean	50
				240	Ciprofloxacin	Tablet 500 MG	CP Zaf	50
				239	Ciprofloxacin	Tablet 250 MG	CP Zaf	50

				39	Diclofenac Sodium	Injection 75 MG/3 ML	Diclozaf	50
				40	Diclofenac Sodium	Tablet 50 MG	Diclozaf	50
				536	Dydrogestrone 10 mg USP	Tablet 10 MG	Dirogest	36
				444	Hydrochlorothiazide	Tablet 25 MG	Diuza	50
				211	Cefepime	Inj+ WFI 500 MG	Dizma-4	48
				212	Cefepime	Inj+ WFI 1GM	Dizma-4	48
				486	Levonorgestrel +Ethinyl Estradiol+Ferrous Fumarate BP	Tablet 0.15mg+ 0.03 mg + 0.75mg	Famila 28F	51
				497	Medroxyprogesterone Acetate USP	Injection 150 MG/ ML	Famila	41
				507	Famotidine	Tablet 40 MG	Famtaza	50
				383	Mecobalamine	Inj 500 MCG	Ficobal	50
				395	Tranexamic Acid	Injection 500 MG	Flexitran	36
				513	Loperamide	Capsule 2MG	Floramax	52
				376	Folic Acid BP	Tablet 5 MG	Folic Acid	52
				532	Clomiphene Citrate BP	Tablet 50 MG	Gynofen	50
				441	Hydralazine HCl	Inj 20 MG	Hydralazine	50
				442	Hydralazine HCl	Tablet25 MG	Hydralazine	50
				551	Hydsocortisone Sodium Succinate	Inj+ WFI 250 MG	Hydro Sod Suc	48
				550	Hydsocortisone Sodium Succinate	Inj + WFI 100 MG	Hydro Sod Suc	48
				852	Hydrocortisone Cream	Cream 10 MG	Hydrocortisone	50

				382	Iron as Iron Sucrose	Injection 100 MG/5 ML	Irofit	50
				379	Iron-III Hydroxide Polymaltose	Syrup 100 MG / 5 NL	Irozaf	36
				451	Labetalol	Inj 50MG/10ML	Labetalol	50
				164	Levocetirizine	Syrup 2.5MG/5ML	Levozaf	40
				276	Lincomycin HCl BP	Injection 300MG/ML	Lincozaf	50
				452	Lisinopril	Tablet 5MG	Lisna	50
				574	Triamcinolone	Inj 40 MG	Lonacort	55
				637	Magnesium Sulphate	Inj 500 MG, 2ml	Magnesium Sulp	53
				638	Magnesium Sulphate	Inj 500 MG, 10ml	Magnesium Sulp	50
				1	Metronidazole	Tablet 200 MG	Metrida	50
				2	Metronidazole	Tablet 400 MG	Metrida	50
				3	Metronidazole	Susp 200 MG/5 ML	Metrida	50
				720	Mirtazapine USP	Tablet 15 MG	Mirtazep	36
				283	Moxifloxacin	Tablet 400 MG	Molinza	50
				168	Montelukast	Tablet 5 MG	Montaza	36
				167	Montelukast	Tablet 10 MG	Montaza	36
				648	Potassium Chloride BP	Tablet 500 MG	Neo-k	41
				467	Nidipine	Tablet 30 MG	Nifedil XL	50

				465	Nidepine	Capsule 10 MG	Nifedil	46
				437	Nitroglycerin	Tablet 2.6 MG	Nitrosust	50
				438	Nitroglycerin	Tablet 6.4 MG	Nitrosust	50
				59	Paracetamol BP	Susp 120 MG / 5 ML	Para 4 Kids	36
				60	Paracetamol BP	Susp 250 MG / 5 ML	Para 6 +	36
				58	Paracetamol BP	Tablet 500 MG	Paracetamol	36
				288	Piperacillin + Tazobactam	Inj 4.5G	Piperataz	48
				425	Clopidogrel	Tablet 75MG	Platagg-I	50
				737	procyclidine	Tablet 5 MG	Procholodin	36
				10	Atracurium Besylate USP	Inj 10 MG/ML	Relaxtron	50
				563	Misoprostol	Tablet 200 MCG	S.T. Mom	51
				449	Isosorbide-Mononitrate	Tablet20 MG	Sorbimon	40
				67	Tramadol	Injection 100MG/2ML	Tazdol	50
				792	Terbutaline Sulphate USP	Syrup 0.3MG/2 ML	Tesmic	50
				791	Terbutaline Sulphate	Tablet 2.5 MG	Tesmic	50
				782	Ipratropium Bromide	Nebuliser 0.5MG/ 2 ML	Tropum	40
				303	Vancomycin	Injection 500 MG	Vancomycin	36
				304	Vancomycin	Injection 1GM	Vancomycin	36
				273	Levofloxacin	Tablet 250 MG	Vofloza	50
				274	Levofloxacin	Tablet 500 MG	Vofloza	50
				494	Xylometazoline	Saline 0.65% 30 ML	Xynosine Saline 0.65%	52

				495	Xylometazoline	Nasal Drops 15 ML	Xynosine (C.F.) 0.05%	52
				496	Xylometazoline	Nasal Spray (Adult) 0.10% 15 ML	Xynosine	52
				530	Zinc Sulphate	Syrup 20 MG/5 ML	Yes 2 Zinc	45
				541	Gliclazide BP	Tablet 80 MG	Zaclazide	36
				328	Acyclovir	Capsule 200MG	Zaclovir	36
				889	Cholecalciferol	Injection 5MG/ML	Zad	50
				198	Azithromycin as Dihydrate	Capsule 250 MG	Zafamax	50
				220	Cefotaxime	Injection+ WFI 1 GM	Zafixime	50
				218	Cefotaxime	Injection + WFI 250 MG	Zafixime	50
				219	Cefotaxime	Injection + WFI 500 MG	Zafixime	50
				411	Atenolol BP	Tablet 50 MG	Zafinol	50
				788	Salbutamol	Solution 5 MG/ML	Zaftolin	55
				787	Salbutamol	Syrup 2 MG/5ML	Zaftolin	55
				785	Salbutamol	Tablet 2 MG	Zaftolin	55
				786	Salbutamol	Tablet 4 MG	Zaftolin	55
				230	Cefuroxime	Tablet 250 MG	Zafurox	50
				232	Cefuroxime	Injection 750MG	Zafurox	50
				406	Amlodipine	Tablet 5 MG	Zamlo	51
				188	Amoxicillin + Clavulanic Acid	Dry Susp 312.50 MG	Zamoclave	50
				186	Amoxicillin + Clavulanic Acid	Dry Susp 156.25 MG	Zamoclave	50

				189	Amoxicillin + Clavulanic Acid	injection 600 MG	Zamoclav	50
				190	Amoxicillin + Clavulanic Acid	injection 1.2 MG	Zamoclav	50
				184	Amoxicillin + Clavulanic Acid	Tablet 625 MG	Zamoclav	50
				185	Amoxicillin + Clavulanic Acid	Tablet 1 GM	Zamoclav	50
				183	Amoxicillin + Clavulanic Acid	Tablet 375 MG	Zamoclav	50
				191	Ampicillin	Inj+ WFI 250 MG	Zampicillin	48
				192	Ampicillin	Inj + WFI 500 MG	Zampicillin	48
				193	Ampicillin	Inj + WFI 1 GM	Zampicillin	48
				197	Ampicillin + Cloxacillin	Capsule 250 MG	Zampilox	46
				194	Ampicillin + Cloxacillin	Capsule 500 MG	Zampilox	46
				195	Ampicillin + Cloxacillin	Inj+ WFI 250 MG	Zampilox	48
				196	Ampicillin + Cloxacillin	Inj + WFI 500 MG	Zampilox	48
				394	Tranexamic Acid	Injection250 MG	Zatranx	36
				706	Fluoxetine	Capsule 20 MG	Zauxit	51
				226	Ceftriaxone	Inj IV/IM+ WFI 500 MG	Zeftrox	48
				227	Ceftriaxone	Inj IV/IM + WF 1 GM	Zeftrox I	48
				46	ketorolac Tromethamine	Injection 30ML/ 1ML	Zetrolac	50

