### CORRIGENDUM No. 5

Reference to Advertisement No. INF (P) 1476/25 published in newspapers and Tender No. 27957 published on official website of KPPRA, for the "Procurement / Installation of HVAC at Provincial Food & Drugs Testing Laboratories Peshawar FY 2024-25", the following amendments are hereby notified for the information of all prospective bidders:

- The bid opening date is extended to <u>24th June 2025</u>. Bids shall be obtained from the office
  of the undersigned till 23rd June 2024 4:00pm, and shall be submitted on or before 11:00am
  on 24th June 2025 which shall be opened at 11:30am on same day.
- Changes have been made to the bidding documents, technical evaluation criteria, performance gurantee. The revised BSDs may be downloaded from official websites of Health department, Khyber Pakhtunkhwa Food Safety and Halal food Authority, KPPRA and EPAD.

#### Note:

- All applicant bidders shall also apply through EPAD and submit a scan of their submitted bids in EPAD portal.
- EPAD portal can be accessed at <a href="https://portalkp.eprocure.gov.pk/#/tenders/Epadtenders">https://portalkp.eprocure.gov.pk/#/tenders/Epadtenders</a>

For any queries, the procuring entity may be contacted at directorgeneraldrugs@healthkp.gov.pk

Project Director / Director General Drug Control & Pharmacy Services /Khyber Pakhtunkhwa, Peshawar

FS Scannad with CamScanan



# GOVERNMENT OF KHYBER PAKHTUNKHWA HEALTH DEPARTMENT

# PROJECT DIRECTOR ESTABLISHMENT OF FOOD AND DRUG TESTING LABORATORIES

Directorate General Drugs Control & Pharmacy Services, Khyber Pakhtunkhwa Peshawar (DG, DC & PS)

### **REVISED (AFTER PRE-BID)**

BID SOLICITATION DOCUMENTS (BSD) FOR NATIONAL COMPETITIVE BIDDING (NCB) PAKISTAN, FOR PROCUREMENT / INSTALLATION OF HEATING VENTILATION AND AIR CONDITIONING (HVAC) SYSTEM AT PROVINCIAL FOOD AND DRUG TESTING LABORATORIES PHASE 5 HAYATABAD PESHWAR- FY 2024-25

MAY -2025 FOR FINANCIAL YEAR 2024-25

## Contents

Part One - Section I	7
Instructions to Bidders (ITB)	7
General Conditions of Contract (GCC)	7
PREFACE	8
TABLE OF CONTENTS - PART ONE	9
PART ONE - SECTION I. INSTRUCTIONS TO BIDDERS	9
Table of Clauses	9
Instructions to Bidders	9
PART ONE – SECTION II. GENERAL CONDITIONS OF CONTRACT	9
Table of Clauses	9
General Condition of Contracts	9
TABLE OF CLAUSES (INSTRUCTIONS TO BIDDERS)	10
Introduction	10
The Bidding Document	10
Preparation of Bids	10
Submission of Bids	10
Opening and Evaluation of Bids	10
Award of Contract	10
INSTRUCTIONS TO BIDDERS	11
A. Introduction	11
1. Source of Funds	11
2. Eligible Bidders	11
3. Eligible Goods and Services	12
4. Cost of Bidding	12
B. The Bidding Documents	12
5. Content of Bidding Documents	12
6. Clarification of Bidding Documents	13
7. Amendment of Bidding Documents	13
C. Preparation of Bids	13
8. Language of Bid	13
9.Documents Comprising the Bid	13
10. Bid Form	13
11. Bid Prices	13
12. Bid Currencies	14
13. Documents Establishing Bidder's Eligibility and Qualification	14
14. Documents Establishing Goods' Eligibility and Conformity to Bidding Documents	15
15. Bid Security	15
16. Period of Validity of Bids	16
17. Format and Signing of Bid	16

D. Submission of Bids	17
18. Sealing and Marking of Bids	17
19. Deadline for Submission of Bids	17
20. Late Bids	17
21. Modification and Withdrawal of Bids	18
E. Opening and Evaluation of Bids	18
22. Opening of Bids by the Procuring Entity	18
23. Clarification of Bids	18
24. Preliminary Examination	19
25. Evaluation and Comparison of Bids Alternative	19
26. Contacting the Procuring Entity	23
F. Award of Contract	23
27. post- qualification	23
28. Award Criteria	23
29. Procuring Entity's Right to Vary Quantities at Time of Award	23
30. Procuring Entity's Right to Accept any Bid and to Reject any	23
or All Bids	23
31. Notification of Award	24
32. Signing of Contract	24
33 Performance Security	24
34. Corrupt or Fraudulent Practices	25
35. Integrity Pact	25
Part One - Section II (General Conditions of Contract)	26
Notes on the General Conditions of Contract	26
TABLE OF CLAUSES (GENERAL CONDITIONS OF CONTRACT)	27
GENERAL CONDITIONS OF CONTRACT	28
1. Definitions	29
2. Application	29
3. Country of Origin	29
4. Standards	30
5. Use of Contract Documents and Information; Inspection and Audit by the Government	30
6. Patent Rights	30
7. Performance Security	31
8. Inspections and Tests	31
9. Packing	32
10. Delivery and Documents	32
11. Insurance	32
12. Transportation	33
13. Incidental Services	33

14. Spare Parts	34
15. Warranty	34
16. Payment	35
17. Prices	35
18. Change Orders	35
19. Contract Amendments	36
20. Assignment	36
21. Subcontracts	36
22. Delays in the Supplier's Performance	36
23. Liquidated Damages	37
24. Termination for Default	37
25. Force Majeure	37
26. Termination for Insolvency	38
27. Termination for Convenience	38
28. Resolution of Disputes	38
29. Governing Language	39
30. Applicable Law	39
31. Notices	39
32. Taxes and Duties	39
PART TWO (PROCUREMENT SPECIFIC PROVISIONS)	40
TABLE OF CONTENTS - PART TWO	41
PART TWO SECTION I. INVITATION FOR BID (IFB)	42
INVITATION FOR BID	43
BID DATA SHEET	45
SECTION III. SPECIAL CONDITIONS OF CONTRACT	50
TABLE OF CLAUSES (SPECIAL CONDITIONS OF CONTRACT)	51
SPECIAL CONDITIONS OF CONTRACT (SCC)	52
SECTION IV. SCHEDULE OF REQUIREMENTS	61
SCHEDULE OF REQUIREMENTS	61
LIST OF HVAC INSTALLATION SITES	63
SECTION V	91
QUALIFICATION AND EVALUATION CRITERIA	91
QUALIFICATION CRITERIA (MUST MEET CRITERIA)	92
COMPLIANCE TO AGREEMENT:	92
AUTHORIZATION:	92
REGISTRATION OF FIRM/COMPANY:	92
TAX REGISTRATION:	92
BID SECURITY:	92
PRICE/BID VALIDITY:	92

TECHNICAL EVALUATION METHODOLOGY (TOTAL SCORE = 70)	94
TECHNICAL EVALUATION CRITERIA (SCORE=70)	94
Quality:	94
FINANCIAL EVALUATION AND SCORING SYSTEM FOR BIDS	97
TECHNICAL EVALUATION CRITERIA FOR HVAC EQUIPMENT	98
BIDDER'S DECLARATION	100
BID FORM -1	102
BID COVER SHEET	102
RETURNABLE CHECKLIST	105
TECHNICAL BID FORM 1	108
BID FORM 2	109
FINANCIAL BID FORM (PRICE SCHEDULE)	109
PERFORMANCE SECURITY FORM	110
MANUFACTURER'S AUTHORIZATION FORM	111
INTEGRITY PACT	112
RATE CONTRACT AGREEMENT	113

# **Part One - Section I**

Instructions to Bidders (ITB)
General Conditions of Contract (GCC)

### **PREFACE**

These Bidding Documents have been prepared for use by Procuring Entities and their implementing agencies in the procurement of Goods through National Competitive Bidding (NCBs) under Rule (06) KPPRA Rules 2014. These SBDs are prepared for Rate Contract under Government of Khyber Pakhtunkhwa District Govt. Rules of Business 2015, 2nd Schedule Rule 3 (2), and Serial No.11 (Health) Sub-rule xiii for procurement / installation of HVAC and will result in agreement with the successful bidder.

In order to simplify the preparation of bidding documents for all procurement, the Bidding Documents are grouped in two parts based on provisions, which would remain the same for all the related procurements and that which are specific for each procurement Provisions, which are intended to be used un-changed are in Part one, which includes

Section I, Instructions to Bidders (ITB), and

Section II, General Conditions of Contract (GCC).

Data and provisions specific to each procurement and contract are included in Part. Two which is further organized into six sections. Sections I, II, III, IV, and V, respectively contain Invitation for Bids; Bid Data Sheet; Special Conditions of Contract; Schedule of Requirements; Technical Specifications; and the forms to be used, while Section VI is about Sample Forms.

This is Part one, which is fixed and contains provisions, which are to be used, unchanged. Each section is prepared with notes intended only as information for the Procuring agency or the person drafting the bidding documents. They shall not be included in the final documents.

## TABLE OF CONTENTS - PART ONE

### PART ONE - SECTION I. INSTRUCTIONS TO BIDDERS

Table of Clauses

Instructions to Bidders

### PART ONE – SECTION II. GENERAL CONDITIONS OF CONTRACT

Table of Clauses

General Condition of Contracts

# TABLE OF CLAUSES (INSTRUCTIONS TO BIDDERS)

No	Clause						
A.	Introduction						
1.	Source of Funds						
2.	Eligible Bidders						
3.	Eligible Goods and Service						
4.	Cost of Bidding						
B.	The Bidding Document						
5.	Content of Bidding Documents						
6.	Clarification of Bidding Documents						
7.	Amendment of Bidding Documents						
C.	Preparation of Bids						
8.	Language of Bid						
9.	Documents Comprising the Bid						
10.	Bid Form						
11.	Bid Prices						
12.	Bid Currencies						
13.	Documents Establishing Bidder's Eligibility and Qualification						
14.	Documents Establishing Goods' Eligibility and Conformity to Bidding Documents						
15.	Bid Security						
16.	Period of Validity of bids						
17.	Format and Signing of Bid						
D.	Submission of Bids						
18.	Sealing and marking of bids						
19.	Deadline for Submission of bids						
20.	Late bids						
21.	Modification and Withdrawal of Bids						
E.	Opening and Evaluation of Bids						
22.	Opening of Bids by the Procuring Entity						
23.	Clarification of Bids						
24.	Preliminary Examination						
25.	Evaluation and Comparison of Bids						
26.	Contacting the Procuring Entity						
F.	Award of Contract						
27.	Post-Qualification						
28.	Award Criteria						
29.	Procuring Entity's Right to Vary Quantities at Time of Award						
30.	Procuring Entity's Right to Accept Any Bid and To Reject Any or All Bids						
31.	Notification of Award						
32.	Signing of Contract						
33.	Performance Security						
34.	Corrupt or Fraudulent Practices						
35.	Integrity Pact						

# INSTRUCTIONS TO BIDDERS

A. Introduction				
1. Source of Funds	1.1	The Procuring Entity has received Provincial Government funds from the source(s) indicated in the bidding data in various currencies towards the cost of the project /schemes specified in the bidding data and it is intended that part of the proceeds of this loan/grant/funds/ will be applied to eligible payments under the contract for which these bidding documents are issued.		
	1.2	The funds referred to above in addition shall be "Public Fund" which according to 2 (1) (1) of KPP Rules 2014 means: (i) Provincial Consolidated Fund; (ii) foreign assistance; (iii) all moneys Standing in the Public Account; and (iv) Funds of enterprises wholly or partly owned or managed or controlled by Government.		
	1.3	Payment by the Fund will be made only at the request of the Procuring Entity and upon approval by the Government of Khyber Pakhtunkhwa, and in case of a project will be subject in all respect to the terms and conditions of the agreement. The Project Agreement prohibits a withdrawal from the allocated fund account for the purpose of any payment to persons or entities, or for any import of goods, if such payment or import, to the knowledge of the Federal Government/ Khyber Pakhtunkhwa Government, is prohibited by a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations. No party other than the Procuring Entity shall derive any rights from the Project Agreement or have any claim to the allocated fund proceeds.		
2. Eligible Bidders	2.1	This Invitation for Bids is open to all eligible bidders/ Original Manufacturer/ Authorized 3S Dealer of the Original manufacturer. Proprietorship of a well-established Authorized dealer of the original manufacturer / 3S automobile dealership is must		
	2.2	Bidders should not be associated, or have been associated in the past, directly or indirectly, with a firm or any of its affiliates which have been engaged by the Procuring Entity to provide consulting services for the preparation of the design, specifications, and other documents to be used for the procurement of the goods to be purchased under this Invitation for Bids.		
	2.3	Government-owned enterprises in the Province of Khyber Pakhtunkhwa may participate only if they are legally and financially autonomous, if they operate under commercial law, and if they are not a dependent Entity of the Government of Khyber Pakhtunkhwa.		

		Bidders shall not be eligible to bid if they are under a declaration of ineligibility for corrupt and fraudulent practices issued by any government organization in accordance with the Rule 44(1) KPP Rules 2014.
3. Eligible Goods and Services	3.1	All goods and related services to be supplied under the contract shall have their origin in eligible source countries of the world with whom the Islamic Republic of Pakistan has commercial relations and its Bidding Documents and all expenditures made under the contract will be limited to such goods and services.
	3.2	For purposes of this clause, "origin" means the place where the goods are mined, grown, or produced, or the place from which the related services are supplied. Goods are produced when, through manufacturing, processing, or substantial and major assembly of components, a commercially recognized product results that is substantially different in basic characteristics or in purpose or utility from its components.
	3.3	The origin of goods and services is distinct from the nationality of the Bidder.
4. Cost of Bidding	4.1	The Bidder shall bear all costs associated with the preparation and submission of its bid, and the Procuring Entity named in the Bid Data Sheet, hereinafter referred to as "the Procuring Entity," will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.
		B. The Bidding Documents
5. Content of Bidding Documents	5.1	The bidding documents include: Instructions to Bidders (ITB) Bid Data Sheet (BDS) General Conditions of Contract (GCC) Special Conditions of Contract (SCC) Schedule of Requirements (SOR) Technical Specifications Bid Form and Price Schedules Bid Security Form Contract Form Performance Security Form Manufacturer's Authorization Form
	5.2	The Bidder is expected to examine all instructions, forms, terms, and specifications in the bidding documents. Failure to furnish all information required by the bidding documents or to submit a bid not substantially responsive to the bidding documents in every respect will be at the Bidder's risk and may result in the rejection of its bid.

6. Clarification of Bidding Documents		An interested Bidder requiring any clarification of the bidding documents may notify the Procuring Entity in writing. The Bidding Procuring Entity will respond in writing to any request for Document's clarification of the bidding documents which it receives no later than three working days prior to the deadline for the submission of bids prescribed in the Bid Data Sheet. Written copies of the Procuring Entity's response (including an explanation of the query but without identifying the source of inquiry) will be sent to all interested bidders that have received the bidding documents.  At any time prior to the deadline for submission of bids, the
7. Amendment of Bidding Documents	/.1	Procuring Entity, for any reason, whether at its own initiative or in response to a clarification requested by an interested Bidder, may modify the bidding documents by amendment.
	7.2 7.3	All interested bidders that have received the bidding documents will be notified of the amendment in writing, and will be binding on them.  In order to allow interested bidders reasonable time in which to
		take the amendment into account in preparing their bids, the Procuring Entity, at its discretion, may extend the deadline for the submission of bids.
		C. Preparation of Bids
8. Language of Bid	8.1	The bid prepared by the Bidder, as well as all correspondence and documents relating to the bid exchanged by the Bidder and the Procuring Entity shall be written in the language specified in the Bid Data Sheet. Supporting documents and printed literature furnished by the Bidder may be in another language provided they are accompanied by an accurate translation of the relevant passages in the language specified in the Bid Data Sheet, in which case, for purposes of interpretation of the Bid, the translation shall govern.
9.Documents Comprising the Bid		The bid prepared by the Bidder shall comprise the following components:  A Bid Form and a Price Schedule completed in accordance with ITB Clauses 10, 11, and 12.  Documentary evidence established in accordance with ITB Clause 13 that the Bidder is eligible to bid and is qualified to perform the contract if its bid is accepted;  Documentary evidence established in accordance with ITB Clause 14 that the goods and ancillary services to be supplied by the Bidder are eligible goods and services and conform to the bidding documents; and  Bid security furnished in accordance with ITB Clause 15.
10. Bid Form	10.1	The Bidder shall complete the Bid Form and the appropriate Price Schedule furnished in the bidding documents, indicating the goods to be supplied, a brief description of the goods, their country of origin,  Quantity, and prices.
11. Bid Prices	11.1	The Bidder shall indicate on the appropriate Price Schedule the unit prices (where applicable) and total bid price of the goods it proposes to supply under the contract.

	11.2	Prices indicated on the Price Schedule shall be delivered duty paid (DDP) prices. The price of other (incidental) services, if any, listed in the Bid Data Sheet will be entered separately.
	11.3	The Bidder's separation of price components in accordance with ITB Clause 11.2 above will be solely for the purpose of facilitating the comparison of bids by the Procuring Entity and will not in any way limit the Procuring Entity's right to contract on any of the terms offered.
	11.4	Prices quoted by the Bidder shall be fixed during the Bidder's performance of the contract and not subject to variation on any account, unless otherwise specified in the Bid Data Sheet. A bid submitted with an adjustable price quotation will be treated as nonresponsive and will be rejected, pursuant to ITB Clause 24. If, however, in accordance with the Bid Data Sheet, prices quoted by the Bidder shall be subject to adjustment during the performance of the contract, a bid submitted with a fixed price quotation will not be Rejected, but the price adjustment would be treated as zero.
12. Bid Currencies	12.1	Prices shall be quoted in Pak Rupees unless otherwise specified in the Bid Data Sheet.
13. Documents Establishing Bidder's Eligibility and Qualification		Pursuant to ITB Clause 9, the Bidder shall furnish, as part of its bid, documents establishing the Bidder's eligibility to bid and its qualifications to perform the contract if its bid is accepted.
	13.2	The documentary evidence of the Bidder's eligibility to bid shall establish to the Procuring Entity's satisfaction that the Bidder, at the time of submission of its bid, is from an eligible country as defined under ITB Clause 3.
	13.3	The documentary evidence of the Bidder's qualifications to perform the contract if its bid is accepted shall establish to the Procuring Entity's satisfaction:
		that, in the case of a Bidder offering to supply goods under the contract which the Bidder did not manufacture or otherwise produce, the Bidder has been duly authorized by the goods' Manufacturer or producer to supply the goods in the Procuring Entity's country;
		that the Bidder has the financial, technical, and production capability necessary to perform the contract;
		that, in the case of a Bidder not doing business within the Procuring Entity's country, the Bidder is or will be (if awarded the contract) represented by an Agent in that country equipped, and able to carry out the Supplier's maintenance, repair, and spare parts-stocking obligations prescribed in the Conditions of Contract and/or Technical Specifications; and that the Bidder meets the qualification criteria listed in the Bid Data Sheet.

14. Documents Establishing Goods' Eligibility and Conformity to Bidding Documents	!	Pursuant to ITB Clause 9, the Bidder shall furnish, as part of its bid, documents establishing the eligibility and conformity to the bidding documents of all goods and services which the Bidder proposes to supply under the contract.
	14.2	The documentary evidence of the eligibility of the goods and services shall consist of a statement in the Price Schedule of the country of origin of the goods and services offered which shall be confirmed by a certificate of origin issued at the time of shipment.
	14.3	The documentary evidence of conformity of the goods and services to the bidding documents may be in the form of literature, drawings, and data, and shall consist of:  A detailed description of the essential technical and performance characteristics of the goods;  A list giving full particulars, including available sources and current prices of spare parts, special tools, etc., necessary for the proper and continuing functioning of the goods for a period to be specified in the Bid Data Sheet, following commencement of the use of the goods by the Procuring Entity; and  An item-by-item commentary on the Procuring Entity's Technical Specifications demonstrating substantial responsiveness of the goods and services to those specifications, or a statement of deviations and exceptions to the provisions of the Technical Specifications.
	14.4	For purposes of the commentary to be furnished pursuant to ITB Clause 14.3(c) above, the Bidder shall note that standards for workmanship, material, and equipment, as well as references to brand names or catalogue numbers designated by the Procuring Entity in its Technical Specifications, are intended to be descriptive only and not restrictive. The Bidder may substitute alternative standards, brand names, and/or catalogue numbers in its bid, provided that it demonstrates to the Procuring Entity's satisfaction that the substitutions ensure substantial equivalence to those designated in the Technical Specifications
15. Bid Security	15.1	Pursuant to ITB Clause 9, the Bidder shall furnish, as part of its bid, a bid security in the amount specified in the Bid Data Sheet. [The bid security shall be submitted from the account of the firm/bidder/Bidder who submits the bid]1
	15.2	The bid security is required to protect the Procuring Entity against the risk of Bidder's conduct which would warrant the security's forfeiture, pursuant to ITB Clause 15.7.

	15.3	The bid security shall be in Pak. Rupees and shall be in one of the following forms:  The Bidder shall furnish, as part of its bid, a Bid Security/Earnest Money equivalent to of the bid price @2% in Shape of CDR from the account of bidder /firm who submits the bid in the name of "Project Director Directorate General Drug Control & Pharmacy Services". A pay order will not be acceptable.
	15.4	Any bid not secured in accordance with ITB Clauses 15.1 and 15.3 will be rejected by the Procuring Entity as non-responsive, pursuant to ITB Clause 24.
	15.5	Unsuccessful bidders' bid security will be discharged or returned as promptly as possible but not later than thirty (30) days after the expiration of the period of bid validity prescribed by the Procuring Entity pursuant to ITB Clause 16.
	15.6	The successful Bidder's bid security will be discharged upon the Bidder signing the contract, pursuant to ITB Clause 32, and furnishing the performance security, pursuant to ITB Clause 33.
	15.7	The bid security may be forfeited: if a Bidder withdraws its bid during the period of bid validity specified by the Bidder on the Bid Form; or in the case of a successful Bidder, if the Bidder fails: to sign the contract in accordance with ITB Clause 32; or to furnish performance security in accordance with ITB Clause 33.
16. Period of Validity of Bids	16.1	Bids shall remain valid for the period specified in the Bid Data Sheet after the date of bid opening prescribed by the Procuring Entity, pursuant to ITB Clause 19. A bid valid for a shorter period shall be rejected by the Procuring Entity as non-responsive.
	16.2	In exceptional circumstances, the Procuring Entity may solicit the Bidder's consent to an extension of the period of validity. The request and the responses thereto shall be made in writing. The bid security provided under ITB Clause 15 shall also be suitably extended. A Bidder may refuse the request without forfeiting its bid security. A Bidder granting the request will not be required nor permitted to modify its bid, except as provided in the bidding document.
17. Format and Signing of Bid	17.1	The Bidder shall prepare an original and the number of copies of the bid indicated in the Bid Data Sheet, clearly marking each "ORIGINAL BID" and "COPY OF BID" as appropriate. In the event of any discrepancy between them, the original shall govern.

		The original and the copy or copies of the bid shall be typed or written in indelible ink and shall be signed by the Bidder or a person or persons duly authorized to bind the Bidder to the contract. All pages of the bid shall be initialed by the person or persons signing the bid.  Any interlineations, erasures, or overwriting shall be valid only if
		they are initialed by the person or persons signing the bid.
		The Bidder shall furnish information as described in the Form of Bid on commissions or gratuities, if any, paid or to be paid to agents relating to this Bid, and to contract execution if the Bidder is awarded the contract.
		D. Submission of Bids
18. Sealing and Marking of Bids	18.1	The Bidder shall seal the original and each copy of the bid in separate envelopes, duly marking the envelopes as "ORIGINAL" and "COPY."
		The envelopes shall then be sealed in an outer envelope.
	18.2	The inner and outer envelopes shall: Be addressed to the Procuring Entity at the address given in the Bid Data Sheet; and bear the Project name indicated in the Bid Data Sheet, the Invitation for Bids (IFB) title and number indicated in the Bid Data Sheet, and a statement: "DO NOT OPEN BEFORE," to be completed with the time and the date specified in the Bid Data Sheet, pursuant to ITB Clause 2.2.
	18.3	The inner envelopes shall also indicate the name and address of the Bidder to enable the bid to be returned unopened in case it is declared "late".
	18.4	If the outer envelope is not sealed and marked as required by ITB Clause 18.2, the Procuring Entity will assume no responsibility for the bid's misplacement or premature opening.
19. Deadline for Submission og Bids	19.1	Bids must be received by the Procuring Entity at the address specified under ITB Clause 18.2 no later than the time and date specified in the Bid Data Sheet.
	19.2	The Procuring Entity may, at its discretion, extend this deadline for the submission of bids by amending the bidding documents in accordance with ITB Clause 7, in which case all rights and obligations of the Procuring Entity and bidders previously subject to the deadline will thereafter be subject to the deadline as extended.
20. Late Bids	20.1	Any bid received by the Procuring Entity after the deadline for submission of bids prescribed by the Procuring Entity pursuant to ITB Clause 19 will be rejected and returned unopened to the Bidder.

21. Modification and Withdrawal of Bids	21.1	The Bidder may modify or withdraw its bid after the bid's submission, provided that written notice of the modification, including substitution or withdrawal of the bids, is received by the Procuring Entity prior to the deadline prescribed for submission of bids.
	21.2	The Bidder's modification or withdrawal notice shall be prepared, sealed, marked, and dispatched in accordance with the provisions of ITB Clause 18. by a signed confirmation copy, postmarked no later than the deadline for submission of bids.
	21.3	No bid may be modified after the deadline for submission of bids.
	21.4	No bid may be withdrawn in the interval between the deadline for submission of bids and the expiration of the period of bid validity specified by the Bidder on the Bid Form. Withdrawal of a bid during this interval may result in the Bidder's forfeiture of its bid security, pursuant to the ITB Clause 15.7.
		E. Opening and Evaluation of Bids
22. Opening of Bids by the Procuring Entity	22.1	The Procuring Entity will open all bids in the presence of bidders' representatives who choose to attend, at the time, on the date, and at the place specified in the Bid Data Sheet. The bidders' representatives who are present shall sign a register evidencing their attendance.
	22.2	The bidders' names, bid modifications or withdrawals, bid prices, discounts, and the presence or absence of requisite bid security and such other details as the Procuring Entity, at its discretion, may consider appropriate, will be announced at the opening. No bid shall be rejected at bid opening, except for late bids, which shall be returned unopened to the Bidder pursuant to ITB Clause 20.
	22.3	Bids (and modifications sent pursuant to ITB Clause 21.2) that are not opened and read out at bid opening shall not be considered further for evaluation, irrespective of the circumstances. Withdrawn
	22.4	bids will be returned unopened to the bidders.  The Procuring Entity will prepare minutes of the bid opening.
23. Clarification of Bids	23.1	During evaluation of the bids, the Procuring Entity may, at its discretion, ask the Bidder for a clarification of its bid. The Bids request for clarification and the response shall be in writing, and no change in the prices or substance of the bid shall be sought, offered, or permitted.

24. Preliminary Examination	24.1	The Procuring Entity will examine the bids to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed, and whether the bids are generally, in order.
	24.2	Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail, and the total price shall be corrected. If the Bidder does not accept the correction of the errors, its bid will be rejected, and its bid security may be forfeited. If there is a discrepancy between words and figures, the amount in words will prevail.
	24.3	The Procuring Entity may waive any minor informality, nonconformity, or irregularity in a bid which does not constitute a material deviation, provided such waiver does not prejudice or affect the relative ranking of any Bidder.
	24.4	Prior to the detailed evaluation, pursuant to ITB Clause 25 the Procuring Entity will determine the substantial responsiveness of each bid to the bidding documents. For purposes of these Clauses, a substantially responsive bid is one which conforms to all the terms and conditions of the bidding documents without material deviations. Deviations from, or objections or reservations to critical provisions, such as those concerning Bid Security (ITB Clause 15), Applicable Law (GCC Clause 30), and Taxes and Duties (GCC Clause 32), will be deemed to be a material deviation. The Procuring Entity's determination of a bid's responsiveness is to be based on the contents of the bid itself without recourse to extrinsic evidence.
	24.5	If a bid is not substantially responsive, it will be rejected by the Procuring Entity and may not subsequently be made responsive by the Bidder by correction of the nonconformity.
25. Evaluation and Comparison of Bid Alternative	d25.1	The Procuring Entity will evaluate and compare the bids which have been determined to be substantially responsive, pursuant to ITB Clause 24.
	25.2	The Procuring Entity's evaluation of a bid will be on delivered duty paid (DDP) price inclusive of prevailing duties and will exclude any allowance for price adjustment during the period of execution of the contract, if provided in the bid.

The Procuring Entity's evaluation of a bid will take into account, in addition to the bid price quoted in accordance with ITB Clause 11.2, one or more of the following factors as specified in the Bid Data Sheet, and quantified in ITB Clause 25.4: incidental costs delivery schedule offered in the bid; deviations in payment schedule from that specified in the Special Conditions of Contract; the cost of components, mandatory spare parts, and service; the availability of spare parts and after-sales services for the equipment offered in the bid for Procuring Entity; the projected operating and maintenance costs during the life of the equipment; the performance and productivity of the equipment offered; and/or other specific criteria indicated in the Bid Data Sheet and/or in the Technical Specifications.

25.4 For factors retained in the Bid Data Sheet pursuant to ITB 25.3, one or more of the following quantification methods will be applied, as detailed in the Bid Data Sheet:

Incidental costs provided by the bidder will be added by Procuring Entity to the delivered duty paid (DDP) price at the destination.

#### Delivery schedule.

The Procuring Entity requires that the goods under the Invitation for Bids shall be delivered at the time specified in the Schedule of Requirements which will be treated as the base, a delivery "adjustment" will be calculated for bids by applying a percentage, specified in the Bid Data Sheet, of the DDP price for each week of delay beyond the base, and this will be added to the bid price for evaluation. No credit shall be given to early delivery.

or

The goods covered under this invitation are required to be delivered (shipped) within an acceptable range of weeks specified in the Schedule of Requirement. No credit will be given to earlier deliveries, and bids offering delivery beyond this range will be treated as non-responsive. Within this acceptable range, an adjustment per week, as specified in the Bid Data Sheet, will be added for evaluation to the bid price of bids offering deliveries later than the earliest delivery period specified in the Schedule of Requirements.

OI

The goods covered under this invitation are required to be delivered in partial shipments, as specified in the Schedule of Requirements. Bids offering deliveries earlier or later than the specified deliveries will be adjusted in the evaluation by adding to the bid price a factor equal to a percentage, specified in the Bid Data Sheet, of DDP price per week of variation from the specified delivery schedule.

#### Deviation in payment schedule:

Bidders shall state their bid price for the payment schedule outlined in the SCC. Bids will be evaluated on the basis of this base price. Bidders are, however, permitted to state an alternative payment schedule and indicate the reduction in bid price they wish to offer for such alternative payment schedule. The Procuring Entity may consider the alternative payment schedule offered by the selected Bidder.

or

The SCC stipulates the payment schedule offered by the Procuring Entity. If a bid deviates from the schedule and if such deviation is considered acceptable to the Procuring Entity, the bid will be evaluated by calculating interest earned for any earlier payments involved in the terms outlined in the bid as compared with those stipulated in this invitation, at the rate per annum specified in the

#### Bid Data Sheet.

Cost of spare parts.

The list of items and quantities of major assemblies, components, and selected spare parts, likely to be required during the initial period of operation specified in the Bid Data Sheet, is annexed to the Technical Specifications. The total cost of these items, at the unit prices quoted in each bid, will be added to the bid price.

or

The Procuring Entity will draw up a list of high- usage and highvalue items of components and spare parts, along with estimated quantities of usage in the initial period of operation specified in the Bid Data Sheet. The total cost of these items and quantities will be computed from spare parts unit prices submitted by the Bidder and added to the bid price.

or

The Procuring Entity will estimate the cost of spare parts usage in the initial period of operation specified in the Bid Data Sheet, based on information furnished by each Bidder, as well as on past experience of the Procuring Entity or other procuring agencies in similar situations. Such costs shall be added to the bid price for evaluation.

Spare parts and after sales service facilities in the Procuring Entity's country.

The cost to the Procuring Entity of establishing the minimum service facilities and parts inventories, as outlined in the Bid Data Sheet or elsewhere in the bidding documents, if quoted separately, shall be added to the bid price.

Operating and maintenance costs.

Since the operating and maintenance costs of the goods under procurement form a major part of the life cycle cost of the equipment, these costs will be evaluated in accordance with the criteria specified in the Bid Data Sheet or in the Technical Specifications.

Performance and productivity of the equipment.

Bidders shall state the guaranteed performance or efficiency in response to the Technical Specification. For each drop in the performance or efficiency below the norm of 100, an adjustment for an amount specified in the

Bid Data Sheet will be added to the bid price, representing the capitalized cost of additional operating costs over the life of the plant, using the methodology specified in the Bid Data Sheet or in the Technical Specifications.

or

ii. Goods offered shall have a minimum productivity specified under the relevant provision in the Technical Specifications to be considered responsive. Evaluation shall be based on the cost per unit of the actual productivity of goods offered in the bid, and adjustment will be added to the bid price using the methodology specified in the Bid Data Sheet or in the Technical Specifications. h. Specific additional criteria indicated in the Bid Data Sheet and/or in the Technical Specifications.

#### 25.5 Merit Point System:

The following merit point system for weighing evaluation factors can be applied if none of the evaluation methods listed in 25.4 above has been retained in the Bid Data Sheet. The number of points allocated

to each factor shall be specified in the Bid Data Sheet

[In the Bid Data Sheet, choose from the range of]				
Evaluated price of the goods	60 to 90			
Cost of common list spare parts	0 to 20			
Technical features, and	0 to 20			
maintenance and operating costs				
Availability of service and spare	0 to 20			
parts				

		Standardization	0 to 20
		Total	100
		The bid scoring the highest number the Highest-Ranking fair bid.	er of points will be deemed to be
26. Contacting the Procuring Entity	26.1	Subject to ITB Clause 23, no Bio Entity on any matter relating to it opening to the time the contract is bring additional information to the it should do so in writing.	its bid, from the time of the bid awarded. If the Bidder wishes to
	26.2	Any effort by a Bidder to influe decisions on bid evaluation, bid coresult in the rejection of the Bidder	mparison, or contract award may
	F. A	ward of Contract	
27. post- qualification	27.1	In the absence of prequalificat determine to its satisfaction wheth having submitted the Highest-ranking fair contract satisfactorily, in accordance Clause 13.3.	her the Bidder that is selected as ir bid is qualified to perform the
	27.2	The determination will take into technical, and production capabi examination of the documenta qualifications submitted by the 113.3, as well as such other infordeems necessary and appropriate.	lities. It will be based upon an ary evidence of the Bidder's Bidder, pursuant to ITB Clause
	27.3	An affirmative determination will contract to the Bidder. A negative rejection of the Bidder's bid, in will proceed to the next highest radiction of that Bidder satisfactorily.	ive determination will result in which event the Procuring Entity inking fair bid to make a similar
28. Award Criteria	28.1	Subject to ITB Clause 30, the Econtract to the successful Bidder vibe substantially responsive and Highest-ranking fair bid as d KPPRA Act 2012, provided furth to be qualified to perform the contract satisfactorily	whose bid has been determined to has been determined to be the efined in Section-2(1)(c)(i) of her that the Bidder is determined
29. Procuring Entity's Right to Vary Quantities at Time of Award	29.1	The Procuring Entity reserves the award to increase or decrease, by Bid Data Sheet, the quantity of specified in the Schedule of Requestream and conditions.	ne right at the time of contract the percentage indicated in the goods and services originally
30. Procuring Entity's Right to Accept any Bid and to Reject any or All Bids		The Procuring Entity reserves the and to annul the bidding process at to contract award, without therel affected Bidder or bidders or any Bidder or bidders of the grounds to	nd reject all bids at any time prior by incurring any liability to the obligation to inform the affected

31. Notification of Award	31.1	Prior to the expiration of the period of bid validity, the Procuring Entity will notify the successful Bidder in writing by registered letter or by cable, to be confirmed in writing by registered letter, that its bid has been accepted.
	31.2	The notification of award will constitute the formation of the Contract.
	31.3	Upon the successful Bidder's furnishing of the performance security pursuant to ITB Clause 33, the Procuring Entity will promptly notify each unsuccessful Bidder and will discharge its bid security, pursuant to ITB Clause 15.
32. Signing of Contract	32.1	At the same time as the Procuring Entity notifies the successful Bidder that its bid has been accepted, the Procuring Entity will send the Bidder the Contract Form provided in the bidding documents, incorporating all agreements between the parties.
	32.2	Within thirty (10) days of receipt of the Contract Form, the successful Bidder shall sign and date the contract and return it to the Procuring Entity.
33 Performance Security	33.1	Within twenty (15) days of the receipt of notification of award from the Procuring Entity, the successful Bidder shall furnish the performance security in accordance with the Conditions of Contract, in the Performance Security Form provided in the bidding documents, or in another form acceptable to the Procuring Entity.
	33.2	Failure of the successful Bidder to comply with the requirement of ITB Clause 32 or ITB Clause 33.1 shall constitute sufficient grounds for the annulment of the award and forfeiture of the bid security, in which event the Procuring Entity may make the award to the next Highest ranking fair Bid or call for new bids.

34. Corrupt or Fi Practices	raudulent <sup>34.1</sup>	The Government of Khyber Pakhtunkhwa requires that Procuring Entity's (including beneficiaries of donor agencies' loans), as well as Bidders/Suppliers/Bidders under Government-financed contracts, observe the highest standard of ethics during the procurement and execution of such contracts. In pursuance of this policy, the KPPRA, in accordance with the Khyber Pakhtunkhwa Public Procurement Act, 2012 and Rules made thereunder:
		defines, for the purposes of this provision, the terms set forth below as follows:
		"Corrupt practice" means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution; and
		"Fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Procuring Entity, and includes collusive practice among Bidders (prior to or after bid submission) designed to establish bid prices at artificial non- competitive levels and to deprive the Procuring Entity of the benefits of free and open competition;
		will reject a proposal for award if it determines that the Bidder recommended for award has engaged in corrupt or fraudulent practices in competing for the contract in question;
		will declare a firm ineligible, either indefinitely or for a stated period of time, to be awarded a Government-financed contract if it at any time determines that the firm has engaged in corrupt or fraudulent practices in competing for, or in executing, a Government-financed contract.
	34.2	Furthermore, Bidders shall be aware of the provision stated in sub- clause 5.4 and sub-clause 24.1 of the General Conditions of Contract.
35. Integrity Pact	35.1	The Bidder shall sign and stamp the Integrity Pact provided at Form - 7 to Bid in the Bidding Document for all Provincial Government procurement contracts exceeding Rupees ten million. Failure to such Integrity Pact shall make the bidder non-responsive.

## **Part One - Section II (General Conditions of Contract)**

### **Notes on the General Conditions of Contract**

The General Conditions of Contract in Part One Section II, read in conjunction with the Special Conditions of Contract in Part Two Section-III and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

The General Conditions of Contract herein shall not be altered. Any changes and complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract in Part Two Section III.

# TABLE OF CLAUSES (GENERAL CONDITIONS OF CONTRACT)

1	Definitions
2	Application
3	Country of Origin
4	Standards
5	Use of Contract Documents and Information; Inspection and Audit by the Bank
6	Patent Rights
7	Performance Security
8	Inspections and Tests
9	Packing
10	Delivery and Documents
11	Insurance
12	Transportation
13	Incidental Services
14	Spare Parts
15	Warranty
16	Payment
17	Prices
18	Change Orders
19	Contract Amendments
20	Assignment
21	Subcontracts
22	Delays in the Supplier's Performance
23	Liquidated Damages
24	Termination for Default
25	Force Majeure
26	Termination for Insolvency
27	Termination for Convenience
28	Resolution of Disputes
29	Governing Language
30	Applicable Law
31	Notices
32	Taxes and Duties

# GENERAL CONDITIONS OF CONTRACT

1. Definitions	1.1	In this Contract, the following terms shall be interpreted as indicated:
		"The Contract" means the agreement entered into between the Procuring Entity and the Supplier, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
		"The Contract Price" means the price payable to the Supplier under the Contract for the full and proper performance of its contractual obligations.
		"The Goods" means all of the equipment, machinery, and/or other materials which the Supplier is required to supply to the Procuring Entity under the Contract.
		"The Services" means those services ancillary to the supply of the Goods, such as transportation and insurance, and any other incidental services, such as installation, commissioning, provision of technical assistance, training, and other such obligations of the Supplier covered under the Contract.
		"GCC" means the General Conditions of Contract contained in this section.
		"SCC" means the Special Conditions of Contract.
		"The Procuring Entity" means the organization purchasing the Goods, as named in SCC.
		"The Procuring Entity's country" is the country named in SCC.
		"The Supplier" means the individual or firm supplying the Goods and Services under this Contract.
		"The Project Site," where applicable, means the place or places named in SCC.
		"Day" means calendar day.
2. Application	2.1	These General Conditions shall apply to the extent that they are not superseded by provisions of other parts of the Contract.
3. Country of Origin	3.1	All Goods and Services supplied under the Contract shall have their origin in the countries and territories eligible under the rules and `further elaborated in the SCC.
	3.2	For purposes of this Clause, "origin" means the place where

		the Goods were mined, grown, or produced, or from which the Services are supplied. Goods are produced when, through manufacturing, processing, or substantial and major assembly of components, a commercially recognized new product results that is substantially different in basic characteristics or in purpose or utility from its components.
	3.3	The origin of Goods and Services is distinct from the nationality of the Supplier.
4. Standards	4.1	The Goods supplied under this Contract shall conform to the standards mentioned in the Technical Specifications, and, when no applicable standard is mentioned, to the authoritative standards appropriate to the Goods' country of origin. Such standards shall be the latest issued by the concerned institution.
5. Use of Contract Documents and Information; Inspection and Audit by the Government	! !	The Supplier shall not, without the Procuring Entity's prior written consent, disclose the Contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the Procuring Entity in connection therewith, to any person other than a person employed by the Supplier in the performance of the Contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for purposes of such performance.
	5.2	The Supplier shall not, without the Procuring Entity's prior written consent, make use of any document or information enumerated in GCC Clause 5.1 except for purposes of performing the Contract.
	5.3	Any document, other than the Contract itself, enumerated in GCC Clause 5.1 shall remain the property of the Procuring Entity and shall be returned (all copies) to the Procuring Entity on completion of the Supplier's performance under the Contract if so, required by the Procuring Entity.
	5.4	The Supplier shall permit the Procuring Entity to inspect the Supplier's accounts and records relating to the performance of the Supplier and to have them audited by auditors appointed by the procuring Entity, if so required.
6. Patent Rights	6.1	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof in the Procuring Entity's country.

7. Performance Security	7.1	Within twenty (20) days of receipt of the notification of Contract award, the successful Bidder shall furnish to the Procuring Entity the performance security in the amount specified in SCC.
	7.2	The proceeds of the performance security shall be payable to the Procuring Entity as compensation for any loss resulting from the Supplier's failure to complete its obligations under the Contract.
	7.3	The performance security shall be denominated in the currency of the Contract acceptable to the Procuring Entity and shall be in one of the following forms:
		a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in the Procuring Entity's country, in the form provided in the bidding documents or another form acceptable to the Procuring Entity; or
		a cashier's or certified check.
	7.4	The performance security will be discharged by the Procuring Entity and returned to the Supplier not later than thirty (30) days following the date of completion of the Supplier's performance obligations under the Contract, including any warranty obligations, unless specified otherwise in SCC.
8. Inspections and Tests	8.1	The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Contract specifications at no extra cost to the Procuring Entity. SCC and the Technical Specifications specifies inspections and tests the Procuring Entity requires and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.
	8.2	The inspections and tests may be conducted on the premises of the Supplier or, at point of delivery, and/or at the Goods' final destination. If conducted on the premises of the Supplier, all reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspectors at no charge to the Procuring Entity.

		Should any inspected or tested Goods fail to conform to the Specifications, the Procuring Entity may reject the Goods, and the Supplier shall either replace the rejected Goods or make alterations necessary to meet specification requirements free of cost to the Procuring Entity.
	8.4	The Procuring Entity's right to inspect, test and, where necessary, reject the Goods after the Goods' arrival in the Procuring Entity's country shall in no way be limited or waived by reason of the Goods having previously been inspected, tested, and passed by the Procuring Entity or its representative prior to the goods' shipment from the country of origin.
	8.5	Nothing in GCC Clause 8 shall in any way release the Supplier from any warranty or other obligations under this Contract.
9. Packing	9.1	The Supplier shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the Contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.
	9.2	The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified in SCC, and in any subsequent instructions ordered by the Procuring Entity.
10. Delivery and Documents	10.1	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in the Schedule of Requirements. The details of shipping and/or other documents to be furnished by the Supplier are specified in SCC.
	10.2	Documents to be submitted by the Supplier are specified in SCC.
11. Insurance	11.1	The Goods supplied under the Contract shall be delivered duty paid (DDP) under which risk is transferred to the buyer after having been delivered, hence insurance coverage is sellers' responsibility.

services, including additional services, if any, specified in SCC:  performance or supervision of on-site assembly and/or start-up of the supplied Goods;  furnishing of tools required for assembly and / or maintenance of the supplied Goods;  furnishing of a detailed operations and maintenance  manual for each appropriate unit of the supplied Goods;  d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and  e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.	12. Transportation	12.1 The Supplier is required under the Contact to transport the Goods to a specified place of destination within the Procuring Entity's country, transport to such place of destination in the Procuring Entity's country, including insurance and storage, as shall be specified in the Contract, shall be arranged by the Supplier, and related costs shall be included in the Contract Price.
	13. Incidental Services	performance or supervision of on-site assembly and/or start-up of the supplied Goods;  furnishing of tools required for assembly and / or maintenance of the supplied Goods;  furnishing of a detailed operations and maintenance  manual for each appropriate unit of the supplied Goods;  d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and  e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.

14. Spare Parts	14.1 As specified in SCC, the Supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:  such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under the Contract; and  in the event of termination of production of the spare parts:  advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements;  following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.
15. Warranty	15.1The Supplier warrants that the Goods supplied under the Contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials unless provided otherwise in the Contract. The Supplier further warrants that all Goods supplied under this Contract shall have no defect, arising from design, materials, or workmanship (except when the design and/or material is required by the Procuring Entity's specifications) or from any act or omission of the Supplier, that may develop under normal use of the supplied Goods in the conditions prevailing in the country of final destination.
	15.2 This warranty shall remain valid for such months and years as specified in Special Conditions of Contract months after the Goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the Contract.
	15.3 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty.
	15.4Upon receipt of such notice, the Supplier shall, within the period specified in SCC and with all reasonable speed, repair or replace the defective Goods or parts thereof, without costs to the Procuring Entity.

	15.5 If the Supplier, having been notified, fails to remedy the defect(s) within the period specified in SCC, within a reasonable period, the Procuring Entity may proceed to take such remedial action as may be necessary, at the Supplier's risk and expense and without prejudice to any other rights which the Procuring Entity may have against the Supplier under the Contract.
16. Payment	16.1 The method and conditions of payment to be made to the Supplier under this Contract shall be specified in SCC.
	16.2 The Supplier's request(s) for payment shall be made to the Procuring Entity in writing, accompanied by an invoice describing, as appropriate, the Goods delivered and Services performed, and by documents submitted pursuant to GCC Clause 10, and upon fulfillment of other obligations stipulated in the Contract.
	16.3 Payments shall be made promptly by the Procuring Entity, but in no case later than sixty (60) days after submission of an invoice or claim by the Supplier.
	16.4 The currency of payment is Pak. Rupees.
17. Prices	17.1 Prices charged by the Supplier for Goods delivered and Services performed under the Contract shall not vary from the prices quoted by the Supplier in its bid, with the exception of any price adjustments authorized in SCC or in the Procuring Entity's request for bid validity extension, as the case may be.
18. Change Orders	18.1 The Procuring Entity may at any time, by a written order given to the Supplier pursuant to GCC Clause 31, make changes within the general scope of the Contract in any one or more of the following:  a. drawings, designs, or specifications, where Goods to be furnished under the Contract are to be specifically manufactured for the Procuring Entity;
	the method of shipment or packing; the place of delivery; and/or the Services to be provided by the Supplier.

		If any such change causes an increase or decrease in the cost of, or the time required for, the Supplier's performance of any provisions under the Contract, an equitable adjustment shall be made in the Contract Price or delivery schedule, or both, and the Contract shall accordingly be amended. Any claims by the Supplier for adjustment under this clause must be asserted within thirty (30) days from the date of the Supplier's receipt of the Procuring Entity's change order.
19. Contract Amendments		Subject to GCC Clause 18, no variation in or modification of the terms of the Contract shall be made except by written amendment signed by the parties.
20. Assignment		The Supplier shall not assign, in whole or in part, its obligations to perform under this Contract, except with the Procuring Entity's prior written consent.
21. Subcontracts		The Supplier shall notify the Procuring Entity in writing of all subcontracts awarded under this Contract if not already specified in the bid. Such notification, in the original bid or later, shall not relieve the Supplier from any liability or obligation under the Contract.
	21.2	Subcontracts must comply with the provisions of GCC Clause 3.
22. Delays in the Supplier's Performance		Delivery of the Goods and performance of Services shall be made by the Supplier in accordance with the time schedule prescribed by the Procuring Entity in the Schedule of Requirements.
		If at any time during performance of the Contract, the Supplier or its subcontractor(s) should encounter conditions impeding timely delivery of the Goods and performance of Services, the Supplier shall promptly notify the Procuring Entity in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the Supplier's notice, the Procuring Entity shall evaluate the situation and may at its discretion extend the Supplier's time for performance, with or without liquidated damages, in which case the extension shall be ratified by the parties by amendment of Contract.
		Except as provided under GCC Clause 25, a delay by the Supplier in the performance of its delivery obligations shall render the Supplier liable to the imposition of liquidated damages pursuant to GCC Clause 23, unless an extension of time is agreed upon pursuant to GCC Clause 22.2 without the application of liquidated damages.

23.1 Subject to GCC Clause 25, if the Supplier fails to deliver any or all of
the Goods or to perform the Services within the period(s) specified in the Contract, the Procuring Entity shall, without prejudice to its other remedies under the Contract, deduct from the Contract Price, as liquidated damages, a sum equivalent to the percentage specified in SCC of the delivered price of the delayed Goods or unperformed Services for each week or part thereof of delay until actual delivery or performance, up to a maximum deduction of the percentage specified in SCC. Once the maximum is reached, the Procuring Entity may consider termination of the Contract pursuant to GCC Clause 24.
24.1 The Procuring Entity, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the Supplier, may terminate this Contract in whole or in part:
if the Supplier fails to deliver any or all of the Goods within the period(s) specified in the Contract, or within any extension thereof granted by the Procuring Entity pursuant to GCC Clause 22; or
if the Supplier fails to perform any other obligation(s) under the Contract.
if the Supplier, in the judgment of the Procuring Entity has engaged in corrupt or fraudulent practices in competing for or in executing the Contract.
For the purpose of this clause:
"Corrupt practice" means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution.
"Fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Borrower, and includes collusive practice among Bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the Borrower of the benefits of free and open competition.
24.2 In the event the Procuring Entity terminates the Contract in whole or in part, pursuant to GCC Clause 24.1, the Procuring Entity may procure, upon such terms and in such manner as it deems appropriate, Goods or Services similar to those undelivered, and the Supplier shall be liable to the Procuring Entity for any excess costs for such similar Goods or Services. However, the Supplier shall continue performance of the Contract to the extent not terminated.
25.1 Notwithstanding the provisions of GCC Clauses 22, 23, and 24, the Supplier shall not be liable for forfeiture of its performance security, liquidated damages, or termination for default if and to the extent that its delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.

	25.2 For purposes of this clause, "Force Majeure" means an event beyond the control of the Supplier and not involving the Supplier's fault or negligence and not foreseeable. Such events may include, but are not restricted to, acts of the Procuring Entity in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions, and freight embargoes.  25.3 If a Force Majeure situation arises, the Supplier shall promptly notify
	the Procuring Entity in writing of such condition and the cause thereof. Unless otherwise directed by the Procuring Entity in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.
Insolvency	26.1 The Procuring Entity may at any time terminate the Contract by giving written notice to the Supplier if the Supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the Supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the Procuring Entity.
Convenience	27.1 The Procuring Entity, by written notice sent to the Supplier, may terminate the Contract, in whole or in part, at any time for its convenience. The notice of termination shall specify that termination is for the Procuring Entity's convenience, the extent to which performance of the Supplier under the Contract is terminated, and the date upon which such termination becomes effective.  27.2 The Goods that are complete and ready for shipment within thirty (30) days after the Supplier's receipt of notice of termination shall be accepted by the Procuring Entity at the Contract terms and prices. For the remaining Goods, the Procuring Entity may elect: to have any portion completed and delivered at the Contract terms and prices; and/or to cancel the remainder and pay to the Supplier an agreed amount for partially completed Goods and Services and for materials and parts previously procured by the supplier
28. Resolution of Disputes	28.1 The Procuring Entity and the Supplier shall make every effort to resolve amicably by direct informal negotiation any disagreement or dispute arising between them under or in connection with the Contract.
	28.2 If, after thirty (30) days from the commencement of such informal negotiations, the Procuring Entity and the Supplier have been unable to resolve amicably a Contract dispute, either party may require that the dispute be referred for resolution to the formal mechanisms specified in SCC. These mechanisms may include, but are not restricted to, conciliation mediated by a third party, adjudication in an agreed manner and/or arbitration.

29. Governing Language	The Contract shall be written in the language specified in SCC. Subject to GCC Clause 30, the version of the Contract written in the specified language shall govern its interpretation. All correspondence and other documents pertaining to the Contract which are exchanged by the parties shall be written in the same language.
30. Applicable Law	The Contract shall be interpreted in accordance with the laws of the Procuring Entity's country, unless otherwise specified in SCC.
31. Notices	Any notice given by one party to the other pursuant to this Contract shall be sent to the other party in writing or by cable, telex, or facsimile and confirmed in writing to the other party's address specified in SCC.
	A notice shall be effective when delivered or on the notice's effective date, whichever is later.
32. Taxes and Duties	Supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted Goods to the Procuring Entity.

# PART TWO (PROCUREMENT SPECIFIC PROVISIONS)

- Invitation for Bids (IFB)
- Bid Data Sheet (BDS)
- Special Conditions of Contract (SCC)
- Schedule of Requirements
- Technical Specifications
- Qualification and Evaluation Criteria
- Sample Forms
- Eligibility

# TABLE OF CONTENTS - PART TWO

Section I. Invitation for Bids
Section II. Bid Data Sheet
Section III. Special Conditions of Contract
Table of clauses
Section IV. Schedule of Requirements
Section V. Technical Specifications
Section VI. Qualification and Evaluation Criteria
Section VII. Sample Forms
Sample Forms
1. Bid form and Price Schedules
2. Bid Security Form
3. Contract Form
4. Performance Security Form
5. Bank Guarantee for Advance Payment
6. Manufacturer's Authorization Form
7. Integrity Pact

# PART TWO SECTION I. INVITATION FOR BID (IFB)

#### INVITATION FOR BID

OFFICE OF THE PROJECT DIRECTOR, DIRECTORATE GENERAL DRUGS CONTROL & PHARMACY SERVICES KHYBER PAKHTUNKHWA, PESHAWAR FOR PROCUREMENT / INSTALLATION OF HEATING VENTILATION AND AIR CONDITIONING (HVAC) SYSTEM AT PROVINCIAL FOOD AND DRUG TESTING LABORATORIES PHASE 5 HAYATABAD PESHWAR- FY 2024-25

Directorate General Drug Control & Pharmacy Services (DG, DC & PS), Khyber Pakhtunkhwa Peshawar / Project Director invites sealed bids under National Competitive Bidding from Manufacturers and/ or Importers and/ or authorized agents for Procurement / Installation of Heating Ventilation And Air Conditioning (HVAC) System at Provincial Food And Drug Testing Laboratories Phase-5 Hayatabad Peshawar- FY 2024-25 for the project titled "Establishment of Provincial Food & Drug Testing Laboratories".

Bidding shall be conducted through Single Stage—Two Envelopes Bidding Procedure comprising a single package containing two envelopes as per KPPRA Rules-2014. Each envelope shall contain Technical and Financial Bid separately clearly marked in bold & legible letters. The firms are expected to provide complete information of the bid along with its postal as well as valid email address and phone number/s on each respective envelope.

Interested Manufacturers and/ or Importers and/ or authorized agents must obtain Application Form along with complete set of bidding documents from the office of the Director General Drugs Control & Pharmacy Services, Block-B, Old FATA Secretariat Warsak Road Peshawar during office hours on any working day, on payment of PKR-2000/-, till **07th May 2025**, **Bids shall be submitted on 08<sup>th</sup> May 2025 till 11:00 am sharp and shall be opened at 11:30 am on the same day.** The Bidding Documents may be downloaded from the following official websites: www.healthkp.gov.pk, www.kpfsa.gov.pk and www.kppra.gov.pk.

The bidders are required to submit their inputs/reservations on Bidding Documents including Specifications, Criteria etc. to the Project Director / DG, DC & PS office in writing on or before 28<sup>th</sup> April 2025, a pre-bid meeting with the interested bidders will be held on, 29<sup>th</sup> April 2025 at 11:00am at office of the Project Director, Block-B, Old FATA Secretariat, Warsak Road Peshawar.

Interested Bidders must submit sealed bids to the office of the Project Director / DG, DC & PS on or before 11:00 AM sharp, 08<sup>th</sup> May 2025 and will be opened on the same day at 11:30 AM in the presence of those bidders or their representatives, who choose to attend the process. Bid submitted after 11:00 AM shall not be entertained.

Financial bid must be accompanied with Bid Security of 2% of the bid value in the name of the Project Director / Director General Drug Control & Pharmacy Services Khyber Pakhtunkhwa Peshawar, which shall be from bank account of the prospective bidder. Ordinary cheque and Payment Order (PO) in the form of bid security shall result in disqualification of bidder as per KPPRA Act 2012 and Rules 2014. Technical bids must be accompanied with a photocopy of the bid security (**not showing the amount**) and an Affidavit on Judicial Stamp paper to the effect that bid security as per Bid data Sheet is attached in the financial bid, failing which the technical bid will be considered as non-responsive.

Bids must be computer typed & printed and the offered bid prices must be written both in words & figures. Bid prices/ quotations with cutting and over-writing shall not be accepted to the

extent of that particular quoted item. An authorized person of the bidder/firm shall sign & stamp all pages of the bid having page numbers on all pages. Firms shall submit bids in hard/Tape binding, and bids submitted in box file/ loose file shall be considered non-responsive.

The technical proposal shall contain all the details in accordance with standard specification of the items/goods mentioned in the Schedule of Requirements (SOR) which must be supported by catalogue/Brochures issued by original manufacturer. Bids will be submitted on the format mentioned in BSDs under returnable bidding forms. Bidders are required to offer the most competitive prices of their items.

The undersigned reserves the right to reject any or all the bids as per provisions contained in Rule 47 of KPPRA Rules 2014.

Project Director,
Establishment of Food and Drug Testing Laboratories
Director General Drug Control & Pharmacy Services,
Khyber Pakhtunkhwa, Block-B, Old FATA Secretariat
Warsak Road Peshawar
Tel No: 091-9222824.

Email: directorgeneraldrugs@healthkp.gov.pk

# \*\*Reference to CORRIGENDUM – 3 published 20-05-2025

- The bid submission and opening date is extended to 3<sup>rd</sup> June 11:00am and 11:30am respectively.
- An on-site pre-bid meeting is scheduled on 26<sup>th</sup> May 2025 at Provincial Drugs and food testing lab, Phase-5, Hayatabad Peshawar.

# **BID DATA SHEET**

The following specific data for the goods to be procured shall complement, supplement, or amend the provisions in the Instructions to Bidders (ITB) Part One. Whenever there is a conflict, the provisions herein shall prevail over those in ITB.

Ref No	evail over those in ITB.  Introduction	Decemention
		Description Control of the Control o
ITB 1.1	•	Project Director / Directorate General Drug Control & Pharmacy Services Khyber Pakhtunkhwa Peshawar.
ITB 1.1	Loan or credit or Project allocation Number: Loan or credit or Project Allocation amount:	ADP No. 1159/210282 "Establishment of Provincial Food & Drug Testing Laboratory Khyber Pakhtunkhwa"
ITB 1.1	Name of Project:	Establishment of Provincial Food & Drug Testing Laboratories.
ITB 4.1	Name of Contract:	Procurement / Installation of HVAC in Food and Drug Testing Labs Phase-5 Hayatabad Peshawar
ITB 6.1		Project Director / Director General Drug Control & Pharmacy Services Khyber Pakhtunkhwa Peshawar Tel No: 091- 9222824 Email: directorgeneraldrugs@healthkp.gov.pk
ITB 8.1	Language of the bid.	Language of the bid is English.
Bid Price and	Currency	
ITB 11.2	Currency	The price quoted shall be in Pakistani Rupees (Rs)
ITB 11.5	Quoted Price	The quoted Price will be fixed
Preparation an	d Submission of Bids	
ITB 13.2	the Bidder's qualifications	That, in the case of a Bidder offering to supply Goods under the Contract that the Bidder manufactures or otherwise produces (using components supplied by primary manufacturers) that the Bidder: a.is incorporated in the country of manufacturing of the Goods b. has been licensed by the regulatory authority (if applicable) in the country of manufacture to supply the Goods. c. has manufactured or marketed the specific goods covered by this bidding document or similar Goods for at least two (2) years. (in Pakistan)
		d)The bidder must be duly authorized by a Manufacturer of the Goods that meets the criteria under (a), to supply the Goods in Pakistan.  The Bidder shall also submit the following additional information:  Signed & Stamped copies of its audited financial statements for the past three fiscal years.

		Valid, Signed & Stamped NTN and STRN certificates. Affidavit on legal stamp paper
ITB 13.3 (d)	Qualification requirements:	<ul> <li>Manufacturer / Importer / Sole Agent / Authorized Agents of Manufacturer</li> <li>Bidder's Certificate of Incorporation in Procuring Entity's country.</li> <li>Manufacturer's Authorization(s) (Such authorization letter shall be furnished in accordance to the sample format of bid solicitation document).</li> <li>The bidder(s) must provide copy of Bidder's Certificate of Incorporation/registration signed and stamped.</li> <li>The bidder(s) shall provide National Tax No. and Sales Tax No. The bidder should be on Active Taxpayers List (ATL) on FBR.</li> <li>Bidder(s) must provide an Affidavit on judicial stamp paper, of Rs. 100/- or more, that the bidder is not blacklisted by any Public Sector Organization.</li> <li>The bidder should have an average annual turnover in the last three years equal to or more 50 million PKR. Alternately, the bidder should have successfully completed in the last three years any specific project having value equal to or higher than 50 million PKR.</li> <li>Three years supported warranty after sales &amp; services, free of cost (with free spare parts).</li> <li>Bid Validity period is 180 days from the date of bid opening.</li> <li>Submission of required amount of earnest money. A confirmation to this extent shall be provided in Technical Bid (without showing the amount).</li> <li>Bidder(s) shall furnish, as part of its bid (along with Bid Forms &amp; Price Schedule) the following documentary evidence to proof Bidder's qualifications to perform the Contract and all evidence submitted must be signed &amp; stamped by the bidder.</li> </ul>

ITB 13.3 (e)	Spare parts required for period of years of Operation:	a. Three Years free of cost provision of services and spare parts under warranty period. Then; b. Two Years free of cost service without spare parts. c. Ten Years parts availability in market, the firm will provide certificate for the same. d. Separate list of spare parts must be submitted for each equipment. The list must be individually itemized and submitted with the technical bid. The spare parts must also be individually costed, and cost of each spare part must be separately submitted with financial bid. e. The cost of spare parts must not be added to the price of equipment. f. This requirement does not obligate Procuring Entity to Purchase the spare parts
ITB 15.1	Amount of bid security:	The Bidder shall furnish, as part of its bid, a Bid Security/Earnest Money equivalent to 2% of the bid price in Shape of CDR from the account of bidder /firm who submits the bid.
ITB 16.1	Bid validity period:	180 days from the date of bid opening.
ITB 18.2 (a)	Address for bid submission:	Project Director / Director General Drug Control & Pharmacy Services Khyber Pakhtunkhwa Peshawar
ITB 18.2 (b)	IFB Title:	IFB Title: Procurement / Installation of HVAC for Establishment of Provincial Food and Drugs Testing Laboratories Peshawar.
ITB 19.1	Deadline for bid submission:	Date: 24th June 2025. Time: 11:00 AM Sharp
	Pre-Bid meeting with the bidders:	The bidders are required to submit their inputs/reservations on Bidding Documents including Specifications, Criteria etc. to the Project Director / DG, DC & PS office in writing on or before 23 <sup>th</sup> May 2025, a pre-bid meeting with the interested bidders will be held on 26 <sup>th</sup> May 2025 at 10:30am.
ITB 22.1	Time, Date, and Place for Bid Opening:	Name: Directorate General Drug Control & Pharmacy Services / Project Director Building: Block-B, Old FATA Secretariat Warsak Road Peshawar Bid Opening Date: 24th June 2025. Bid Opening Time: 11:30 AM
Bid Evaluation		
ITB 23.1	Clarification of Bids:	The Procuring Entity may ask the Bidder in writing, only for clarification regarding the received documents in the bid. However, no change in the prices or substance of the bid shall be sought, offered, permitted, or entertained. This communication shall be with the prior approval of Chairperson Procurement / Executive Committee.

	Comparison of Bids:	Merit Point Evaluation The items ranked highest in merit points (obtained through and based on technical and financial evaluation) will get unit rate central Contract.  Technical Specifications Performance Specifications Evaluation Criteria Financial Proposal
ITB 25.4 (b)	One option only Delivery schedule. Relevant parameters in accordance with Option selected.	
II Option III	Adjustment expressed as a Percentage, or adjustment expressed in an amount in the currency of bid evaluation.	
` '	Deviation in payment schedule: Annual interest rate:	Not Applicable
ITB 25.4 (d)	Cost of spare parts:	Not Applicable
	Spare parts and after sales service facilities in the Procuring agency's Country.	As per Section IV - Technical evaluation criteria
	Operating and maintenance costs:	Not Applicable
	Performance and Productivity of Equipment:	Not Applicable
	method or reference to the Technical Specifications:	Evaluation of Bids will be based on following factors: Technical Specifications Performance Specifications Delivery Period Warranty Provisions After Sale Service (Availability of after sale service Facilities in Khyber Pakhtunkhwa)
ITB 28.1		As per Section 2 (1)(c)(i) of KPPRA Act 2012 The highest-ranking fair bid in accordance with the evaluation criteria set forth here in these bid solicitation documents. Highest Ranking fair bid is the bid i.e., Substantively responsive and Ranks 1st based on achieving highest combined Technical & Financial Evaluations Scores.

ITB 29.1	Percentage for quantity increase decrease.	The Procuring Entity reserves the right at the time of orcontract award to increase or decrease, the quantity of goods and services originally specified in the Schedule of Requirements without any change in unit price or other Terms and conditions.
ITB 33.1	Performance Security	5% of the total price of award of contract or as desired by the Procuring Entity at the time of contract considering the 2% Earnest money already submitted as CDR.

# SECTION III. SPECIAL CONDITIONS OF CONTRACT

# TABLE OF CLAUSES (SPECIAL CONDITIONS OF CONTRACT)

1.	Definitions (GCC Clause 1)
2.	Country of Origin (GCC Clause 3)
3.	Performance Security (GCC Clause 7)
4.	Inspections and Tests (GCC Clause 8)
5.	Packing (GCC Clause 9)
6.	Delivery and Documents (GCC Clause 10)
7.	Insurance (GCC Clause 11)
8.	Incidental Services (GCC Clause 13)
9.	Spare Parts (GCC Clause 14)
10.	Warranty (GCC Clause 15)
11.	Payment (GCC Clause 16)
12.	Prices (GCC Clause 17)
13.	Liquidated Damages (GCC Clause 23)
14.	Resolution of Disputes (GCC Clause 28)
15.	Governing Language (GCC Clause 29)
16.	Applicable Law (GCC Clause 30)
17.	Notices (GCC Clause 31)
18.	Duties & Taxes

# SPECIAL CONDITIONS OF CONTRACT (SCC)

The following Special Conditions of Contract (SCC) shall supplement & qualify the General Conditions of Contract (GCC). Whenever there is a conflict, the provisions herein shall prevail over those in the General Conditions of Contract. The corresponding clause number of the GCC is indicated in parentheses

#### **Definitions (GCC Clause 1)**

- GCC 1.1 (g)— The Procuring Entity is: Project Director / Director General Drug Control & Pharmacy Services Khyber Pakhtunkhwa Peshawar.
- GCC 1.1 (h)— The Procuring Entity's Country is: Pakistan
- GCC 1.1 (i)— The Supplier supplying Goods and Services under this Contract is:

Manufacturer and/or Importer and or Authorized / Sole agent of manufacturer registered with relevant sales and income tax authorities and have requisite qualification and eligibility for the requisite equipment i.e., HVAC as advertised in this bidding document.

Manufacturer of HVAC Equipment, Instruments & Accessories in Pakistan; and

Importer of HVAC Equipment, Instruments & Accessories in Pakistan.

- GCC 1.1 (j)—The Project Site is: Provincial Food and Drug Testing Laboratories, Phase-5, Hayatabad, Peshawar.
- 2.Country of Origin (GCC Clause 3)

GCC 3.1—All countries and territories as indicated in Part Two Section VI of the bidding documents, "Eligibility for the Provisions of Goods, Works, and Services in Government-Financed Procurement". The bidder shall provide the details regarding country of origin, Model, Make, manufacturer, along with details of Manufacturing Units and mode of supply, shipment, and any other associated details of the component items and that of the quoted equipment. Bidders are bound to supply the equipment from quoted country of origin or authorized manufacturing site.

• 3.Performance Security (GCC Clause 7)

GCC 7.1—The amount of performance security, as a percentage of the Contract Price, shall be: five (5%) percent of the Contract Price

- 4. Standards (GCC Clause 4): As mentioned in GCC clause 4.1
- 5. Inspections and Tests (GCC Clause 8)
- 6. Packing (GCC Clause 9)

The goods, including all packaging and packing thereof, conform to the specifications of the Contract, including any applicable standards provided for in the Contract or, if no applicable standards are provided, the most recent authoritative standards issued by the relevant institution in the goods' country of origin. The goods are securely contained, packaged and marked in accordance with normal commercial standards of export packing for goods of this type and in a manner so as to protect the goods while in storage or in transit to their ultimate destination.

- 7. Delivery and Documents (GCC Clause 10): Applicable Delivery Mode: Delivered Duty Paid (DDP)
- 8. The Supplier shall provide the following documents:
  - GCC 10.3— Up on shipment, the Supplier shall
  - Notify the Procuring Entity the full details of the shipment, including Contract number, description of Goods, quantity and usual transport document. The Supplier shall mail the following documents to the Procuring Entity:
  - All documents submitted by the bidder as evidence shall be attested and the attestation shall be inked in original, documents where attestation is provided as a photocopy will not be accepted.
  - Copies of the Supplier's invoice showing goods' description, quantity, unit price, and total amount;
  - Original and two copies of the usual transport document (for example, a negotiable bill of lading, a non-negotiable sea waybill, an inland waterway document, an air waybill, a railway consignment note, a road consignment note, or a multimodal transport document) which the buyer may require to take the goods;
  - The Suppliers, shall make delivery of the goods in such number of days or date from the date of issuance of Purchase order and signing of the contract with the successful bidder in accordance with the terms specified in the Schedule of Requirements, Specific Technical Evaluation Criteria. The details of original documents to be furnished by the Supplier are as follows;
  - Operational Manuals of the Equipment. Service Manuals indicating step by step service / maintenance protocols of each Equipment.
  - Periodic Preventive Maintenance schedules with recommended list of Parts / Kits to be replaced during useful life (where applicable).
  - A copy of Test / Inspection Procedure Manual of all equipment as duly recommended by the manufacturer. At the time of final delivery the bidder may be required to perform all or any combination of random checks.
  - Product model and part numbers, bar code, QR Code (If available) and Catalogue.
  - Verifiable / Traceable Certificate of calibration of Equipment / item must be provided; Legible certificate indicating shelf life (where applicable);
  - Copies of the packing list identifying contents of each package;
  - Insurance certificate (where applicable);
  - Manufacturer or Supplier's warranty certificate;
  - Inspection certificate, issued by the nominated inspection Entity, and the Supplier's factory inspection report; and
  - Certificate of origin.

#### • 9. Insurance (GCC Clause 11)

• GCC 11.1— The Goods supplied under the Contract shall be delivered duty paid (DDP) under which risk is transferred to the buyer after having been delivered, hence insurance coverage is sellers' responsibility. Since the Insurance is seller's responsibility, they may arrange appropriate coverage.

#### • 10. Spare Parts (GCC Clause 14)

A list of recommended Spare Parts that usually require replacement over the life of proposed equipment / item must be separately provided. This requirement does not constitute any

obligation for purchase of such spare parts.

# • 11. Warranty (GCC Clause 15)

- GCC 15.4 Execution of Warranty Maintenance during warranty period will be the responsibility of the Supplier. An annual optimal uptime of 90% is considered as acceptable level of performance during the period of warranty.
- The Procuring Entity shall promptly notify the supplier in writing for any claims arising under this warranty.
- Supplier will be bound to provide replacement of parts warranty instead of repair.
- The Supplier will provide the recommended preventive maintenance schedule of each of the equipment at the time of delivery (Where applicable).
- The Supplier will bound to execute the maintenance according to the manufacturer's recommended protocol and will replace the components / kits recommended by the manufacturers for installation and Periodic Preventive maintenance.
- GCC 15.4 The maximum response time for maintenance complaint from the destination specified in the Schedule of Requirements (i.e., time required for supplier's maintenance engineer to report at the site after a request call /fax/ email, or any method of communication) shall not exceed 24 hours.
- During the Warranty and the SLA, the supplier will be required to maintain the equipment in good working condition for a minimum period of 329 days out of a period of 365 days. i.e. (90% uptime). 8 hours non-functioning of the equipment will be considered as one day down time.
- Essential period to shut down the installation entirely or partially shall also be included in the down time while calculating the 90% guaranteed uptime. This guaranteed uptime shall be calculated for each block of 365 days. The Response time to any fault should be not more than 48 hrs. In case the equipment cannot be made functional within 4 days or 96 hours, the supplier has to make arrangement for an alternative. Maximum time allowable for providing alternative equipment / item, correcting the fault would be Seven (07) continuous days.
- GCC 15.5 In case equipment is not useable beyond the stipulated maximum down time the Supplier will be required to arrange for an immediate replacement of the same till such time it is so required. Failure to arrange for the immediate replacement of equipment will make the Supplier liable for a penalty at the rate of 0.25% of the price per non-functional unit per day and at 1.75% Week beyond the stipulated downtime period. The amount of penalty will be recovered from the performance security bank guarantee.
- Down time is defined as the failure in the equipment operation to acquire or process the data or procedure, resulting in inability to carry out the required procedure properly.
- Down time will start when the Lab In charge or any other individual of the procuring entity, (request call /fax/ email, or any method of communication inform the supplier regarding failure of equipment. Down time will end once the repairs have been affected and the system is again available for practical work.
- Supplier will warrant that warranty for replacement of parts and equipment will be provided; no repairing warranty will be accepted. Software and hardware up gradation of the computing system should be carried out as available during warranty period as desired by end user or as recommended by the manufacturer.
- Subject to GCC Sub-Clause 22.1(b), All such warranties for the goods shall remain in effect for a period specified in or for such other longer period that the original Supplier of original manufacturer normally provides for such goods or a longer period agreed upon in this Contract after the goods are placed in use (the "Warranty Period");
- During any period in which the Bidder's warranties are effective, upon notice by Procuring Entity that the Equipment/ items do not conform to the requirements of

the Contract, the Bidder shall promptly and at its own expense correct such non-conformities or, in case of its inability to do so, replace the defective goods with goods of the same or better quality or, at its own cost, remove the defective goods and fully reimburse Procuring Entity for the purchase price paid for the defective goods. In the event the Bidder fails to repair or replace defective or non-conforming goods within a reasonable time, Procuring Entity may replace or repair the goods and charge or debit the Bidder for all costs connected therewith or, if such replacement or repair is not practicable.

- The Bidder shall remain responsive to the needs of Procuring Entity for any services that may be required in connection with any of the Supplier' warranties under the Contract.
- If the Bidder is not the original manufacturer of the goods, the Bidder shall provide Procuring Entity with the benefit of all manufacturers' warranties in addition to any other warranties required to be provided under the Contract;
- For goods ordered, the Supplier shall provide or maintain a Service Level reasonably constituted to handle requests from Procuring Entity or its Members or other ultimate beneficiaries for technical assistance on maintenance, service repairs, and calibration of the Equipment/ item once the Warranty period expires.

#### **Guarantees:**

- Unless otherwise specified in the Contract, in addition to and without limiting any other warranties, remedies or rights of Procuring Entity stated in or arising under the Contract, the Bidder guarantees and represents that:
- Availability of Spare Parts that usually require replacement over the life of proposed equipment / item must be separately provided. This requirement does not constitute any obligation for purchase of such spare parts.
- The Supplier guarantees that the goods are fit for the purposes for which such goods are ordinarily used and for purposes expressly made known to the Procuring Entity, are of current manufacturer and are of even quality and free from defects in design, workmanship, material and manufacturing;
- The Equipment/ items are of the quality, quantity and description required by the (BSD) / Contract, including when subjected to conditions prevailing in the place of final destination;
- The Equipment/ items are free from any right of claim by any third-party, including claims of infringement of any intellectual property rights, including, but not limited to, patents, copyright and trade secrets;
- The Supplier guarantees that all the Goods are new, unused, and of the most recent or current models, and that they incorporate all recent improvements in design and materials, unless provided otherwise in the Contract.
- The Supplier further guarantees that the Goods shall be free from defects arising from any act or omission or arising from design, materials, and workmanship, under normal use in the conditions prevailing in the final destination.
- The Bidder shall, in addition, comply with the guarantees associated with the performance and/or conformance specifications specified under the (BSD) / Contract. If, for reasons attributable to the Bidder, these guarantees are not attained in whole or in part, the Bidder shall, at its discretion, either:
- Replace the equipment/ item in order to attain the contractual guarantees specified
  in the Contract at its own cost and expense and to carry out further performance /
  conformance tests in accordance with GCC Clause 10,
- Pay liquidated damages to the Procuring Entity with respect to the failure to meet the contractual guarantees. The rate of these liquidated damages shall be 0.25% per day to a maximum of 10% of the total relevant equipment/ item price.
- In case of Failure to comply to the contractual guarantees once the liquidated damages are above 10% of the total relevant equipment/ item price and the

contractual guarantees are not attained the contract will be cancelled the performance security will be forfeited and the supplier will be proceeded under blacklisting/ debarment mechanism of the Procuring Entity.

#### **ACCEPTANCE OF GOODS:**

Under no circumstances shall the Procuring Entity be required to accept any goods that do not conform to the technical specifications or requirements of the (BSD). Procuring Entity may condition its acceptance of the goods upon the successful completion of acceptance tests as may be specified in (BSD) or in the Contract or otherwise agreed in writing by the Parties. In no case shall Procuring Entity be obligated to accept any goods unless and until Procuring Entity has had a reasonable opportunity to inspect the goods following delivery and all required satisfactory inspection reports have been provided to Procuring Entity. In no case shall delivery of equipment by Manufacturers and/ or Importers and/ or authorized agents to Procuring Entity in and of itself constitute acceptance of the goods. The delivered Equipment / Items / Goods will only be accepted when the equipment has been installed and preliminary inspection / verification of the required function of the equipment has been completed to the satisfaction of the Procuring Entity.

### Payment (GCC Clause 16) Payment for Goods supplied:

Payment shall be made in Pak. Rupees in the following manner:

- Payment shall be made in Pak. Rupees through crossed cheque in the following manner: 100 percent of the Contract Price of the Goods shall be paid to supplier within thirty (60) days after delivery & inspection by the Inspection Committee of intended goods at destination or, in case of any import, through irrevocable confirmed letter of credit opened in favor of the Supplier for supplying in Client's country, upon submission of documents specified in GCC Clause (16).
- The Procuring Agency hereby covenants to pay the Supplier in consideration of the provision of the Equipment/ Goods and Services, as specified in the Schedule of Requirements in accordance with the Price Schedule, the amount against the delivered equipment / goods and services or such other sum as may become payable under the provisions of this Contract.
- A copy of General Sales Tax ('GST') Invoice showing the amount of sales tax, must be submitted along with the Invoice. In case, GST is not applicable, the Supplier shall provide the documentary evidence to the said effect.
- Income/withholding tax shall be deducted at source as per applicable taxation laws, while making the payments. In case supplier claims any exemption from such taxes then supplier shall provide the documentary evidence to the said effect.
- No Payment will be made for partial and incomplete supply of Equipment/ items, for what so ever reason.

### **Prices (GCC Clause 17)**

- The price will remain fix. All prices must include all the taxes and duties, where applicable. If there is no mention of taxes, the offered/ quoted price shall be considered as inclusive of all prevailing taxes/ duties.
- The bidder will not quote price of any item/s which is/are higher than the prices quoted by the bidder across the country to any procuring entity of the quoted item/s through public funding.
- In case the bid price is higher than estimated cost, the Procuring agency has the right to reject the bid and scrap the process without any liability.
- The procuring agency may carry out the market analysis before issuing a letter of consent to the successful bidder.

#### **Subcontracts (GCC Clause 21)**

Subcontracts are not allowed.

#### **Liquidated Damages (GCC Clause 23)**

Applicable rate: 0.75% per day of the total Contract price. Maximum deduction: = 10% of the total contract amount. As in relevant clauses of the Contract Agreement signed by the Supplier with the Procuring Entity. Penalties shall be imposed as per contract agreement and blacklisting & debarment guidelines of the department if the firm deviates from Contract Agreement.

# **Disputes Resolution (GCC Clause 28)**

The dispute resolution mechanism to be applied will be pursuant to relevant clauses of Contract Agreement signed by Supplier with the Procuring Entity per law. In the case of non-resolution dispute shall be referred to adjudication or arbitration in accordance with The Arbitration Act 1940. If at all required, the jurisdiction of Court shall be of Peshawar, Khyber Pakhtunkhwa.

# **Governing Language (GCC Clause 29)**

The Governing Language shall be: English.

#### **Applicable Law (GCC Clause 30)**

The Contract shall be interpreted in accordance with the laws of Islamic Republic of Pakistan, which includes but are not limited to the following legislation:

- The KPPRA Act 2012, KPPRA Rules 2014 and prevailing regulations etc.
- The Contract Act 1872
- The General Financial Rules of the Govt. of Khyber Pakhtunkhwa and all the relevant laws, rules and regulations pertaining to budgeting & financial management of public fund.
- The Bonded Labor System (Abolition) Act of 1992.
- Child Labor (relevant Act Rule) e.g., Khyber Pakhtunkhwa Prohibition of Employment of Children Act, 2015.
- The Factories Act 1934.
- Companies Act 2017.
- The Drug Act 1976, and Rules framed there under.
- The DRAP Act 2012 and Rules framed there under.

# **Notices (GCC Clause 31)**

GCC 31.1—Procuring Entity address for notice purposes:

Project Director / Directorate General Drug Control & Pharmacy Services Khyber Pakhtunkhwa Peshawar, Block-B, Old FATA Secretariat Warsak Road Peshawar.

Email: directorgeneraldrugs@healthkp.gov.pk

Supplier's address for notice purposes: As mentioned in their bidding document

### **Duties & Taxes (GCC clause 32)**

The Unit price quoted by the bidder shall be inclusive of all applicable duties

and taxes. All prices shall include relevant taxes & duties, where applicable. The benefit of exemption from or reduction in the GST or other taxes shall be passed on to the Purchasing Entity.

# **Legal Documentary Proof:**

The Importers and/ or authorized agents must possess valid legally enforceable exclusive authorization from the Foreign/ Local Manufacturer; they should have a documentary proof to the effect that they are the original Manufacturer of the required goods. Bidders shall establish all legal documentary proofs where required/ ask by the Project Director (DG, DC & PS).

#### **Ineligibility for Corrupt and Fraudulent Practices:**

Bidders should not be under a declaration of ineligibility for corrupt and fraudulent practices issued by any Government (Federal, Provincial), a local body or a public sector organization.

#### **Letter of Authorization:**

The Authorized agent shall have to submit notary attested authorization / Sole Agency Certificate from Manufacturer and in case of Manufacturer, documentary proof to the effect that they are the original Manufacturer of the required goods shall be provided, or joint venture/ consortium/ alliance of the local Sole agents/manufacturers. In case of imported products, the authorization shall be notarized in the country of origin or or where the commercial office located for the quoted items. (NOTE: In case if the document is verifiable online then the notarization is not mandatory). Bidders shall provide letter of authorization from foreign/local Manufacturers whose shall not be in the process of winding up/liquidations.

In case of Manufacturers documentary proof to the effect that they are the original Manufacturer of the required goods shall be provided. In case of Importers and/ or authorized agents attested authorization / Sole importer / Sole Agent Certificate from the Manufacturer on their letter head shall be provided. Template has been provided in Section-VI of this (BSD) which may be followed for providing Authorization certificate.

#### **Technical Staff and Tools:**

The Bidder should have strong engineering background and necessary tools/ testing equipment, trained staff for the required after sales services of equipment / goods.

#### **Deviation:**

#### • Minor Deviation

The Procuring Entity may waive off a maximum up to three minor informalities, nonconformities, in a bid which does not constitute a material deviation (or changes the substance of the bid), , as mentioned in the technical evaluation proforma, provided such waiver does not affect the performance of the equipment.

#### • Major Deviation

Deviation in the specifications noted here in these bid solicitation documents

where the performance of the equipment may affect shall be considered a major deviation.

Effect of the Major and Minor deviation shall be defined explicitly in order to avoid confusion later just like defined below for "Material Deviation"

#### **Deviation from critical Provision:**

Deviations from, or objections or reservations to critical provisions shall be deemed to be a material deviation from technical proposals and thus the bid will be declared as non-responsive. Any model supplied other than quoted and approved will be considered as deviation/ forgery and will be rejected straightaway at the cost and risk of the supplier.

#### Prevailing Rules, Regulation and Policies:

- A bid once opened in accordance with the prescribed procedure shall be subject to only those rules, regulations and policies that are in force at the time of issue of notice for invitation of bids.
- All bids shall be evaluated in accordance with the evaluation criteria and other terms and conditions set forth in the bidding documents.

#### **ALTERNATE BID:**

Different models/ prices offered for a single item by the same bidder shall be considered as alternate bid and shall be non-responsive.

#### **AFTER SALE SERVICE:**

Certificate from the manufacturer that the after sales services / backup services shall be provided jointly with the local Importer / Sole Agent and in case of change of local agent, they will provide the after sales services themselves or through newly appointed agent for the period mentioned from the date of commissioning.

#### **TESTING AND CALIBRATION**

The firm must have all kind of testing and calibration equipment, which is required to maintain the products, which they are dealing. The list of all required testing equipment would be provided along with the technical bid. The available testing equipment must be calibrated. The successful bidders shall provide complete technical manual and operation manual equipment / items to the end user.

#### MANUFACTURER OFFICIAL WEBSITE:

The quoted model of imported product shall be available on the current official website of the manufacturer; otherwise, the quoted product shall be considered obsolete/ redundant and will straight away be rejected.

#### **INSPECTING THE PREMISES:**

The Procuring Entity has the right to inspect the premises of bidder to inspect the setups ensuring proper after sales services, documents mentioned in technical bids and any other relevant details regarding testing tools, calibration tools, spare parts etc. by relevant technical personnel.

# **OPENING OF THE FINANCIAL PROPOSALS:**

After technical evaluation is completed, the Procuring Entity shall notify the date, time and location for opening of the financial proposals. Bidders' attendance at the opening of financial proposals is optional.

#### INCOMPLETE AND CONDITIONAL BIDS:

Incomplete/ Conditional bid shall stand rejected. All items described in the technical proposal must be priced in financial proposal. No conditional bid in term of Technical/Financial bid will be entertained and the bidder will straight away be disqualified.

#### **BIDDERS INFLUENCE:**

Any effort by a Bidder to influence the Procuring Entity in its decisions on bid evaluation, bid comparison, or Contract Award will result in the rejection of

the Bidder's bid and subsequent black listing, if Procuring Entity so desires. Canvassing by any Bidder at any stage of the Tender evaluation is strictly prohibited.

# **QUANTITY VARIATION:**

The Procuring Entity reserves the right at the time of Contract award to increase or decrease the quantity of goods as per permissible limits under the Rules 2014 originally specified in Schedule of Requirements without any change in unit price or other terms and conditions.

#### OEM:

The Manufacturer should have documentary evidence to the effect that they are the original manufacture of the quoted product/s with indication of manufacturing site and its location.

# LIST OF RELATED TOOLS/PARTS:

The details regarding testing, calibration tools shall be submitted in bid which will be verified during inspection. The list is attached in this document and marks will be awarded after verification & recommendation by relevant technical personnel during inspection stages.

# TECHNICAL BID SUBMISSION VIS-À-VIS FORMAT:

The bidders will quote the technical bids on the format/Form given in Section-VI Bid Forms "Returnable Schedules" the sample form.

# SECTION IV. SCHEDULE OF REQUIREMENTS SCHEDULE OF REQUIREMENTS

All the bidders must submit the quotations of offered equipment / items on the format provided in Section-VI "Bidding Forms" under "Returnable Bid Forms" for HVAC and related equipment.

- In case of imported items, the quoted items shall be registered for use in their country of origin, for which the Importers should provide valid authorization Certificate for their quoted products duly (Verifiable Authorization certificate shall be required).
- All certifications of regulatory bodies, Manufacturer authorizations and data/ documents shall be valid and attestation shall be in original, photocopies and / or scanned documents will not be considered. Committee may carry out the verifications on or before award of contract and in case of any fraudulent practice; legal action will be taken against the bidder concerned. Any certificate expires before bid opening will not be entertained.
- Non-Provision of mandatory documents mentioned in these BSDs shall lead to disqualification of the firm / quoted items.
- After sale satisfactory performance certificate and Satisfactory delivery completion/ performance certificates must be recognized from relevant forums having dispatch number, signature of the officer and date on letter head of procuring entity. The satisfactory performance certificate of non-recognized institution with relevant forums will not be considered.
- The Procuring Entity, at any stage of the procurement proceedings, having credible reasons for or prima facie evidence of any defect in Supplier's capacities may require the Suppliers to provide information concerning their professional, technical, financial, legal or managerial competence as well as information regarding offered Goods/ Equipment.
- The Procuring Entity has the right to inspect the premises of bidder (if needed) ensuring proper after sales services, verify documents (if needed) mentioned in technical bids and any other relevant details. Premises (office/workshop/warehouse) of bidder shall be insured through ownership/or Rent agreement.
- The bidder shall provide the shipment trail of the quoted item from the manufacturing site till destination.
- The Bid security shall be from bank account of the bidder. Ordinary cheque and Payment Order (PO) in the form of bid security shall result in bid rejection.
- Different models/ prices offered for a single item by the same bidder shall be considered as alternate bid and shall be non-responsive.
- Any reservations / suggestions on the advertised BSDs including criteria, specifications etc. (if any) shall be submitted in writing in the Pre-bid meeting by authorized person/representative of the firm on or before the Pre-Bid meeting.
- The schedule for supply of goods shall be as under:
- Within 120 days from the date of issuance of supply order by the Procuring Entity for items to be imported goods. For locally manufactured/assembled items the supply time shall be 60 days
- Successful bidders will be responsible for installation, testing & commissioning of the equipment. Successful bidders will ensure to train staff regarding method development, functioning, and calibration and troubleshooting of equipment.
- Bid must include a manufacturer's brochure or leaflet describing the equipment being offered to enable offered specifications to be verified.
- All brochures and leaflets submitted must be written in the English language or a translation into the English language.

The following inspections and tests shall be performed:

- The vendor must have the required Goods/ Equipment inspected in the manufacturer's works by a competent authority and submit a test certificate and also a guarantee/warranty certificate that the required Goods/ Equipment conform to written specifications.
- Procuring Entity through its representatives may decide to inspect and/or test any or all item of the required Goods/ Equipment to confirm their conformity to the contract, prior to dispatch from the supplier(s) premises. Such inspection and clearance will not prejudice the right of the

- Procuring Entity to inspect and test the required Goods/ Equipment on receipt at destination.
- The goods shall be brand new as no used or refurbished item will be accepted, in case any item found (used or refurbished) or defective, as identified by the inspection committee after supply, will be at responsibility of the supplier to replace the supplied item at their own risk and cost.
- If the required Goods/ Equipment fail to meet the laid down specifications, the supplier shall take immediate steps to remedy the deficiency or replace the defective required Goods/ Equipment to the satisfaction of the Procuring Entity.
- The firm shall have office/ sales service center preferably in in Khyber Pakhtunkhwa Province and any other Province of the Country through which the successful Supplier is able to provide after sale services to the Procuring Entity.
- Successful Supplier shall ensure to complete the supply of the Goods/ items at the earliest but not later than specified Delivery Period at Serial Nos. (15) & (16) above.
- Conditional Bids will be disqualified.

Country of origin / manufacturing / assembly of the quoted brand / model must be clearly mentioned for each equipment offered by each bidder.

- Accessories: The Supplier shall provide Original Equipment/ Manufacturer's standard accessories/tools as well as all the accessories stipulated in the Technical Specification as a part of the equipment/.
- Consumables during Commissioning: Supplier shall prepare & provide free of cost sufficient consumables required or consumed during commissioning, training of the installed equipment/including instructions on operation and maintenance, wherever applicable.
- Unloading at the port, customs clearance, inland transportation, unloading and unpacking at site, assembling and installation, testing, commissioning and instructions on site including labor and any equipment to be used during installation, and documentation shall be borne by the supplier/authorized representative in Pakistan.
- Installation and Inspection: Each equipment/ shall be securely installed at designated locations in accordance with the instructions. Prior to the installation, the Supplier shall check and inspect all the connections and request the Procuring Entity to arrange the utility supply from installed outlet by making proper adjustment wherever necessary. The Supplier shall check all components of the equipment/ to ensure that their working conditions are good in presence of the Procuring Entity's representative(s)
- Technically Qualified Bid will be the bid which substantially responsive to qualify for Financial Evaluation. Bidders are required to comply "TECHNICAL SPECIFICATIONS" to be responsive and submit technical specifications of each equipment using template provided in Section-VI, Returnable Bidding Forms it as an essential element of the bid document supported by evidence. In case of Non-compliance "Zero" score will be awarded.

# LIST OF HVAC INSTALLATION SITES

S.No	Item/ Equipment Name	No. of Units required
1	HVAC FOR DRUG LAB- SITUATED AT PHASE-V HAYATABAD PESHAWAR.	1
2	HVAC FOR FOOD LAB- SITUATED AT PHASE-V HAYATABAD PESHAWAR.	1

# AIR HANDLING UNITS GENERAL / TECHNICAL SPECIFICATION

# General:

Air handling units as shown on the drawings, low velocity (low pressure or high-pressure single zone draw - thru or multi zone blow-thru) type shall be provided for various areas of the building and shall be of capacities under the specified conditions of operation as given in the Schedule of Equipment. All components to be heavy duty type and suitable for continuous operation. The Units installed outdoors to have weather proof construction.

The unit shall be complete with cooling/heating coil(s), fan(s), fan motor(s), variable pitch Motorized dampers (VCDs) as specified, internal face and bypass dampers for single zone Units if specified in the Schedule, multi-zone units to have segmented zone face and bypass dampers, perforated plate in the heating or bypass section to balance air resistance across the cooling coil, filter sections(s) suitable for filters specified elsewhere, access plenum sections for high efficiency filters, eliminators SS 304 if required, mixing box with VCDs as show in drawings, drain pan and all other components and accessories to complete the unit.

The casing shall be modular type, panels of best quality not less than 1.2mm thick sheet steel, properly reinforced and braced for maximum rigidity, with smooth internal and external surfaces and to have removable panels and access doors for easy access to all internal parts.

The casing and access doors to be insulated with at least 50mm thick min. 74kg / cum density fiberglass or 100-120kg / cum density mineral wool rigid board type or equivalent insulation, with face coating to resist erosion with air velocities up to 20 m / sec., properly fastened to the panels. The integrity of the insulation shall be maintained at the unit panel joints to avoid sweating at the joints. The unit sections thru which air at ambient temperature only is flowing may not be insulated.

Double Skin Construction (DSC) Unit. Where specified, units of double skin construction shall be Supplied. DS units shall have insulation sandwiched between two steel sheets, internal to be min. 0.7mm thick and external 1.2mm thick. The casing panels and access doors to be formed by sheets folded together at edges with smooth internal and external surfaces. The panels to be supported between sturdy aluminum corners/frame work or equivalent arrangement.

Internal/external sheets may be of material other than steel as specified in the Schedule. Thermal barrier shall be provided between internal and external metal surfaces to prevent sweating. Units of up to 2 cum/sec (4000cfm) capacity may have 40 mm thick panels, larger capacity units with 50mm thick panels. The insulation may be min. 74~42kg/cum density rigid board type or foamed in place polyurethane, 50 & 40mm thick. Unit sections thru which air at ambient temperature only is flowing may not be insulated and be of single skin construction. The type and thickness of insulation to ensure that the panels and casing joints do not sweat with ambient dew point up to 28 °C.

AHUS are manufactured to meet the requirements of the severe climatic conditions and are built specifically for outdoor installations, either on ground or roof level. It will consist / built in hermetic compressor & are fabricated to operate in a wide ambient temperature range from 50°F (10.0°C) to 115°F (48.0°C) and even lower if an optional head pressure control system is provided. All units are completely assembled, internally wired, charged with R-407c/R-134a refrigerant at factory, tested before dispatch and ready for installation. All that is required on site is to connect the ducting and power supply.

To provide easy access to all internal parts, the casing shall have access doors or inspection panels of same construction, with inner surface flush and smooth with adjoining surfaces, tightly sealed with sealing gasket and easy to open or close, provided with handles may have removable type panels/doors with hand grip bolts and larger size with hinged type access doors.

The casing panel sheets and supporting frame work to be corrosion protected, boundaries and powder paint coated or baked enamel finished, or as specified in the Schedule of Equipment. Multi leaf opposed blade type air Volume Control Dampers (VCDs) shall be provided in the mixing box and other sections AIR HANDLING UNITS

TECHNICAL SPECIFICATIONS

as specified in the Schedule or shown in the drawings. Damper bearing (preferably of nylon construction) and linkages to be of construction and design to be easily movable with minimum force and suitable for operation by automatic damper actuators.

Open to close position indicators to be provided. The damper blades to be interlinked with gear wheels at one end to ensure simultaneous smooth movement of all blades. Damper blades fitting within the frame to allow minimum air leakage from sides. The blades to interlock on closure for effective air seal. Copper tube aluminum finned heat transfer coils are designed, arranged and fixed in a manner to give maximum performance either for Chilled Water and DX (Refrigerant) based cooling Media.

Coil are designed / selected by using computer program to ensure capacity and parameters. All the coils are tested and manufactured under the standard Guidelines. • Testing is carried out at 300 PSI with nitrogen pressure under water. Coils are manufactured by using seamless copper tubes diameter of 3/8", ½", 5/8". • Pre- Coated weather protected fins having thickness of 0.15 mm to 0.2 mm is used. The unit section requiring draining (coils, humidifiers) shall be installed on a common base frame to act as a drain pan with drain outlet connection on both sides. The construction shall be SS 304 OR sandwich type completely insulated with at least 15mm thick foamed in place insulation without any joint. The different components of each unit section to be fixed through the casing to two external base channels so that the unit is not in contact with floor. The design of the unit should make site assembly work quick and easy. The assembly will be only with nuts and bolts and clamps. The assembled panels shall form a strong and rigid casing. The casing shall be tested to be air tight against negative or positive pressure of 200mm WG (2000 Pascal) or higher if specified. The unit to be mounted on rubber in shear or similar approved vibration isolators to isolate it from the building structure.

#### CENTRIFUGAL BACKWARD OR PLUG TYPE FAN

#### 1. General:

The Contractor shall supply fans of the type specified below; the Contractor shall be responsible for the proper selection of the fans so that the specified operating conditions are obtained. Motors shall conform to specification under MOTOR and shall be sized to provide the required BHP for meeting the specified conditions without overloading.

# 2. Centrifugal Fans:

Shall be single width, single inlet or double width double inlet, class I, II or III as required or indicated. **Fan Housing:** Housings shall be of heavy gauge steel, continuously welded construction with rigid reinforcement. In class I & II construction size 12 inches through 27 inches shall have 12-gauge sides and 14-gauge scrolls, while sizes 30 inch through 66 inches shall have 10-gauge sides and 12-gauge scrolls. All fan housings shall be equipped with flanged discharge and removable spun inlet cones designed or smooth airflow.

Single-inlet, single-width fans shall be provided with extended inlet collars for slip-on type duct connections. Inlet collars shall be of heavy gauge round design.

**Fan Wheels:** shall be rigidly constructed, accurately balanced both statically dynamically on precision electronic balancers, and shall be free from objectionable noise and vibration. Each wheel shall be designed for critical speed of at least 1.25 times the maximum class speed. Up to 27 inches' fan blades may be forward curved, backward curved or airfoil design. Fan blades over 27 inches shall have backward curved or airfoil design, unless otherwise specified under EQUIPMENT & MATERIAL SCHEDULE. Forward or backward curved wheel shall be of steel plate, while aero foil wheels shall be of castaluminum, or formed steel with cavity filled.

**Bearing:** Fans shall have heavy duty, grease lubricated, precision anti-friction ball or roller, self-aligning, pillow block type bearings, selected for minimum average bearing life of 125,000 hours when operating at maximum catalogued class conditions. Bearings shall be provided with suitable arrangements for relubrication.

**Mounting & Drive:** The fan and motor drive shall be mounted on heavy steel framing. Motor shall be mounted on slide rails. Drive arrangement shall be as specified, or as recommended by AMCA for the condition of operation. Drive shall be selected for minimum 1.2 BHP. Fans up to & including 50 HP shall be with variable pulley & suitable for adjustment within + 10% of specified RPM. Provide complete belt AIR HANDLING UNITS

TECHNICAL SPECIFICATIONS

guard on fan and motor pulley, constructed of heavy steel framing and expanded metal mesh screening. Painting & Coating: Each fan component shall be thoroughly degreased, phosphatized and provided with two coats of special anti-rust primer and two coats of stove enameled paint.

#### 3. Installation:

Fans shall be rigidly secured so that they operate without vibration and transmission of vibration to structure shall be isolated. Connection to ducting shall be through flexible connectors. Ducting connection to fan shall ensure lowest turbulence and smooth transition of sides. All supporting arrangement of the fans shall be drawn up by this contractor and submitted to the consultant for approval. Floor mounted fan shall be installed as a 100mm high concrete foundation with edges provided with 25x 25 x 3 mm angle iron.

### 4. Commissioning and Testing:

The fans shall be commissioned and tested by this contractor. Test forms, supplied by the consultants shall be filled in and the consultant's approval obtained. The fans to be double inlet type and statically and dynamically balanced and tested in the factory. The fan bearings must be quiet in operation, self aligning type and to prevent leakage of oil grease, preferably permanently sealed and prefabricated otherwise to require infrequent lubrication and oil grease cups must be provided in external accessible positions for easy lubrication. Fan to be selected for quiet operation, max. 2000rpm, fan outlet velocity not to exceed 10 m/s (2000 fpm) or as specified, fan outlet connected to the casing with short flexible collar of heavyduty air tight canvas properly sewn and clamped, max. 1400-rpm electric motor, direct drive, fan speed +5-10% of the design selected speed to balance the air systems after commissioning of the unit. The fan motor to be suitable for VF DRIVE of protection Class IP54 or IP55 and selected so as not to be loaded more than 90% of net rated hp under specified operating conditions. The fan motor to be mounted on a sturdy adjustable base. The fan motor may be located inside or outside the unit casing. If located inside, both fan and motor shall be installed on a common sturdy base mounted on rubber in shear or similar vibration isolators and isolated from the unit casing.

#### 5. MANUFACTURER'S DETAILS

External fan static pressure includes static pressure losses of supply and return air duct systems including air filters pressure drop in the return air ducts (as specified), manufacturer only add unit entrance losses and pressure drops across D'X Cooling coil, blower, eliminators, if any, and D'X & electric Reheat coils, face bypass or zone dampers and also bag & panel/pre filters (as section include) to find total fan static pressure.

- a) Eliminators shall be supplied with unit after D'X Coil.
- b) Drain pan/tray shall be of Stainless-Steel Schedule 304 of each AHUS.
- c) Each AHU shall be including control power with thermostat, auto/On/Off selector switch, etc.
- d) Sound pressure level shall not exceed 80 dB on any point of the AHU.
- e) Coil(s) constructions, face area, number of fins per cm (or inch) face air velocity, air resistance, water pressure drop.
- f) Type of fan, fan rpm, air velocity at fan outlet, unit noise level rating in dB, fan HP requirement, fan motor HP & rpm, cum/ hour (or CFM) air flow capacity and total static pressure at which the fan selected.
- g) Manufacturer's performance guarantees certificate and technical bulletins including coil capacity tables and fan performance curves.
- h) Type and construction of D'X & electric Reheat coils. (as per specifications)
- i) If specified, the coils to have protective coating for corrosion protection against sea air.
- j) The tendered to furnish details of the protective coating.
- k) The conditions of operation for the units, coil capacities, air/water pressure drop through the coil, etc. shall be as given in the Schedule Equipment.

# 5A. MAKE / ORIGIN OF AHUS

# UNIT SHALL BE CERIFIED AS PER STANDARD GUIDELINES.

- a) Mechanical Strength (D2/D3), Air Leakage (L2/L3), Thermal Bridging (TB2/TB3) should meet with EN 1886 Standard Code.
- b) Performance of the AHUS Should be complying as per Standard EN 13053 for air volume flow (Cum/s), external total pressure (Pa) with  $\pm 7.5\%$  tolerance.
- c) Imported / Local thermal break profile. Cooling coil are tested and manufactured as per standard guidelines.
- d) Filter bypass leakage as per standard EN 1886, G4:6%, F-6: 45 & F-9: 0.5%
- e) Filter section pressure drop shall be in accordance EN 13053 Standard with maximum pressure drop of G4-150 Pa, F6-200 Pa & F9-300 Pa & H13-500-600 Pa
- 6. FILTERS: Provide filter section (s) with filters. Each AHU shall be provided with Filters as indicated in CONDITION OF OPERATIONS. Filters sections shall confirm to specifications and sizes given under "SELECTION DATA OF AHUS".

MAKE OF FILTERS shall be AAF, JAF, MGT, FCR, CAMFIL, MICROPORE, ETC. ORIGIN: Turkey/ Malaysia/ S. Korea// Germany / Italy.

# 7. MIXING BOX:

Mixing box shall be furnished for all air handling units where indicated in Schedule of EQUIPMENT & MATERIALS or shown on drawings. Damper arrangement at top & side, or bottom & side, shall be parallel type and set up for merging of air streams inside the box. Damper blade rods shall rotate on rustproof bushings and shall be air tight. Each box shall be equipped with duct connection flanges and necessary fastener holes. Mixing box shall be the manufacturer's standard product. Access doors shall be hinged & removable type. Dampers shall be low leak airfoil type with a leakage rate of less than 2%.

In selecting the units, the Supplier shall carefully check and confirm that the units can be installed and conveniently serviced and maintained within the respective spaces indicated on the drawings for unit installation.

# 8. FAN MOTORS

Motors shall be of the type and sizes as specified for all air-conditioning equipment and shall comply with rules of electrical machines as stated in VDE 0530/59 and BS 2613.

Adjustment in motor HP or speed shall be allowed to meet the system requirements, and site conditions. Generally, all motors shall be constant speed, 3 phase, squirrel-cage induction type unless otherwise specifically noted.

The motors offered shall be of the 400V, 3-phase, 50 Hz AC system type and shall be suitable for operation at 400V + 10%.

The motors shall be suitable and able to give required output under site conditions i.e., maximum ambient temperature of  $120^{\circ}$ F. ( $50^{\circ}$ C) and altitude  $2000 \sim 3000$  M (9870 FT.)

The motors where specified to be single phase should be suitable for operation at 230 + 10% volts, 50 Hertz, AC System.

The motors shall be tropicalized, Class 'F' insulated and fungus proof, unless otherwise specified. The motors shall have a totally enclosed fan-cooled (TEFC) construction.

All motors should be arranged for quiet operation and guaranteed to give the required output and fulfill the requirements of the machineries without producing any sound outside the machine room.

Motors rated 25HP and above shall be fitted with thermostats in the three phase windings, along with a suitable relay in the MCC to trip the starter if the motor overheats.

Motors being started with Variable Frequency Drives (VFD) shall be confirmed by the manufacturer not to devote or otherwise be adversely affected on being operated through a VFD.

9.MAGNEHALIC / MANOMETER GAUGES: Should be Dawyers, USA

At Filters: Each bank of high efficiency filter and HEPA filter shall be provided with an appropriate station to determine pressure drop, consisting of Magnehalic gage's probes, flexible tubes and mounting arrangement.

The tendered to supply the following information:

Unit construction details.

The overall unit dimensions and operating weight.

Coil(s) constructions, face area, number of fins per cm (or inch), face air velocity, air resistance, water pressure drop.

Type of fan, fan rpm, air velocity at fan outlet, unit noise level rating in dB, fan HP requirement, fan motor HP & rpm, cum/ hour (or cfm) air flow capacity and total static pressure at which the fan selected.

Manufacturer's performance guarantees certificate and technical bulletins including coil capacity tables, software selection and with fan performance curves.

Type and construction of D'X & Reheat Coils (If required)

The unit shall have a collar for fixing supply air duct or grille. Ceiling suspend units shall have suspension brackets and floor mounted units' bottom supports. In either case the unit shall have not transmit vibrations to the building structure.

- (h) All units shall have one thick viscous oil permanent cleanable type air filter of aluminum media.
- (j) Refrigerant should be providing by the supplier at their factory premises or at the time of commissioning of all units.

#### 10. SPARE PARTS

(a) The supplier / contractor shall include the price of complete set of spare parts for all items Required for one-year operation for the specified operating hours.

Amongst other spare parts, the supplier / tenderer shall include the following with limitation:

Two set each of G4, F6, & F9 Filters of sizes, G4-45% EFF., (24"x24"x2"), F6-65% EFF., (24"x24"x23½") & F9-95% EFF., (24"x24"x x23½")

One set each of fan-motors of same capacity, minimum three motors should be quoted as spare. (1 - 3HP, & 1 - 5HP) Silicon Sealant & rubber gasket should be providing, so sufficient for one unit as spare.

One 5 HP & one 7.5 HP Scroll/screw compressors.

# DRUG & FOOD TESTING LABORATORIES, KPK HVAC SYSTEMS (SUPPLY & INSTALLATION WORK) **BILL OF QUANTITIES** S.No. **Description** Unit Qty. 2 3 1 Supply & installation including shifting and fixing of PHARMA GRADE VFD BASED, AIR COOLED AIR HANDLING UNITS on MS ANGLE IRON platform / foundations / Hanging Supports, providing & laying power wiring from FDS provided in the equipment room using M/S Pak or M/S Pioneer cables in G.I. conduit/cable tray complete in all respect as specified in the SCHEDULE OF EQUIPMENTS & specifications and as directed by the Consultant/Engineer In charge. PHARMA GRADE AHUS D'X TYPE AIR HANDLING UNIT-01, (STERILITY SUIT, CHANGE ROOMS-GROUND FLOOR), NO (CLASS B & C), ETC AIR HANDLING UNIT-02, (INCUBATION, CORRIDOR, PASSAGE - GROUND FLOOR), NO (CLASS-D), ETC AIR HANDLING UNIT-03, (LIQUID LAB., CR ROOM-GROUND FLOOR), (CLASS-CNC), 1C NO ETC AIR HANDLING UNIT-04, (ATOMIC ABSORPTION, PHARMACEUTICAL, ETC., LABS.-NO GROUND FLOOR), (CLASS-CNC), ETC.

1E	AIR HANDLING UNIT-05, (INSTRUM. & REFERENCE LABSBASEMENT FLOOR), (CLASS-CNC), ETC	1	NO
1F	AIR HANDLING UNIT-06, (DISINTEGRATION LABBASEMENT FLOOR), (CLASS-CNC), ETC.	1	NO
1G	AIR HANDLING UNIT-07, (NEUTRACEUT. & PATHALOG. LABSBASEMENT FLOOR), (CLASS-CNC), ETC.	1	NO
1Н	AIR HANDLING UNIT-08, (ANALYTICAL LABS-1 & 2 - BASEMENT FLOOR), (CLASS-CNC), ETC.	1	NO
<b>1</b> J	AIR HANDLING UNIT-09, (WET CHEMISTRY LAB, GCM - FIRST FLOOR), (CLASS-CNC), ETC.	1	NO
1K	AIR HANDLING UNIT-10, (MICRO LAB-2, BUFFERS - SECOND FLOOR), (CLASS-B & C), ETC.	1	NO
1L	AIR HANDLING UNIT-11, (INCUBATION, AUTOCLAVE, CORRIDORS - SECOND FLOOR), (CLASS-D), ETC.	1	NO
	NOTES:		
	1-FOR MAKE & ORIGIN SEE SCHEDULE OF EQUIPMENTS & TECHNICAL SPECIFICATIONS		
	2- AHU NO. 01 TO 08 SHALL BE PLACE AT GROUND FLOOR / PLATFORM, WHILE AHU-09, 10 & 11 SHALL BE AT ROOF TOP OF SECOND FLOOR.		

2	Supply, fabrication and installation of <b>G.I. Sheet metal ducting</b> using prime quality sheets including all elbows, bends, reducers, splitter dampers, guide vanes, service doors, bracing, hangers, flanged joints above 24 gauge and supports etc., complete in all respect as specified in the specifications, shown on the drawings and as directed by the consultant/engineer in charge in following thickness and quantities:	
	i) 26 gauge.	SFT
	i) 24 gauge.	SFT
	ii) 22 gauge.	SFT
3	Providing and fixing 16 kg/m³ density blanket type glass wool insulation 1" thick with aluminum foil vapor barrier, adhesive tape on all joints and 8 Oz canvas cloth wrapping complete as specified in the specifications and directed by the consultant / engineer in charge.	SFT
4	Providing and fixing 24 kg/m³ density blanket type glass wool insulation 2" thick for all exposed GI Ducting work with aluminum foil vapor barrier, adhesive tape on all joints and 8 Oz canvas cloth wrapping complete as specified in the specifications and directed by the consultant / engineer in charge.	SFT
5	Providing and fixing air control/regulating devices in supply and return air ducts complete in all respect as specified in the specifications, shown on the drawings and as directed by the consultant/engineer in charge in following quantities:	
	(a) Swirl type S.A. Diffusers with OBD and having power coating finish:	NO
	(b) Aluminum four way- R.A.D with movable horizontal bars and powder coated finish:	NO

	(c) Aluminum four way-R.A.R with movable horizontal bars and powder coated finish:		NO
	(d) G.I, 16 gauge, VCD opposed blade type with allowable maximum leakage factor shall be 5% during 100% OFF Position.		NO
	(e) MS SHEET-3mm thick, Powder coated HEPA Filter Housings with gaskets, holding arrangements, complete in all respect.	12	NO
	(f) Fire dampers with fuse able linkage.		NO
6	Supply and installation of wall mounted digital type temperature/humidity gauges (0-50 degC & 0-80%RH) complete in all respect as directed by the consultant/engineer incharged:	24	NO
7	Supply, installation of U-Tube manometers pressure gauges (Dawyers-USA) with flexible pipe / nozzles to monitor positive air pressure across Filters and adjacent testing / manufacturing 's area pressure, etc. complete in all respect.	28	NO
8	For Class 1000: Supply and installation of Mini Pleat type HEPA FILTERS, H-13 Efficiency 99.99% @0.3 Microns as per ISO standards with fiberglass media, Silicon gaskets, Aluminum frame with DOP Certificates, etc. 8-12"x12"x12", 1-18"x18"x6" & 3-24"x24"x12" (As per attached technical Specifications)	12	NO
8a	For Exhaust Air Systems, Supply and installation of Mini Pleat type HEPA FILTERS, H-13 Efficiency 99.99% @0.3 Microns as per ISO standards with fiberglass media, Silicon gaskets, Aluminum frame with DOP Certificates, etc. 4-18"x18"x6", 2-18"x18"x12" (As per attached technical Specifications)	6	NO
8c	SS304, 18 Gauge, PERFORATED SUPPLY AIR GRILLES at outlet of HEPA Filters.	12	NO

9	Access doors in the false ceiling/boxing for operation and maintenance of HVAC Controls, devices, etc. (24"x24")		NO
10	Supply, fabrication and installation of <b>CENTRIFUGAL INLINE TYPE EXHAUST AIR FANS</b> WITH EXHAUST AIR LOUVERS installed at ground floor or roof top with MS hangers, supports, PLATFORMS etc., complete in all respect as specified in the specifications, shown on the drawings and as directed by the consultant/engineer in charge.		
10a	E.A Fan-01 (Automatic Absorption Room, Ground Floor) 350 CFM, 2.8" WGESP, Centrifugal Inline Backward Curved With Pre & HEPA Filter Sections At Suction side & exhaust air louvers, complete in all respect.	1	NO
10b	E.A Fan-02 (Liquid Lab, Ground Floor), 450 CFM, 0.8" WGESP, Centrifugal Inline forward Curved With exhaust air louvers, complete in all respect.	1	NO
10c	E.A Fan-03 (Washing Room, Ground Floor) 200 CFM, 0.6" WGESP, Centrifugal Inline Forward Curved With exhaust air louvers, complete in all respect.	1	NO
10d	E.A Fan-04 (Pathology Lab, Basement) 320 CFM, 2.5" WGESP, Centrifugal Backward Curved with Pre & HEPA FILTER Suction side & exhaust air louvers, complete in all respect.	1	NO
10e	E.A Fan-05 (Neutrals Lab, Basement) 320 CFM, 2.6" WGESP, Centrifugal Inline Backward Curved with Pre & HEPA Filter Sections at Suction side & exhaust air louvers, complete in all respect.	1	NO
10f	E.A Fan-06 (Disintegration Lab, Basement) 395 CFM, 2.8" WGESP, Centrifugal Inline Backward Curved with Pre & HEPA Filter Sections At Suction side & exhaust air louvers, complete in all respect.	1	NO

10g	E.A Fan-07 (Instrument lab, Basement) 350 CFM, 0.6" WGESP, Centrifugal Inline Forward Curved With exhaust air louvers, complete in all respect.	1	NO
10h	E.A Fan-08 (Wet Chemistry, First Floor) 550 CFM, 2.8" WGESP, Centrifugal Inline Backward Curved With Pre & HEPA Filter Sections At Suction side & exhaust air louvers, complete in all respect.	1	NO
10j	E.A Fan-09 (Atomic Absorption, First Floor) 345 CFM, 2.8" WGESP, Centrifugal Inline Backward Curved With Pre & HEPA Filter Sections At Suction side & exhaust air louvers, complete in all respect.	1	NO
10k	E.A Fan-10 (GCM Room, F. Floor) 245 CFM, 0.6" WGESP, Centrifugal Inline Forward Curved With Pre & Carbon Filters at Suction side & exhaust air louvers, complete in all respect.	1	NO
	MAKE: AIR ENG, SASA METAL INDUSTRY, BILAL SWITCHGEAR OR APPROVED EQUIVALENT.		
	IMPORTED FANS SHALL BE SISTEVEN, VENCO, VENT, CASTLE, GREENHECK OR APPROVED EQUIVALENT.		
11	Providing and fixing washable 1" thick aluminum mesh GI Frame filters in G.I. duct drops.		SQ IN
12	Supply, fabrication and installation of G.I. Sheet metal 26-gauge CLADDING on exposed ducting including all elbows, bends, reducers, splitter dampers, service doors, bracing, hangers, supports etc., complete in all respect as specified in the specifications, shown on the drawings and as directed by the consultant/engineer in charge in following thickness and quantities: -		SFT

13	ELECTRICAL Control panel units, including return air thermostat, manually or by remote control device, 3 speed selector, rated power shall be at the middle speed only (EACH FLOOR HAVING THEIR OWN MCC PANEL FOR HVAC SYSTEMS, 11 NO AHUS, 10 NO EXHAUST FANS, AIR CURTAINS, ETC).	4	SET
14	Supply, fabrication and installation of Medium Pressure High Quality, High Speed DECORATIVE TYPE AIR CURTAINS WITH AUTO DOOR SWITCH AND MULTI SPEED FAN SELECTOR, ETC SYSTEMS installed at ground floor to Second Floor with MS hangers, supports, etc., complete in all respect as specified in the specifications, shown on the drawings and as directed by the consultant/engineer in charge. (2- 7' Height x3'-6" Wide, 2- 7'x4'-6" & 2- 7'x6')	6	NO
15	Providing and applying Two Coats of ANTIFUNGAS PAINT, on all exposed cable tray, copper pipes and exposed, drop ducts in equipment room, drop ducts in rooms and on roof top etc., complete in all respect as specified in the specifications and as directed by the consultant/engineer in charge.		L.S.
16	Providing and laying 2" thick cork sheet as antivibration media under AHUS, FAN' foundations as per normal engineering practice and as directed by the consultant/engineer in charge, if required.		SFT
17	Supply, installation of 12 no Magnehelic pressure gauges (Dawyers-USA) on SS304, 22-gauge wall mounted Panel Box with flexible pipe / nozzles to monitor positive air pressure across HEPA filters and adjacent testing / manufacturing 's area pressure, etc. complete in all respect. (0~60 Pa WG, 2 NO Air Pressure Monitoring Panels)	18	NOS
18	Performing one month each summer and winter test run during maintenance period and setting the equipment and plant to deliver the design conditions and maintaining the log book during test rum.	1	L.S.
19	Preparing and providing 03 sets of shop drawings before start of work and 04 sets of as built drawings after completion of work for entire HVAC system including ducting, piping, electrical and controls wiring diagrams.	1	L.S.

20	Performing one year operation and maintenance contract period for complete HVAC Plant, equipment and handover to owner as per design conditions and maintaining the log book during maintenance period.	1	L.S.
	Vendor to conduct the following tests and validate the HVAC system: HVAC Testing, Adjusting and Balancing as per ASHRAE standard. Checking and Recording all the parameters in TAB format for the equipment like: 1-Air Handling Units. This too includes Electrical measures (Frequency, Power factor & Kw.), Hydronic flow measures (If Chilled Water Coil), Pressures across		
21	heat exchangers (Water & Air), Airflow measures, Motor RPM measures & Thermal measure.  2-Cleanroom Performance Testing, Adjusting, Balancing and Recording, As per DQ confirming 1S0-14644 Part - 3. Clean room validation to be done both at Working or rest conditions.  3-Air balancing with Flow Hood		
	4-Room Pressure Balancing 5-Filter Integrity Test 6-Airflow Pattern 7-Providing all documentation of IQ, OQ & PQ in approved formats		

SELECTION DATA	HVAC & AIR FILTRATION PROJECT	
AIR HANDLING UNIT WITH DX COIL	MICRO & QC LABORATORIES	

# DRUG & FOOD TSTING LABORATORIES, KPK

S.No	DESCRIPTION	UNITS	UNITS IDENTIFICATIONS (AHU-01 TO 05)					
5.100		UNIIS	AHU/01	AHU/02	AHU/03	AHU/04	AHU/05	
			GROUND	GROUND	GROUND	GROUND	BASEMENT	
	Performance:		FLOOR	FLOOR	FLOOR	FLOOR	FLOOR	
1	Quantity	Nos	1	1	1	1	1	
2	Altitude	MTR	2135	2135	2135	2135	2135	
3	Supply Air Volume	CFM	1,750	2,168	1,362	1,827	3,257	
4	Make up Air Volume	CFM	257	325	272	457	966	
5	D'X Cooling Coil Data:							
	Capacity	MBH/TR	72/6	96/8	60/5	84/7	132/11	
	Coil air Volume	CFM	1,750	2,168	1,362	1,827	3,257	
	Entering Air, Dry Bulb/Wet Bulb	°F	77.6/63.5	77.9/64.8	79.6/65.5	79.5/65.5	78.1/61.8	
	Leaving Air, Dry Bulb/Wet Bulb	°F	54.3/51.7	55.7/51.5	56.8/53.7	56.3/53.7	56.2/52.7	
	Water / Refrigerant Flow Rate	D'X Type	D'X	D'X	D'X	D'X	D'X	
				R134a/R-	R134a/R-	R134a/R-		
	Refrigerant	-	R134a/R-407C	407C	407C	407C	R134a/R-407C	
6	Space / Inside Conditions:							
	Coil air Volume	CFM	1,750	2,168	1,362	1,827	3,257	
	DESIGN CONDITIONS (CDB/ % RH)	<b>DEG.CDB</b>	20~22	22~24	22~24	22~24	22~24	
	AIR FILTRATION	% RH	47~50%	47~50%	50~55%	47~50%	47~50%	
	Panel Filter Section, 55% Eff.	-	$\sqrt{-YES}$	$\sqrt{-YES}$	√-YES	√-YES	√-YES	
	Bag / Minipleat 65% Eff. filter Section	-	$\sqrt{-YES}$	$\sqrt{-YES}$	√-YES	√-YES	√-YES	
	HEPA Filter Section 99.97% (H13)	-	YES	NO	NO	NO	NO	
	Bag / Minipleat 95% Eff. filter Section		√-YES	√-YES	√-YES	√-YES	√-YES	
		MBH						
	Reheating / Heating Coil Capacity:	(KW)	2X2	2X3	NA	2X3	2X4	
	Entering Air, Dry/Wet Bulb	°F	54.3/51.7	55.7/51.5	NA	56.3/53.7	56.2/52.7	

	Leaving Air, Dry Bulb	°F	57.3/51.7	58.7/51.5	NA	59.2/53.7	59.6/52.7
7	Fan ESP	INCH WG	4.2	2	1.8	1.8	2.2
8	Motor Power (Approximate)	KW	2	2	1.5	1.5	2.5
9	Power Supply	V/Ph/Hz	400/3/50	400/3/50	400/3/50	400/3/50	400/3/50
10	Application		STERILITY SUIT	INCUBATION	LIQUID LAB.	ATOMIC ABSORP.	INSTRUMENT &
		SPACE				PHARMA.	REFERENCE
		NAME	GOWNING/DEG.	WASHING	PASSAGE-1	LAB.	LABS.

SELECTION DATA	HVAC & AIR FILTRATION PROJECT				
AIR HANDLING UNIT WITH DX COIL	MICRO & QC LABORATORIES				

# DRUG & FOOD TSTING LABORATORIES, KPK

S.No	DESCRIPTION	UNITS	INDENTIFICATION NO. AHU-01 TO 05					
3.110		UNIIS	CU/01	CU/02	CU/03	CU/04	CU/05	
	Performance:							
1	Quantity	Nos	1	1	1	1	1	
2	Altitude	MTR	2135	2135	2135	2135	2135	
3	Capacity	MBH/TR	72/6	96/8	60/5	84/7	132/11	
4	Refrigerant	-	R134a/R-407C	R134a/R- 407C	R134a/R- 407C	R134a/R- 407C	R134a/R- 407C	
5	Condensoer Entering Temperature, DB/WB	°F	115/83	115/83	115/83	115/83	115/83	
6	Total Power	KW	18	20	20	25	12	
7	Power Supply	V/Ph/Hz	400/3/50	400/3/50	400/3/50	400/3/50	400/3/50	
8	Application	-	AHU/01	AHU/02	AHU/03	AHU/04	AHU/05	
9				T		T		
	COMPRESSOR HP (APPROXIMATE)	HP	1X7.5	2X5	1X6	2X5	2X7	
10	Туре		Scroll /	Scroll /	Scroll /	Scroll /	Scroll /	
			Screw	Screw	Screw	Screw	Screw	
11	STAND BY COMPRESSORS	YES/NO	YES	YES	NO	NO	NO	
12	ACCESS DOORS WITH 9" Ø VISION GLASS	NO	3	3	3	3	3	
13	MARINE LIGHTS	NO	4	4	4	4	4	
14	REMARKS	-	PACKAGED	PACKAGED	PACKAGED	PACKAGED	PACKAGED	
			TYPE	TYPE	TYPE	TYPE	TYPE	
	NOTE: SEE TECHNICAL SPECIFICATIONS							
	FOR CONDENSING UNITS, CONTROLS,							
	COMPRESSORS, FANS, MOTORS, ETC							
15	Unit Types		VERTICAL	VERTICAL	VERTICAL	VERTICAL	VERTICAL	

16	Notes:-		TYPE	TYPE	TYPE	TYPE	TYPE
	1) Dry Coil Operation.						
	2) With Matching Condensing Unit.						
	3) External Static Pressure Includes SA,RA,FA ducts, air devices, VCDS & all Terminal filters.						
	4) With Air Tight Access doors, manometers, marine ligh	hts, etc.					
	5) Manufacture should select the actual capacity of Comp meet the require cooling load & Entering / leaving temper	L					
	etc						
	6) Each unit shall be supply with the Canopy of 26 Gauge GI Sheet with 2" thick Jumbolon Insulation, extended 4" all four sides of the units, etc.						

SELECTION DATA	HVAC & AIR FILTRATION PROJECT						
AIR HANDLING UNIT WITH DX COIL	MICRO & QC LABORATORIES						
DRUG & FOOD TSTING LABORATORIES, KPK							

S.No	DESCRIPTION	UNITS	AHU/01	AHU/02	AHU/03	AHU/04	AHU/05
	Construction:		11110,01	11110/02	11110/00	11110, 0.	11110,00
11	Туре	-	DS,DT,V	DS,DT,V	DS,DT,V	DS,DT,V	DS,DT,V
12	Mixing	-	√	V	V	√	√
13	Panel Filter Section, 55% Eff.	-	√-YES	√-YES	√-YES	√-YES	√-YES
14	Bag / Minipleat 65% Eff. filter Section	-	$\sqrt{\text{(MP)}}$	$\sqrt{\text{(MP)}}$	$\sqrt{\text{(MP)}}$	$\sqrt{\text{(MP)}}$	$\sqrt{\text{(MP)}}$
15	HEPA Filter Section 99.97% (H13)	-	<b>YES (2 NO)</b>	<b>YES (2 NO)</b>	NO	NO	NO
16	Discharge/Suction Arrangements		Front/Front	Front/Front	Front/Front	Front/Front	Front/Front
17	Supply Air Volume	CFM	1,750	2,168	1,362	1,827	3,257
18	Supply Air Fan	-	$\sqrt{}$	$\sqrt{}$	$\sqrt{}$		
19	Bag / Minipleat 95% Eff. filter Section	-	BAG	BAG	BAG	BAG	BAG
20	Air Diffuser	-	YES	YES	YES	YES	YES
21	Drain Pan SS 304	-	YES	YES	YES	YES	YES
22	Wawatherproof Construction & Canopy	-	YES	YES	YES	YES	YES
23	Minimum Rows	Nos	3 OR 4	4 OR 6	3 OR 4	4 OR 6	3 OR 4
24	Maximum Fins/Inch	-	12	12	12	12	12
25	Pre Cooling Coil (F.A.Coil)		NO	NO	NO	NO	NO
26	Return Air Fan (Flow/ESP)	-	NO	NO	NO	NO	NO
27	Moisture Eliminator PVC	-	YES	YES	YES	YES	YES
28	Allowable Unit Dim. (L x W x H, Approx.)	FT	8'x4'-6"x6'	9'x4'-6"x4'-6'	9'x4'-6"x6'	9'x6'-0"x6'-6"	9'x4'-6"x6'-6"
29	Fan Blades		BC/PLUG	BC/PLUG	BC/PLUG	BC/PLUG	BC/PLUG
30	TERMINAL HEPA FILTERS		YES	NO	NO	NO	NO
	Abbreviation For Type Fan Blade						
	S = Single Skin $DT = Draw Through$						
	D = Double Skin BT = Blow Through						

H = Horizontal MZ = Multi Zone		
V = Vertical BC = Backward Curved		
FC = Forward Curved, R.H.S=Right Hand Side		
L.H.S=Left Hand Side		

# MAKE / ORIGIN OF AHUS

UNIT SHALL BE CERTIFIED AS PER THE STANDARD GUIDELINES.

- a) Mechanical Strength (D2/D3), Air Leakage (L2/L3), Thermal Bridging (TB2/TB3) should meet with EN 1886 Standard Code.
- b) Performance of the AHUS Should be complying as per <u>Standard EN 13053</u> for air volume flow(Cum/s), external total pressure (Pa) with  $\pm 7.5\%$  tolerance.
- c) 100% imported thermal break profile.

Cooling coil are tested and manufactured under the standard guidelines

- d) Filter bypass leakage as per standard EN 1886, G4:6%, F-6: 45 & F-9: 0.5%
- e) Filter section pressure drop shall be in accordance EN 13053 Standard with maximum pressure drop of G4-150 Pa, F6-200 Pa & F9-300 Pa & H13-500-600 Pa

SELE	CTION DATA	HVAC & AIF	R FILTRATION P	ROJECT				
AIR	HANDLING UNIT WITH DX COIL		MICRO &	QC LABORAT	TORIES			
	DRUG & FOOD TSTING LABORATORIES, KPK							
S.N	DESCRIPTION	UNITS	UNI	TS IDENTIFIC	CATIONS (AH	<b>IU-06 TO 11</b> )		
О	DESCRIPTION	UNIIS	AHU/06	AHU/07	AHU/08	AHU/09	AHU/10	AHU/11
			BASEMENT	BASEMENT	BASEMENT	FIRST	SECOND	SECOND
	Performance:		FLOOR	FLOOR	FLOOR	FLOOR	FLOOR	FLOOR
1	Quantity Nos		1	1	1	1	1	1
2	Altitude	MTR	2135	2135	2135	2135	2135	2135
3	Supply Air Volume	CFM	941	1,231	1,100	2,214	2,800	2200
4	Make up Air Voilume	CFM	327	431	220	775	420	270
5	D'X Cooling Coil Data:							
	Capacity	MBH/TR	48/4.0	60/5.0	48/4.0	108/9.0	102/8.5	74.4/6.2
	Coil air Volume	CFM	941	1,231	1,100	2,214	2,800	2,200
	Entering Air, Dry Bulb/Wet Bulb	°F	78.4/64.9	77.4/62.9	77.3/62.8	78.3/62.5	77.3/60.5	78.3/61.5
								55.5/51.3
	Leaving Air, Dry Bulb/Wet Bulb	°F	56.3/52.7	55.8/51.5	55.1/51.8	55.8/51.6	54.8/50.5	5.
								D'
	Water / Refrigerant Flow Rate	D'X Type	D'X	D'X	D'X	D'X	D'X	X
		<b>,</b>				R134a/R407	R134a/R407	
	Refrigreant	-	R134a/R-407C	R134a/R407C	R134a/R407C	С	C	R134a/R407C
6	Space / Inside Conditions:							
	Coil air Volume	CFM	941	1,231	1,100	2,214	2,800	2,200
		DEG.CD						
	DESIGN CONDITIONS (CDB/ % RH)	В	22~24	22~24	22~24	22~24	20~22	22~24
	AIR FILTRATION	% RH	47~50%	47~50%	47~50%	47~50%	47~50%	47~50%
	Panel Filter Section, 55% Eff.	-	√-YES	√-YES	√-YES	√-YES	√-YES	√-YES
	Bag / Minipleat 65% Eff. filter Section	-	√-YES	√-YES	√-YES	√-YES	√-YES	√-YES

	HEPA Filter Section 99.97% (H13)	-	NO	NO	NO	NO	YES	YES
	Bag / Minipleat 95% Eff. filter Section	-	√-YES	√-YES	√-YES	√-YES	√-YES	√-YES
		MBH						
	Reheating / Heating Coil Capacity:	(KW)	1X3	1X4	1X4	2X3	2X4	2X3
								55.5/51.3
	Entering Air, Dry/Wet Bulb	°F	56.3/52.7	55.8/51.5	55.1/51.8	55.8/51.6	54.8/50.5	
								58.2/51.3
	Leaving Air, Dry Bulb	°F	59.3/52.7	58.4/51.5	58.3/51.8	59.8/51.6	57.8/50.5	
		INCH						
7	Fan ESP	WG	0.8	1.2	1.1	1.5	4.2	1.6
8	Motor Power (Approximate)	KW	0.75	1	1	2.5	5	1.5
9	Power Supply	V/Ph/Hz	400/3/50	400/3/50	400/3/50	400/3/50	400/3/50	400/3/50
			DISINTEGRATIO	NEUTRACEUT	ANALYTICA	WET	MICRO LAB-2,	INCUBATION,
10	Application	SPACE	N	•	L	CHEMIST.	BUFFER-1	
								AUTOCLAV
		NAME	LAB.	PATHALOGIC.	LABS1 & 2	GCM, ETC.	& BUFFER-2	E
				LABS				CORRIDORS

SELECTION DATA			HVAC & AIR	R FILTRATION F	PROJECT			
AIR HANDLING UNIT WITH DX COIL			MICRO &	<b>QC LABORA</b>	TORIES			
	DRUG &	FOOD T	STING LABO	RATORIES	, KPK			
C M	DECODIDEION	LINUTO	II	INDENTIFICATION NO.AHU-06 TO 11				
S.No	DESCRIPTION	UNITS	CU/06	CU/07	CU/08	CU/09	CU/10	CU/11
	Performance:							
1	Quantity	Nos	1	1	1	1	1	1
2	Altitude	MTR	2135	2135	2135	2135	2135	2135
3	Capacity	MBH/TR	48/4.0	60/5.0	48/4.0	108/9.0	102/8.5	74.4/6.2
4	Refrigerant	-	R134a/R407C	R134a/R407C	R134a/R407C	R134a/R407C	R134a/R407C	R134a/R407C
5	Condensoer Entering Temperature, Dry Bulb	°F	115	115	115	115	115	115
6	Total Power (Approx)	kW	6	9	9	14	24	16
7	Power Supply	V/Ph/Hz	400/3/50	400/3/50	400/3/50	400/3/50	400/3/50	400/3/50
8	Application	-	AHU/06	AHU/07	AHU/08	AHU/09	AHU/10	AHU/11
9		Т		Т	T	Γ		
10	COMPRESSOR HP (APPROXIMATE)	HP	1X5	1X6	1X5	2X6	2X6	1X7.5
10	Туре		Scroll /	Scroll /	Scroll /	Scroll /	Scroll /	Scroll /
			Screw	Screw	Screw	Screw	Screw	Screw
11	STAND BY COMPRESSORS	YES/NO	NO	NO	NO	NO	NO	NO
12	ACCESS DOORS WITH 9" Ø VISION GLASS	NO	3	3	3	3	3	3
13	MARINE LIGHTS	NO	4	4	4	4	4	4
14	REMARKS	-	PACKAGED	PACKAGED	PACKAGED	PACKAGED	PACKAGED	PACKAGED
			TYPE	TYPE	TYPE	TYPE	TYPE	TYPE
15	NOTE: SEE TECHNICAL SPECIFICATIONS							
	FOR CONDENSING UNITS, CONTROLS,							
	COMPRESSORS, FANS, MOTORS, ETC							
16	Unit Types		Vertical	Vertical	Vertical	Vertical	Vertical	Vertical
	Notes:-		Type	Type	Type	Type	Type	Type

1) Dry Coil Operation.						
2) With Matching Condensing Unit.						
3) External Static Pressure Includes SA,RA,FA ducts,	air devices, VCDS & all Termina	l filters.				
4) With Air Tight Access doors, manometers, marine & UV lights, etc.						
5) Manufacture should select the actual capacity of Compressor to meet the require cooling load & Entering / leaving temperatures, etc						
6) Each unit shall be supply with the Canopy of 26 Ga	auge GI Sheet with 2" thick Jumbo	olon Insulation, ext	tended 4" all four	sides of the unit	ts, etc.	

SELECTION DATA			HVAC & AIF	R FILTRATION F	PROJECT			
AIR HANDLING UNIT WITH DX COIL			MICRO & QC LABORATORIES					
	DRUG & FOOD TSTING LABORATORIES, KPK							
S.No	DESCRIPTION	UNITS -	AHU/06	AHU/07	AHU/08	AHU/09	AHU/10	AHU/11
	Construction:							
11	Туре	-	DS,DT,V	DS,DT,V	DS,DT,V	DS,DT,V	DS,DT,V	DS,DT,V
12	Mixing	-	√ ·	V	V	V	V	V
13	Panel Filter Section, 55% Eff.	-	√-YES	√-YES	√-YES	√-YES	√-YES	√-YES
14	Bag / Minipleat 65% Eff. filter Section	-	$\sqrt{\text{(MP)}}$	$\sqrt{\text{(MP)}}$	$\sqrt{\text{(MP)}}$	$\sqrt{\text{(MP)}}$	$\sqrt{\text{(MP)}}$	$\sqrt{\text{(MP)}}$
15	HEPA Filter Section 99.97% (H13)	-	NO	NO	NO	NO	YES	YES
16	Discharge/Suction Arrangements		Front/Front	Front/Front	Front/Front	Front/Front	Front/Front	Front/Front
17	Supply Air Volume	CFM	941	1,231	1,100	2,214	2,800	2,200
18	Supply Air Fan	-	√	√	√	√	√	V
19	Bag / Minipleat 95% Eff. filter Section	-	BAG	BAG	BAG	BAG	BAG	BAG
20	Air Diffuser	-	YES	YES	YES	YES	YES	YES
21	Drain Pan SS 304	-	YES	YES	YES	YES	YES	YES
22	Weatherproof Construction & Canopy	-	YES	YES	YES	YES	YES	YES
23	Minimum Rows	Nos	3 OR 4	3 OR 4	3 OR 4	4 OR 6	4 OR 6	4 OR 6
24	Maximum Fins/Inch	-	12	12	12	12	12	12
25	Pre Cooling Coil (F.A.Coil)		NO	NO	NO	NO	NO	NO
26	Return Air Fan (Flow/ESP)	-	NO	NO	NO	NO	NO	NO
27	Moisture Eliminator PVC	-	YES	YES	YES	YES	YES	YES
28	Allowable Unit Dim. (L x W x H, Approx.)	FT	8'x3'-5"x6'	8'x3'-6"x4'-6'	8'x3'-6"x5'	9'x4'-0"x6'	8'x4'-0"x5'-6"	8'x4'-0"x5'-6"
29	Fan Blades		BC/PLUG	BC/PLUG	BC/PLUG	BC/PLUG	BC/PLUG	BC/PLUG
30	TERMINAL HEPA FILTERS		NO	NO	NO	NO	YES	NO
	Abbrevation For Type Fan Blade							
	S = Single Skin $DT = Draw Through$							
	D = Double Skin BT = Blow Through							

H = Horizontal MZ = Multi Zone	·		
V = Vertical BC = Backward Curved			
FC = Forward Curved, R.H.S=Right Hand Side			
L.H.S=Left Hand Side			


# MAKE / ORIGIN OF AHUS


UNIT SHALL BE CERTIFIED AS PER THE STANDARD GUIDELINES


- a) Mechanical Strength (D2/D3), Air Leakage (L2/L3), Thermal Bridging (TB2/TB3) should meet with EN 1886 Standard Code.
- b) Performance of the AHUS Should be complying as per <u>Standard EN 13053</u> for air volume Flow (Cum/s), external total pressure (Pa) with  $\pm 7.5\%$  tolerance.
- c) 100% imported thermal break profile.


Cooling coil are tested and manufactured under the standard guidelines.

- d) Filter bypass leakage as per standard EN 1886, G4:6%, F-6: 45 & F-9: 0.5%
- e) Filter section pressure drop shall be in accordance EN 13053 Standard with maximum pressure drop of G4-150 Pa, F6-200 Pa & F9-300 Pa & H13-500-600 Pa









# SECTION V QUALIFICATION AND EVALUATION CRITERIA

# **QUALIFICATION CRITERIA (MUST MEET CRITERIA)**

For factors retained in the Bid Data Sheet pursuant to ITB 25, following quantification methods will be applied, submitted bids will be reviewed to determine compliance with Procuring Entity's mandatory requirements which serves the purpose to evaluate the responsiveness and eligibility of the bidder and equipment/ items proposed. Only bids found to be responsive and eligible will be further evaluated for technical criteria. The Bidder shall furnish documentary evidence to demonstrate that the bidder and HVAC Equipment/ items it offers meet the following Qualification/ Eligibility requirement:

The validity of the Bidder requires that all relevant forms be signed by authorized person or persons.

## **COMPLIANCE TO AGREEMENT:**

• Accepting all the conditions set forth in these Bid Solicitation Documents by signing and stamping all the pages of the bidding document by the bidder each page of the SBD i.e. ITB, GCC, SCC, Bid Data Sheet, Addendums / Corrigendum (if any), Technical Requirements and other mandatory Form's provision etc.

#### **AUTHORIZATION:**

• If Bidder is not manufacturer: but Authorized dealer of the original manufacturer in procuring entity's country offering the Goods on behalf of the Manufacturer under Manufacturer's Authorization Form (Section VII, Bidding Forms).

## **REGISTRATION OF FIRM/COMPANY:**

- Registered as a legal entity authorized to enter into contracts for provision of services and goods. As a proof, the bidder should provide a certified copy of Certificate of Incorporation or other documents setting forth the legal basis of the company:
- If Bidder is Original Manufacturer: is offering to supply Goods which the bidder manufactures or otherwise produces. The Bidder must submit documentary evidence that it is incorporated in the country of manufacture of the Goods and country of Procuring Entity
- If bidder is authorized Agent of the original manufacturer in the procuring entity's country Proprietorship of a well-established Authorized Agent of the original manufacturer, including documentation regarding the company's legal status and registration under relevant law of Khyber Pakhtunkhwa or Government of Pakistan.

## TAX REGISTRATION:

- Sales & Income Tax registration of the bidder is required as:
- Valid Income Tax Registration
- Valid General Sales Tax Registration
- Bidder must be active taxpayer and listed as an active taxpayer on the respective websites of relevant taxation authorities.
- As per Rule No (37)(A) of KPPRA Rules 2014, For Service Level Agreement All bidders are required to be registered with the Khyber Pakhtunkhwa Revenue Authority (KPRA), established under the Khyber Pakhtunkhwa Finance Act, 2013 (Khyber Pakhtunkhwa Act No. XXI of 2013

#### **BID SECURITY:**

• Offers must include required Bid Security of 2% of the bid cost An Affidavit in this regard shall be included with technical proposal without mentioning the amount of bid security. Bid Security shall be submitted with the financial bid and from the account of the bidder / firm.

## PRICE/BID VALIDITY:

- a. Offers must meet required Price Validity till 30th June 2026.
- b. An Affidavit on Judicial stamp paper of Rs.100 or more submitting following clauses that:
  - i. Only genuine manufacturer's warranty for replacement and not repair of the complete Equipment and parts shall be done during the warranty period.
  - ii. That the bidder / firm will provide all durables, consumables, re-agents etc. for each equipment throughout the useful life & beyond useful life of each equipment.
  - iii. That the firm is never blacklisted on any grounds whatsoever.
  - iv. That the country of origin of equipment is mentioned clearly and correct along with Brand

- /Manufacturer's Name.
- v. Standard Accessories as a part and parcel of the equipment are clearly mentioned and provided.
- vi. That the Bidder will provide after sales services beyond the period of warranty.
- vii. That bidder has submitted Bid Security amounting to 2% of the proposed bid inside financial proposal.
- viii. That the firm is never blacklisted on any grounds whatsoever by any of Provincial or Federal Government Department, Entity, Organization or autonomous body or Private Sector Organization anywhere in Pakistan.
  - ix. That bidder has declared Conflict of Interest (if any), along with Bid Solicitation Documents.
  - x. That the country of origin of equipment / item is mentioned clearly and correct along with Brand / Manufacturer's Name.
  - xi. That the Bidder will only provide Fresh, New and Genuine Goods / Items.
- Technical bids of only those Bidders/ firms will qualify for Technical Evaluation which meets all of the above-mentioned criteria. Each Bid / proposal will be evaluated individually for each equipment/ item in order to achieve maximum value for money and economy for each equipment / item.
- The Evaluation procedure will be conducted exclusively based on available information specified here in these Bid Solicitation Documents.

# **TECHNICAL EVALUATION METHODOLOGY (TOTAL SCORE = 70)**

Technical Evaluation is based on Evaluation and comparison of Compliance & Conformity with requirements including but not limited to:

#### TECHNICAL EVALUATION CRITERIA (SCORE=70)

Quality:

- Product Quality: Evaluation of quality will be based on proposed equipment registration for quality, standards / accreditation in the country of its origin with relevant international quality and standards certification body. i.e., if a product of Japan has been proposed then (Japan Industrial Standards-JIS) & in case of Europe registration with (European Commission-EC) etc.
- Valid certificate of European community (CE/EC, Declaration of Conformity) for the quoted model or ANSI, or AHRI, or Eurovent certification
- Compliance/ Conformity with requirements: By comparing proposed equipment with the specifications of requirements to determine the degree to which the Goods, meet or exceed the Technical Specifications, specified by procuring entity in the "Schedule of Requirements".
- A Bidder / firm or proposed Goods will "Meet" requirements when all Technical & Performance specification of offered Goods matches the requirements set by Procuring Entity herein these bid solicitation documents.
- A Bidder / firm or proposed Goods will "Exceed" requirements when all Technical & Performance specification of offered Goods not only matches the requirements but also 50% of the Technical & Performance specification offered Goods are better than requirements specified herein these bid solicitation documents. e.g. in case of "Accuracy of an equipment/ item required is ±0.2 and the offered equipment/ item Accuracy ±0.1 same will be considered exceeding requirement.
- Product Performance and Productivity: Extent of Purpose, Performance, capacity, or functionality features meet or exceed the levels specified in the performance / functional requirements and/or influence the life-cycle cost. Performance, Capacity and Functionality features shall include "Accuracy, Precision, Reproducibility, and Repeatability.

To perform the contract. Capacity and Capability will be measured in terms of following:

# A) FINANCIAL CAPABILITIES:

Submission of signed / attested audit reports for the last consecutive three years along with financial statements for the past three fiscal years and shall meet the following basic financial criteria: Annual Sales tax returns.

### B) BIDDER'S / FIRMS EXPERIENCE:

List of same product deliveries/services provided over the last 3 years with details, dates and recipients (whether in the public or private domain). Certificate from user for satisfactory delivery shall be submitted. The Certificate should NOT be older than 03 years.

#### C) DELIVERY SCHEDULE:

Procuring Agency requires all the imported equipment to be delivered within 4-months (120) days from the day of the award of the contract or issuance of Purchase Order, while locally manufactured / assembled equipment shall be supplied within 60 days.

#### D) SCOPE OF SERVICES:

Bidder's capability in terms of post award services which includes:

**Warranty:** Standard manufacturer warranty is compulsory. However, the procuring entity will award score requires All such warranties for the goods shall remain in effect for a period as specified for each equipment and / or as specified in Technical Evaluation Criteria of one (3) years or for such other longer

period that the original manufacture or authorized dealer of original manufacturer Bidder normally provides for such goods or a longer period agreed upon in this Contract after the goods are placed in use (the "Warranty Period")

**Technical Support & After Sales Services**. Evidence and capability of firm/Bidders/ manufacturer for technical support & after sales service beyond warranty period. Evidence and capability of firm/Bidders/ manufacturer for technical support & after sales service during & beyond warranty period. After Sale Satisfactory performance certificate (verifiable) of the firm in last six years, on letter head, signed and stamped for the quoted model or previous provided model of equipment from the public sector Institutes/ Semi Government or Private Organizations of Pakistan. Performance certificate shall be coupled with supply order / purchase order from public sector Institutes/ Semi Government or Private organizations of Pakistan

**Established Office / Service Center**: Distance office / service center complete with maintenance & 24/7 support facilities from the HQ of the procuring agency.

**Established Office / Service Center:** Manufacturer's / principle approved workshop facility: Availability of Manufacturer's / Principle's approved workshop / service center facility within procuring entity's country i.e. Pakistan.

Technical Evaluation of the bid has been allotted 70 marks / score. Bids will be scored for total of 70 points

Technical Evaluation Weight	70%
Financial Evaluation Weight	30%
Total	100%

#### SCORING AND WEIGHING PRINCIPLES

- Scores will be awarded to bidders / firm if proposed Goods will "Meet" requirements when all Technical & Performance specification of offered Goods matches the requirements set by Procuring Entity herein these bid solicitation documents without any minor deviation.
- A Bidder / firm or proposed Goods will "Exceed" requirements when the offered equipment not only meets all the required specifications & functionality of equipment but also offers an additional feature / capability.
- The Technical Evaluation Committee will evaluate and score bids in accordance with the quality of Technical Bid in terms of:
  - Extent that bidder / firm Meets the criteria set for award of contract. i.e., the bidder/ firm has same capabilities as required here in the Bid Solicitation Documents.
  - Extent that the bidder proposed specifications Meets or Exceeds the Specifications set herein these Bid Solicitation Documents for the same item.
  - Extent that proposed equipment/ items exceeds the Performance & Productivity measures set under specifications of requirements.
  - Extent that bidder proposed equipment / item exceeds the level of Capacity, or Functionality
  - Features specified under specifications of requirements.
  - Extent that samples provided meets or exceeds the Level of Specifications of requirements set in this SBD and Performance & Technical specifications provided / proposed by bidder / firm in its bid.

# FINANCIAL EVALUATION AND SCORING SYSTEM FOR BIDS

(Maximum Allocable financial Marks / Score = 30 marks)

- The financial bids of technically qualified bidders will be opened publicly at the time to be announced by the Procuring Agency and the financial bids found technically non-responsive shall be returned un-opened to the respective Bidders.
- Total Allocable marks for Technical Proposal = 70
- Total Allocable marks in Financial Proposal= 30
- Total Combined Allocable Score for individual bids =Marks obtained in Technical Evaluation + Marks obtained in Financial Evaluation = 100
- For the instant procurement the bidder shall offer price for complete package of HVAC for both labs i.e. Provincial Food and Drug Labs situated at Phase-5 Hayatabad Peshawar. For optional items separate price shall be quoted.

#### SCORING METHODOLOGY:

- Contract will be awarded to the best evaluated fair and responsive bidder whose product ranks highest in the Combined Evaluation scoring calculated through the Marks awarded to Technical Proposal and Financial Proposal as stated in the Bid Data Sheet of these Standard Bidding Documents.
- The Evaluation Methodology is a combination of non-price factors (in Technical Criteria) and price factor (in Financial Criteria); and each having points as elaborated in the evaluation preforms provided in these SBDs.
- Procedure for the Marks Scoring: Marks will be awarded or otherwise for various technical parameters to each quoted product (s) based on the prescribed Technical and Financial criteria. The total combined marks will determine the highest-ranking product for contract award.
- The formula to calculate the marks for the price by the bidders other than lowest bidder is given below:

# Financial Evaluation Score of individual quoted Product = [Lowest quoted Price of the item ÷ Next higher proposed Price of the competing item] x 30

Solved Example of Financial Scoring

- If the lowest quoted price of an item is Rs. 86/-, the same lowest bidder will obtain score as below: = [86 ÷ 86] x 30=30 marks, being the lowest bidder for the quoted item. If the next higher quoted price of the same item is Rs. 105/-, the marks obtained will be: = [86 ÷ 105] x 30 = 24.57 Marks
- If the next higher quoted price of the same item is Rs. 130/-, the marks obtained will be: =  $[86 \div 130] \times 30 = 19.84 \text{ Marks} \dots$  And so on.

# TECHNICAL EVALUATION CRITERIA FOR HVAC EQUIPMENT

S. No.	Description of Variables	Allocated Points
	Product Evaluation Parameters	
	Conformance to the specification	
1	Fully compliance with the required specifications as per Statement of Requirement. Minor deviations may be accommodated up to 4, subject to the condition that main function and performance in any aspect would not be affected. More than 4 minor deviations will be considered as major deviation and the bidder will be considered as non-responsive for the quoted item. (One mark for each minor deviation will be deducted).	15
2	Valid ANSI / AHRI / Eurovent Compliance certification.	10
	Manufacturer Performance	
3	Valid ISO 9001 Quality Management Certificate of manufacturer rom PNAC / IAF accredited body	3
4	<ul> <li>CE certificate for the quoted product from European commission notified body and / or EU Declaration of Conformity</li> <li>JIS for the quoted product (Per certificate 3 marks (Maximum 6 marks)</li> </ul>	6
5	Valid ISO 45001 Occupational Health & Safety Certificate of manufacturer from PNAC / IAF accredited body	2
6	Valid ISO 14001 Environmental Certificate of manufacturer from PNAC / IAF accredited body	2
7	RoHS certificate from notified body	2
	After Sale Past Performance	
8	One mark for each satisfactory performance certificate (verifiable) of the firm / bidder on letter head or signed and stamped from the public sector for the quoted item work order, supported by Supply order/Purchase order.	6
9	One mark for each satisfactory performance certificate (verifiable) of the firm / bidder on letter head of private sector for the quoted item work order supported by Supply order/Purchase order.	5

	MANDATORY REQUIREMENTS	
A	Warranty Period of three years both with spare parts and services & Next two-year services only without spare parts from the date of Installation / Commissioning.	Mandatory
В	Firm / bidder registration at relevant forum (SECP/Registrar of Firm / bidder, FBR).	Mandatory
	Firm / bidder Evaluation Parameters	
C	The bidder will have to give valid proof of being manufacturer / importer / authorized dealer	Mandatory
D	The bidder must be registered with PEC category C4 or above Code ME01 (Applicable only for HVAC system)	Mandatory
	Firm / bidder Financial Strength / Certificate	
10	Last three years Audited Balance Sheet Duly attested by Chartered Accountant. Turnover 60 million or above 5 marks/points. Turnover below 60 and above 30 million will be awarded 3 marks/points. Turnover below 30 million and above 20 million will be awarded 1 marks/points. Income tax returns for last three years must be submitted with audited balance sheet	5
11	Valid ISO 9001 Quality Management Certificate of the firm / bidder from PNAC accredited body.	2
	Human Resources	
12	Diploma of Associate Engineer (DAE) in electrical / electronic / mechatronics or relevant field. DAE certificate must be submitted. (One mark for each certificate)	3
13	Graduate Engineer with PEC Registration in electrical / electronics, / mechatronics / mechanical / industrial or equivalent. PEC registration card of the engineer must be submitted. (2 marks for each).  Office / Workshop facility	6
14	Availability of office in Peshawar, to be verified with Ownership / Rent Agreement with Owner/ Rent Agreement with Company Name. in Peshawar will be awarded marks.	2
15	Availability of workshop in Peshawar, to be verified with Ownership / Rent Agreement with Owner/ Rent Agreement with Company Name.	1
	Total Score of the Firm / bidder Evaluation Parameters	
	Total Score	70

NOTE: The bidder shall provide the details regarding country of origin, Model, Make, manufacturer, along with details of Manufacturing Units and mode of supply, shipment, and any other associated details of the component items and that of the quoted equipment. Bidders are bound to supply the equipment from quoted country of origin or authorized manufacturing site.

# **BIDDER'S DECLARATION**

Yes	No	
		Requirements and Terms and Conditions: I/We have read and fully understand the IFB, including the IFB Information and Data, Schedule of Requirements, the General Conditions of Contract, and any Special Conditions of Contract. I/we confirm that the Bidder agrees to be bound by them.
		I/We confirm that the Bidder has the necessary capacity, capability, and necessary licenses to fully meet or exceed the Requirements and will be available to deliver throughout the relevant Contract period.
		Ethics: In submitting this Bid I/we warrant that the bidder: has not entered into any improper, illegal, collusive or anti-competitive arrangements with any Competitor, has not directly or indirectly approached any representative of the Procuring Entity to lobby or solicit information in relation to the IFB has not attempted to influence, or provide any form of personal inducement, reward or benefit to any representative of the Procuring Entity.
		I/We confirm to undertake not to engage in proscribed practices, or any other unethical practice, with the Procuring Entity or any other party, and to conduct business in a manner that averts any financial, operational, reputational or other undue risk to the Procuring Entity and I/we have confirm to abide by the code of conduct set by KPPRA Act 2012 and KPPRA Rules 2014 the and acknowledge that it provides the minimum standards expected of suppliers to the Procuring Entity.
		Conflict of interest: I/We warrant that the bidder has no actual, potential, or perceived Conflict of Interest in submitting this bid or entering a Contract to deliver the Requirements. Where a Conflict of Interest arises during the bidding process the bidder will report it immediately to the Procuring Entity in writing.
		Prohibitions, Sanctions: I/We hereby declare that our firm, its affiliates or subsidiaries or employees, including any JV/Consortium members or subcontractors or suppliers for any part of the contract is not under procurement prohibition by any Public Sector organization, such as debarred, black listed.
		Bankruptcy: I/We have not declared bankruptcy, are not involved in bankruptcy or receivership proceedings.
		Offer Validity Period: I/We confirm that this Quote, including the price, remains open for acceptance for the validity period specified in these BSD.
		I/We understand and recognize that Procuring Entity is not bound to accept any bid received, and we certify that the goods offered in our Quotation are new and unused.
		By signing this declaration, the signatory below represents, warrants and agrees that he/she has been authorized by the Organization/s to make this declaration on its/their behalf.

Name

In the capacity of

Signed

Official Stamp/ Seal

Duly authorized to sign the Bid for and on behalf of

Date

#### TECHNICAL EVALUATION CRITERIA FOR HVAC FOR THE YEAR 2024-2025

(Maximum Allocable Marks Score = 70 marks)

Technical Evaluation Criteria for the procurement/installation of HVAC equipment for FY 2024-2025 Firm Name:

Bid Reference No:

The bidders will quote the technical bid quotation on the format / form given below.

Technical Bid Quotation Form / Vis-à-vis Format for procurement / installation of HVAC equipment

1 Toject Director (DG DC & FS)	
Required Specification Project Director (DG DC & PS)	Quoted Specification of the bidder
Comparative of Required Specification and Quo	eted Specification
S. No in SBDs:	
Country of Origin:	
Make:	
Model:	
Name of Equipment / Item:	

# Explanation of the quotation form:

- All the bidders must submit the quotation on the above form.
- All the bidders must make a comprehensive sheet with all the required specifications. (Compare all the quoted specification to the required specification).
- Attached the supported documents i.e. Broacher / Catalogue clearly highlighted the specifications mention in the technical quotation.
- The successful bidders shall provide complete technical manual and operation manual (soft and hard) to the end user.

# **BID FORM -1**

# **BID COVER SHEET**

Mandatory General Information of Applicant Firm

NOTE: Complete filling of this form along with the provision of all requisite information is mandatory. Missing or not providing any of the requisite information may lead to dis-qualification of the bidder/s from the bidding competition without any correspondence. Any appeal from bidder/s, for whatsoever reasons, will not be entertained in such a case.

S.No	Name of the Bidding Firm:	
1.	Please indicate whether the firm is: Manufacturer, or Importer, or Both Manufacturer and importer. Authorized Agent/Dealer/Distributor For various items Offered for this bidding competition.	
2.	Please indicate the complete set of equipment under which the Firm is applying for bidding.	
	The bidder shall offer price for complete package of HVAC, in financial proposal, for both labs i.e. Provincial Food and Drug Labs situated at Phase-5 Hayatabad Peshawar. For optional items separate price shall be quoted.	
3.	Please provide names, attested copies of CNICs, two recent attested photographs, valid street addresses in Pakistan, all landline and mobile phone numbers of:  Owner/Proprietor of the Firm.  Managing Director / CEO of the Firm;  Focal person officially made responsible and authorized by the Firm for day-to-day official Correspondence with Project Director DG, DC & PS.  (Please provide clear, legible and visible attested photocopies of all the requisite items mentioned items)	

4.	Please provide the following valid information: Regarding applicant Firm: Complete Street address of the: Head Office Main warehouse; and Valid & working official Landline Phone and Fax Numbers; and Mobile phone numbers of the Focal Person	
	registered against his /her CNIC No. And name; and Valid and functional Email address; Official Website address/es	
5.	Please provide in original the bid security instrument along with the Financial Proposal in the sealed envelope in the form of valid Call Deposit Receipt / Bank Draft / Bank Guarantee of the requisite amount from a scheduled Bank of Pakistan in the name of Project Director Directorate General Drug control & Pharmacy Services, Peshawar. Non- provision of bid Security shall render the bid as non-responsive.  However, please provide an affidavit on judicial stamp paper of appropriate face value in the sealed Envelope of the technical proposal to the effect that the bid security of the required amount (without mentioning the amount of bid security) has been placed inside the sealed envelope of the financial bid to the Project Director Directorate General Drug control & Pharmacy Services, Peshawar.	
6	Please provide attested copies of the following Tax related mandatory documents: National Tax Number (NTN) of the Firm (FTN) for Income Tax. Last year Income Tax Return of the Firm; Sales Tax Registration Certificate of the Firm; Certificate of Professional Tax	
7	In case of being manufacturer, the Firm should provide attested copies of the following mandatory documents also: Duly attested copy of valid Certificate from Chamber of Commerce of the respective country	

In case of being importers, the Firm should provide attested copies of the following mandatory document/s also:

Valid Authorization Certificate for the quoted items, duly notarized from the country of origin or where the commercial office located for the quoted items.

(NOTE: In case if the document is verifiable online then the notarization is not mandatory)

# RETURNABLE CHECKLIST

S. No	Checklist	Yes/No	Page#	
(a) Gene	eral enclosures (firm related)			
1.	Certificate of Company/ Firm registration / Incorporation under the laws of Pakistan.			
	Valid Sales Tax Registration certificate of KP-Revenue Authority.			
	Valid Income Tax certificate.			
2.	Audited Balance Sheet for minimum2 last 2 years and maximum 3 years.			
	Bank Statement for the Last minimum 2 years and maximum 3 years.			
3.	Acceptance of terms and conditions of tender documents duly signed and stamped.			
4.	Certificate of "Calibration" issued by Government of Pakistan mandated "Certification and Accreditation body" for "High Quality" & "Accuracy" of results of the equipment proposed.			
4.	Certificate as bidder is Manufacturer, Authorized Agent, or representative of the original manufacturer.	•		
	Company profile including:			
	Engineering			
7.	Managerial			
	Technical capabilities			
	Technical Staff List			
	Workshop, Service Center, Machinery, Factory, Ware House addresses.	,		

2 Minimum: The word "Minimum" has been used to indicate the most recent documents to be furnished by the bidder. "Recent Years" can be calculated by counting backwards from the day of the publication of the advertisement.

Sno	Checklist	Yes/No	Page#
	An affidavit on stamp paper of Rs. 50/- submitting following clauses: that		
	Only genuine manufacturer's warranty for replacement and not repair of equipment parts shall be done under the warranty.	•	
	That the firm/bidder is never blacklisted on any grounds whatsoever.		
8	That the country of origin of equipment is mentioned clearly and correct along with Brand / Manufacturer's Name.		
	Standard Accessories as a part and parcel of the equipment are clearly mentioned and provided.		
	That the Bidder will provide after sales services beyond the period of warranty.	,	
	nnical enclosures for each equipment / ITEM PROPOSE te set of documents for each equipment as required part of bidding docu	ments)	
(зерага	Specification offered for each equipment against floated specifications:		
10.	Model		
	Brand		
	Make		
	Country of Origin		
	Country Manufactured in. (if different from the origin)		
11.	Agency agreement / Authorization from manufacturer for sale and after sale services duly certified by concerned sanctioning authority.		
12.	Certificates regarding quality of production for conformity with internationally and locally accepted standards.		
13.	Certificates regarding Calibration of equipment assuring the accuracy of results of all the equipment. (Compulsory)	,	
14.	Clients and Customers list who have been provided same equipment. Or the most relevant equipment in last 3 years.		

15.	Literature / Broachers of product with technical data sheet.	

Sno	Checklist	Yes/No	Page#
16.	List of standard accessories of the equipment and software catalogues.		
17.	At least 3 Repair / After Sale Service Satisfactory Certificate from Semi Government / Government Departments.		
18.	Minimum Two to Three Contracts received in last One Year.		
19.	Minimum Two-Year same business history from the date of authorization.		
20	Bidder must indicate the country of manufacturer of product.		
(C) FIN	NANCIAL OFFER		
1.	Offered rate of items inclusive standard accessories (inclusive of sale tax, if applicable)		
2.	Separate prices for each item and part of the equipment shall be specified.		
3.	For all equipment requiring regular service & maintenance Service level agreement for One (01) year shall be submitted as a separate financial proposal in different envelope.  (Service Level Agreement for each Equipment item must be submitted as a separate financial proposal).		

# THE GOVERNING RULES.

The Bidding procedure shall be governed by the Khyber Pakhtunkhwa Public Procurement of Goods, Works and Services Rules, 2014

# **TECHNICAL BID FORM 1**

Bidder's Ref No.

# **Letter of Intention**

Name of the Contract: { }
To: [ ]
Dear Sir, Having examined the bidding documents, including Addenda Nos. [insert numbers& Date of individual Addendum], the receipt of which is hereby acknowledged, we, the undersigned, offer to supply and deliver the Goods and ancillary services under the above-named Contract in full conformity with the said bidding documents and at the rates/unit prices described in the price schedule provided in Financial Bid or such other sums as may be determined in accordance with the terms and conditions of the Contract.
We undertake, if our Financial Bid is accepted, to deliver the Goods in accordance with the delivery schedule specified in the schedule of requirements.
If our Financial Bid is accepted, we undertake to provide a performance security/guarantee in the form, in the amounts, and within the times specified in the bidding documents.
We agree to abide by this bid, for the Bid Validity Period specified in the Bid Data Sheet and it shall remain binding upon us and may be accepted by you at any time before the expiration of that period.
Until the formal final Contract is prepared and executed between us, this bid, together with your written acceptance of the bid and your notification of award, shall constitute a binding Contract between us.
We understand that you are not bound to accept the lowest or any Financial Bid you may receive. We undertake that, in competing for (and, if the award is made to us, in executing) the above contract, we will strictly observe the laws against fraud and corruption in force in Pakistan.
We confirm that we comply with the eligibility requirements as per ITB clause 21.1 of the bidding documents and has duly provided earnest money @ 2% of the total bid value as per Khyber Pakhtunkhwa Public Procurement of Goods, Works and Services Rules-2014, in the shape of pay order / demand draft / call deposit bearing Nodated
Signed: In the capacity of Duly authorized to sign this bid for and on behalf of Bidder
Name:.
Signature

# **BID FORM 2**

# FINANCIAL BID FORM (PRICE SCHEDULE)

Name of	the Firm:
Bidder's	Ref. No:

Note: This form must cover all the costs associated to deliver the goods and services on such as, on Delivered Duty Paid (DDP) basis. The respective costs of each goods & services must be separately provided in the following manner. Prices offered shall include all applicable taxes.

Item	Description	Quantity	Rate (Pak. Rs.) DDP Basis Inclusive of all applicable taxes	
			Unit Rate	Total
	TOTAL (DDDD' ) //	<u>C''</u> 0 1)		
	TOTAL (DDP Price) (in	figures & words)		

Signature:	
Designation:	
Date:	
Official Stamp:	

(The bidder shall offer price for complete package of HVAC for both labs i.e., Provincial Food and Drug Labs situated at Phase-5 Hayatabad Peshawar. For optional items separate price shall be quoted).

# PERFORMANCE SECURITY FORM

To:
WHEREAS [name of Supplier] (hereinafter called "the Supplier") has undertaken, in pursuance of Contract No. [Reference number of the contract] dated20 to supply [description of goods and services] (hereinafter called "the Contract").
AND WHEREAS it has been stipulated by you in the said Contract that the Supplier shall furnish you with a bank guarantee by a reputable bank for the sum specified therein as security for compliance with the Supplier's performance obligations in accordance with the Contract.
AND WHEREAS we have agreed to give the Supplier a guarantee:
THEREFORE, WE hereby affirm that we are Guarantors and responsible to you, on behalf of the Supplier, up to a total of [amount of the guarantee in words and figures], and we undertake to pay you, upon your first written demand declaring the Supplier to be in default under the Contract and without cavil or argument, any sum or sums within the limits of [amount of guarantee] as aforesaid, without your needing to prove or to show grounds or reasons for your demand or the sum specified therein.
This guarantee is valid until the day of 20 .
Signature and seal of the Guarantors
[name of bank or financial institution]
[Address]
[date]

# MANUFACTURER'S AUTHORIZATION FORM

L	· /	4

To:

WHEREAS [name of the Manufacturer] who are established and reputable manufacturers of [name and/or description of the goods] having factories at [address of factory]

do hereby authorize [name and address of Agent] to submit a bid, and subsequently negotiate and sign the Contract with you against IFB No. [reference of the Invitation to Bid] for the above goods manufactured by us.

We hereby extend our full guarantee and warranty as per Clause 15 of the General Conditions of Contract for the goods offered for supply by the above firm against this Invitation for Bids.

<u>[signature for and on behalf of Manufacturer]</u>

[See Clause 13.3 (a) of the Instructions to Bidders.]

Note: This letter of authority should be on the letterhead of the Manufacturer and should be signed by a person competent and having the power of attorney to bind the Manufacturer. It should be included by the Bidder in its bid.

# **INTEGRITY PACT**

Declaration Of Fees, Commission and Brokerage Etc. Payable by the Suppliers of Goods, Services & Works In Contracts Worth Rs. 10.00 million Or More

Contract No.	Dated
Contract Value: [To be filled in Contract Title:	n at the time of signing of Contract]
right, interest, privilege or of (Government of Khyber Pakhtu	ares that it has not obtained or induced the procurement of any contract her obligation or benefit from Government of Khyber Pakhtunkhwa unkhwa) or any administrative subdivision or Entity thereof or any other of Government of Khyber Pakhtunkhwa through any corrupt business
Without limiting the generality fully declared the brokerage, or to give and shall not give or indirectly through any natural consultant, director, promoter, a finder's fee or kickback, whether or inducing the procurement of whatsoever form from Govern	of the foregoing, [name of Supplier] represents and warrants that it has commission, fees etc. paid or payable to anyone and not given or agreed agree to give to anyone within or outside Pakistan either directly or lor juridical person, including its affiliate, agent, associate, broker shareholder, sponsor or subsidiary, any commission, gratification, bribe er described as consultation fee or otherwise, with the object of obtaining of a contract, right, interest, privilege or other obligation or benefit in ment of Khyber Pakhtunkhwa, except that which has been expressly
arrangements with all persons	that it has made and will make full disclosure of all agreements and in respect of or related to the transaction with Government of Khyber ten any action or will not take any action to circumvent the above warranty.
[Name of Supplier] accepts ful making full disclosure, misrep declaration, representation and obligation or benefit obtained or remedies available to Government	Il responsibility and strict liability for making any false declaration, no resenting facts, or taking any action likely to defeat the purpose of this warranty. It agrees that any contract, right, interest, privilege or other procured as aforesaid shall, without prejudice to any other rights and ent of Khyber Pakhtunkhwa under any law, contract, or other instrument overnment of Khyber Pakhtunkhwa.
Notwithstanding any rights an regard, [name of Supplier] agr damage incurred by it on according Government of Khyber Pakhtu gratification, bribe, finder's fee obtaining or inducing the proceed benefit in whatsoever form from	d remedies exercised by Government of Khyber Pakhtunkhwa in this rees to indemnify Government of Khyber Pakhtunkhwa for any loss of punt of its corrupt business practices and further pay compensation to nkhwa in an amount equivalent to ten time the sum of any commission or kickback given by [name of Supplier] as aforesaid for the purpose of urement of any contract, right, interest, privilege or other obligation of m Government of Khyber Pakhtunkhwa.
Name of Buyer:	. Name of Seller/Supplier:

# RATE CONTRACT AGREEMENT

## FOR PROCUREMENT/INSTALLATION OF HVAC FOR ESTABLISHMENT OF FOOD & DRIIGS TESTING LARORATORY/IES PESHAWAR (for FV 2024-25)

DRUGS TESTING LADORATOR 1/1EST ESHAWAR (101 F 1 2024-25)				
between Services DRUGS Procurin	the Government of Kh s (Project Director of th TESTING LABORA ng Agency or the first	nyber Pakhtunkhwa through he Project Titled, ESTABLI ATORIES PESHAWAR, F	ed today on day of, 202_, Director General Drug Control & Pharmacy SHMENT OF PROVINCIAL FOOD AND Y-2024-25) (hereinafter referred to as the II, where the context admits, be deemed to yber Pakhtunkhwa);	
	through , Designation. , CNIC			
Mr		, Designation.	, CNIC	
No				
S.NO	Name Of Approved Item	Model, Make & Country of Origin	Approved Unit Price (Inclusive of all Applicable Taxes)	
1				
2				
Director Laborate WHERE or direct supply t	General Drug Contro ory/ies, Government of EAS the Supplier decla Importer and/or Autho o the Procuring Agenc	ol and Pharmacy Services ef Khyber Pakhtunkhwa. res that he is not a broker, morized Agent of goods for why; and	to be made by the Project Director i.e., The ither for Provincial Food or Drug Testing iddleman, but himself a Manufacturer and / nich he has won the bidding competition for entity shall purchase all or some or none of	

the goods, as of details given in this Contract Agreement, from the Supplier at the sole discretion of the procuring entity; and

WHEREAS the Supplier shall supply all the imported goods ordered by the procuring entity to the later in the quantity as mentioned in the supply order to be issued within the timeframe as mentioned in bidding Documents i.e., within 120- days (as mentioned in the advertised BSDs) from the date of issuance of supply order, while supply time for locally manufactured/assembled equipment shall be within 60 days of the issuance of supply order.

The following documents shall be deemed to form and be read and construed as part of this Agreement,

the Bid Form and the Price Schedule submitted by the Bidder;

the Schedule of Requirements;

the Technical Specifications;

the General Conditions of Contract;

the Special Conditions of Contract; and

the Procuring Entity's Notification of Award

Now, therefore, both the parties mutually agree to enter into this contract agreement as under:

- 1. The Supplier agrees to take full responsibility of the validity and implications, that may arise in future, of declaration submitted by him in the form of affidavit on judicial stamp paper along with their bids; and that in case of any kind of breach of the said declaration, the Supplier shall be liable to be proceeded against by the Procuring Agency in accordance with the clauses of this rate contract agreement as well as relevant laws, rules and regulations of the Government of Khyber Pakhtunkhwa, as amended from time to time, to govern such situation/s.
- 2. The supplies shall be made at the location specified in the supply order.
- 3. The Supplier shall be solely responsible for transportation, loading and / or unloading and staking of the supplied items till and at the time of delivery, to the destination indicated in Clause-2 above, including any damage or untoward incident, maintenance of required temperature and protection from light and other environmental conditions as well as other hazards that may possibly or potentially affect the supplied item in any way.
- 4. The Supplier shall NOT claim or charge transportation, loading / unloading, labor, or any other Charges related to or in the name of logistics, accidents, insurance, freight, etc.
- 5. The Supplier will make necessary arrangements for installation and training to the end user before release of final payment. The IQ, OQ and PQ shall be performed as per the laid down criteria in the BSDs.
- 6. The Supplier will provide Service Manual, Circuit diagram and error logbook and operational Manual for the supplied goods. The successful bidder shall provide complete technical manual and operation manual to the procuring entity.
- 7. In case of non-supply or delayed supply of items the Supplier shall be proceeded against under the relevant law of the land i.e., Procurement regime and associated laws of the country.
- 8. The Procuring Agency shall take legal / lawful action against the Supplier regarding non-supply, short supply, substituted supply, delayed supply or any other unlawful action / shortcoming, on the part of Supplier during the execution of this contract agreement. The Procuring Agency shall take lawful / legal action against the Supplier in accordance with the clauses of this contract agreement as Well as relevant laws, rules, and regulations of the Government of Khyber Pakhtunkhwa, as amended from time to time, to govern such situation/s, which may include, but not limited to, blacklisting, forfeiture of earnest money and performance guarantee, etc.
- 9. The Supplier agrees to the following conditions related to packing, packaging, and labeling of the goods to be supplied to Purchasing Agencies under this contract agreement:
- 10. The Procuring Agency shall have the right to inspect the storage facility, premises, warehouse, import documents etc. at any time till the execution of supply orders given under this contract agreement.

#### 11. RATE VALIDITY:

The Supplier agrees that the approved price of all individual items quoted in the financial bids shall remain valid till and up to 30th June 2026.

#### 12. PERFORMANCE GUARANTEE:

Upon receipt of supply order from the Procuring Entity, the Supplier shall submit Performance Guarantee to the former, amounting to **five per cent** (5%) of the total value of each individual supply order, which shall be returned to the Supplier upon request after the successful finalization of the process of procurement by the Procuring entity till the mandatory and/or offered warranty period whichever is later.

#### 13. WARRANTY:

The supplier shall provide the warranty as prescribed in Bidding Documents under Special Conditions of Contract Clause 10 and GCC Clause 15.4, to the Procuring Entity for each individual item supplied in response to supply orders. After sale services shall also be provided by the bidder after the warranty period.

#### 14. PAYMENT SCHEDULE:

Bill for payment in triplicate along with all other relevant and required documents shall be submitted by the Supplier, to the Procuring Agency immediately after completion of supply. The Supplier shall be bound to pay all applicable government taxes, duties, and stamp duties, imposed earlier or during the financial year by the Government of Pakistan or by the Provincial

Government of Khyber Pakhtunkhwa on any supplied item.

#### 15. FORCE MAJEURE:

In case of the situation related to Force Majeure, the Supplier may inform the Procuring Agency in writing about the situation immediately without delay along with solid proof through the fastest, lawful, and available means of communication, but not through the electronic mail, and request the Procuring Agency for the grant of extension in the supply Period.

16. The Procuring Agency, in case of being fully satisfied with the genuineness of situation arising from Force Majeure for the Supplier, may extend the period of supply of goods up to a maximum of not more than thirty days without penalty. However, the Procuring Agency and / or Purchasing Agency shall, in no case, be responsible or held responsible for any complications in making payments to Supplier by the Purchasing Agency that may arise from the closure of financial year and lapse / surrender of public funds vis-à- vis the normal financial management procedures in public sector.

#### 17. PENALTIES:

The Supplier shall complete the supply of the ordered goods under this agreement within the stipulated period as laid down in the SBDs. In case of delay in supplies reaching to the procuring entity, except in situation/s covered under clause 16 above, the procuring entity may impose a penalty on the supplier which may lead to but is not limited to the forfeiture of performance guarantee.

#### **18. INDEMNITY:**

Notwithstanding any rights, duties and / or remedial measures and / or managerial actions taken and / or to be taken and / or any powers exercised and /or to be exercised by the Procuring Agency and / or Purchasing Agency and / or Purchasing Officer/s with regard to the execution of this contract agreement, the Supplier agrees to indemnify them for any loss or damage incurred or inflicted upon by them in individual or official capacity upon the Supplier whether through any of their actions and / or practices and / or otherwise. The Supplier further agrees to pay compensation to the Government of Khyber Pakhtunkhwa of an amount equivalent to ten times the sum of any commission, gratification, bribe or kickback and / or finder's fee given by the Supplier for the purpose of obtaining and /or inducing the Procurement of any contract, right, interest, privilege or other obligation/s or benefit In whatsoever form, from the Procuring Agency or any of the Purchasing Agencies.

## 19. RESOLUTION OF DISPUTES:

The Purchasing Agency and the Supplier shall make every effort to resolve amicably by direct negotiation any disagreement or dispute arising between them under or in connection with the contract / supplies. Despite such negotiation if the Purchasing Agency& Supplier have been unable to resolve amicably a contract dispute, either party may refer the case to Secretary Health Khyber Pakhtunkhwa for decision through a Dispute Resolution Committee under the chairmanship of Secretary Health Khyber Pakhtunkhwa with Director General Drug Control & Pharmacy Services, Khyber Pakhtunkhwa and Additional Secretary Health (Development) Khyber Pakhtunkhwa as members. The decision of the Dispute Resolution Committee shall be final and binding upon both the parties.

Signature	Signature:
Pakhtunkhwa, Health Department Peshawa	Designation CNIC No. Stamp: erFor and on behalf of the successful bidder / supplier
(Party-1)	
Signature.	Signature.
Name.	Name.
CNIC No.	CNIC No.
Director General, Khyber Pakhtunkhwa Foo	dDirector Technical, Khyber Pakhtunkhwa Food
Safety & Halal Food Authority.	Safety & Halal Food Authority.
WITNESS NO. 1	WITNESS NO. 2
Signature: Name:	Signature: Name:
Father's Name: Address:	Father's Name: Address:
CNIC No.	CNIC No.